

--***** جدول ايمان / م - الغلاف

----- الاجمالي لايساوى الاناث عدد+الذكور عدد

```
SELECT *
FROM f_table1
WHERE ((sex1 + sex2 <> sextot))
order by gov_code,doc_ser_gov
```

```
-----
SELECT *
FROM f_table1
WHERE ( sextot=0)
order by gov_code,doc_ser_gov
```

```
-----
SELECT *
FROM f_table1
WHERE (sextot>20)
order by gov_code,doc_ser_gov
```

---- الاسرة رئيس واسم التنظيم ورقم الطريق اسم

```
SELECT *
FROM f_table1
WHERE (name = ' ' OR address = ' ' OR build_no = ' ' )
order by gov_code,doc_ser_gov
```

```
-----
SELECT *
FROM f_table1
WHERE (name = ' ' )
order by gov_code,doc_ser_gov
```

---- الجملة =0

---- الجملة =0

```
SELECT *
FROM f_table1
WHERE (sextot = 0)
order by gov_code,doc_ser_gov
```

```

-----الافراد جدول-----
-----الافراد جدول علاقات=0
SELECT      *
FROM        f_basic_data
WHERE       ((ser_line <> 99)and ((sex_code = 0) or
(relation_code = 0)or
(education_entry_code = 0)or educational_status_code =0 or
in_out_establishment_code = 0 ))
ORDER BY   gov_code, doc_ser_gov

```

```

-----رقم سطر ويوجد =1 من اكثر الاسرة برب الصلة=1
SELECT      *
FROM        f_basic_data
WHERE       (relation_code <>1) AND (ser_line = 1)
ORDER BY   gov_code, doc_ser_gov

```

```

-----الاول الفرد ولايوجد الاسرة برب صلة يوجد
SELECT      *
FROM        f_basic_data
WHERE       (relation_code = 1) AND (ser_line <> 1)
ORDER BY   gov_code, doc_ser_gov

```

```

-----15 من اقل الاسرة رئيس
SELECT      *
FROM        f_basic_data
WHERE       (relation_code = 1) AND (age<14)
ORDER BY   gov_code, doc_ser_gov

```

```

-----1= بالتعليم والالتحاق التعليمية والحالة =1 الاسرة رئيس
SELECT      *
FROM        f_basic_data
WHERE       (relation_code = 1) AND ((education_entry_code =
1)or (educational_status_code =1))
ORDER BY   gov_code, doc_ser_gov

```

```

-----وانهى خريج بالتعليم والالتحاق 15 من اقل السن
SELECT      *
FROM        f_basic_data
WHERE       ( age <6 and education_entry_code <> 1 )and
ser_line<>99

```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----@  
-----<>1 التعليمية والحالة السن من اقل بالتعليم الالتحاق  
SELECT *  
FROM f_basic_data  
WHERE (educational_status_code <>1)and  
(education_entry_code =1)and age<6  
ORDER BY gov_code, doc_ser_gov
```

```
-----@  
SELECT *  
FROM f_basic_data  
WHERE (education_entry_code =1)and age>5  
ORDER BY gov_code, doc_ser_gov,ser_line
```

```
-----@  
SELECT *  
FROM f_basic_data  
WHERE (educational_status_code <>1)and age<10 and  
ser_line<>99  
ORDER BY gov_code, doc_ser_gov,ser_line
```

```
-----@  
SELECT *  
FROM f_basic_data  
WHERE (in_out_establishment_code <>4)and ser_line<>99  
and(age<10 and age>5)  
ORDER BY gov_code, doc_ser_gov,ser_line
```

```
-----@  
-----واحدة حاله
```

```
-  
SELECT *  
FROM f_basic_data  
WHERE (in_out_establishment_code <>5)and ser_line<>99  
and( age<6)  
ORDER BY gov_code, doc_ser_gov,ser_line
```

```
-----  
-----وامى اقل التعليمية والحالة يلتحق لم بالتعليم الالتحاق  
SELECT *  
FROM f_basic_data  
WHERE (education_entry_code =2) and  
(educational_status_code >2)  
ORDER BY gov_code, doc_ser_gov
```

```
SELECT      *
FROM        f_basic_data
WHERE       (age>5 and age<10 ) and (educational_status_code
>2)
ORDER BY   gov_code, doc_ser_gov
```

-----الحالة خريج بالتعليم الالتحاق
وامى اقل التعليمية

```
SELECT      *
FROM        f_basic_data
WHERE       (education_entry_code =3) and
(educational_status_code<4)
ORDER BY   gov_code, doc_ser_gov,ser_line
```

-----مشتغل العمل من والموقف السن من اقل بالتعليم الالتحاق -

```
SELECT      *
FROM        f_basic_data
WHERE       (education_entry_code =1) and
(in_out_establishment_code=1)
ORDER BY   gov_code, doc_ser_gov
```

'-----المهنة يوجد ولا ارقام بها يوجد العملية الحالة'
الرئيسية
SELECT *
FROM f_basic_data
WHERE (employment_status_code<>0)and(prof_enter_code=0)
ORDER BY gov_code, doc_ser_gov

-----@
---ال من اقل التعليمية الحالة السن من اقل بالتعليم الالتحاق
=1 العملية والحالة سن

```
SELECT      *
FROM        f_basic_data
WHERE       (education_entry_code =1) and
(educational_status_code=1)and (employment_status_code<>0)
ORDER BY   gov_code, doc_ser_gov
```

```

-----
--
-----بالتعليم الالتحاق ويوجد 5 من اقل السن
SELECT      *
FROM        f_basic_data
WHERE       (age <6) and ((education_entry_code=2)or
(education_entry_code=3)or
(education_entry_code=4)or(education_entry_code=5))
ORDER BY   gov_code, doc_ser_gov
-----

```

```

-----
-----من اقل - التعليمية الحالة و السن من اقل - الالتحاق
=5 لا العمل من والموقف السن
SELECT      *
FROM        f_basic_data
WHERE       (education_entry_code=1)and
(educational_status_code=1)and (in_out_establishment_code<>5)
ORDER BY   gov_code, doc_ser_gov
-----

```

```

-----
- '-----شهرى دخل ولايوجد مهنة يوجد
SELECT      *
FROM        f_basic_data
WHERE       (prof_enter_code <>0)and (incom=0)and
employment_status_code<>4 AND in_out_establishment_code=1
ORDER BY   gov_code, doc_ser_gov
'
-----

```

```

-----***
-----الدخل =0
SELECT      *
FROM        f_basic_data
WHERE       ser_line=99 and incom=0
ORDER BY   gov_code, doc_ser_gov
-----

```

```

-----5 من اقل والسن انترنت يوجد
SELECT      *
FROM        f_basic_data
WHERE       (age < 5) AND (net_code = 1)and ser_line<>99
-----

```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----  
----- 50 من اقل للاسرة الكلي الدخل  
SELECT *  
FROM f_basic_data  
WHERE (incom < 20) and incom <>0  
ORDER BY gov_code, doc_ser_gov
```

-----خالص-----

```
-----امى التعليمية والحالة =1 الانترنت  
SELECT *  
FROM f_basic_data  
WHERE (educational_status_code=2)and (net_code = 1)  
ORDER BY gov_code, doc_ser_gov
```

```
-----اسباب يوجد لا و انترنت يوجد لا  
SELECT *  
FROM f_basic_data  
WHERE (net_code = 2) AND (net_barriers_code = 0) AND  
(code1 = 0) AND (code2 = 0) AND  
(code3= 0) AND (code4 = 0) AND (code5 = 0)  
AND (code7 = 0) AND (code8 = 0) AND (code9 = 0) AND (code10  
= 0) AND (code6 = 0)and (code11 = 0) AND (code12 = 0) AND  
(code13 = 0)  
ORDER BY gov_code, doc_ser_gov
```

-----***

```
-----تعامل عدم اسباب ويوجد انترنت يوجد  
SELECT *  
FROM f_basic_data  
WHERE (net_code = 1) AND ((net_barriers_code = 1) or  
(code1 = 1) or (code2 = 1) or  
(code3 = 1) or (code4 = 1) or (code5 = 1)  
or (code6 = 1) or (code7 = 1) or (code8 = 1) or (code9 = 1)  
or (code10 = 1) or (code11 = 1) or (code12 = 1) or (code13  
= 1) )  
ORDER BY gov_code, doc_ser_gov
```

-----انجليزى واللغة 10 من اصغر السن-----

-----المهندسين مثل مناطق-----
SELECT *
FROM f_communication
WHERE (phon = 2 or phon = 0) AND (phon_no <> 0)
ORDER BY gov_code, doc_ser_gov

SELECT *
FROM f_communication
WHERE (phon = 1) AND (phon_barriers_code=1 or
phon_barriers_code2=1 or phon_barriers_code1=1 or
phon_barriers_code3=1)
ORDER BY gov_code, doc_ser_gov

SELECT *
FROM f_communication
WHERE (phon = 2) AND (phon_barriers_code=0 and
phon_barriers_code1=0 and phon_barriers_code2=0 and
phon_barriers_code3=0 and phon_barriers_code4=0 and
phon_barriers_code5=0)
ORDER BY gov_code, doc_ser_gov

SELECT *
FROM f_communication
WHERE (phon_barriers_code>1 or phon_barriers_code1>1 or
phon_barriers_code2>1 or phon_barriers_code3>1 or
phon_barriers_code4>1 or phon_barriers_code5>1)
ORDER BY gov_code, doc_ser_gov

SELECT *
FROM f_communication
WHERE (phon_barriers_code3=1 and text1='')
ORDER BY gov_code, doc_ser_gov

SELECT *
FROM f_communication
WHERE (phon_barriers_code3=0 and text1<>'')
ORDER BY gov_code, doc_ser_gov

SELECT *
FROM f_communication
WHERE (phon = 2) AND (phon_no <> 0)
ORDER BY gov_code, doc_ser_gov

----- هواتف عدد ولا يوجد تليفون عنده
SELECT *
FROM f_communication
WHERE (phon = 1) AND (phon_no = 0)
ORDER BY gov_code, doc_ser_gov

----- انتظار مده ويوجد بالانتظار مدرج غير
SELECT *
FROM f_communication
WHERE (wait_time <>0) AND (phon_barriers_code2 = 0)
ORDER BY gov_code, doc_ser_gov

----- انتظار مدة ولا يوجد بالانتظار مدرج
SELECT *
FROM f_communication
WHERE (wait_time = 0) AND (phon_barriers_code2 = 1)
ORDER BY gov_code, doc_ser_gov

----- هواتف عدد ويوجد موبايل لا يوجد
SELECT *
FROM f_communication
WHERE (mobile = 2) AND (mobile_no <> 0)
ORDER BY gov_code, doc_ser_gov

----- هواتف عدد ولا يوجد موبايل يوجد
SELECT *
FROM f_communication
WHERE (mobile = 1) AND (mobile_no = 0)
ORDER BY gov_code, doc_ser_gov

SELECT *
FROM f_communication
WHERE (mobile = 2) AND (m_line_p <>0 or m_line <>0 or
m_card <>0)
ORDER BY gov_code, doc_ser_gov

SELECT *
FROM f_communication
WHERE (mobile = 1) AND (m_line_p =0 and m_line =0 and
m_card =0)
ORDER BY gov_code, doc_ser_gov

SELECT *
FROM f_communication
WHERE (mobile = 1) AND (m_line_p =0 and m_line =0 and
m_card =0)
ORDER BY gov_code, doc_ser_gov

----- بزنس وتكلفة خط يوجد
SELECT *
FROM f_communication
WHERE (m_line <>0) AND (m_serv1 =0)
ORDER BY gov_code, doc_ser_gov

SELECT *
FROM f_communication
WHERE (m_line =0) AND (m_serv1 <>0)
ORDER BY gov_code, doc_ser_gov

----- خط وتكلفة بزنس يوجد

```
SELECT *
FROM f_communication
WHERE (m_card<>0) AND (m_serv2 =0 )
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_communication
WHERE (m_card=0) AND (m_serv2 <>0 )
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_communication
WHERE (m_line_p<>0) AND (m_serv_p =0 )
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_communication
WHERE (m_line_p=0) AND (m_serv_p <>0 )
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_communication
WHERE (mobile_no <> m_line_p + m_line + m_card)
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_communication
WHERE (mobile_no <>0) and no_users=0
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_communication
WHERE (mobile_no =0) and no_users<>0
```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----  
--  
--*****الحواسب جدول*****  
-----مجالات ولايوجد الحاسب يستخدم
```

```
*****
```

```
*****
```

```
*****
```

```
****
```

```
**
```

```
*
```

```
SELECT      *  
FROM        f_computer  
WHERE       (comp_use = 1) AND (use1 = 0) AND (use2 =  
0)AND(use4 = 0) AND (use5= 0) AND (use3 = 0)  
ORDER BY   gov_code, doc_ser_gov
```

```
-----  
SELECT      *  
FROM        f_computer  
WHERE       (use1 >1 or use2>1 or use4 >1 or use5>1 or use3  
>1)  
ORDER BY   gov_code, doc_ser_gov
```

```
-----مستخدمين عدد ويوجد الحاسب لايستخدم
```

```
SELECT      *  
FROM        f_computer  
WHERE       comp_use = 2 AND comp_user_no<>0  
ORDER BY   gov_code, doc_ser_gov
```

```
-----مستخدمين عدد ولايوجد حاسب يستخدم
```

```
SELECT      *  
FROM        f_computer  
WHERE       (comp_use = 1) AND (comp_user_no = 0)  
ORDER BY   gov_code, doc_ser_gov
```

```
-----مجالات ولايوجد حاسب يستخدم
```

```
SELECT      *
```



```
WHERE      (elect_gover_use = 1) AND
(elect_gover_barriers_code =1 or barriers1 =1 or barriers2
=1 or barriers3 =1)
ORDER BY gov_code, doc_ser_gov
```

-----تعامل مجالات ولا يوجد =1 الاليكترونية البوابة مع تتعامل

```
SELECT      *
FROM        f_internet
WHERE      (use1 = 0) AND (use2 = 0) AND (use3 = 0) AND
(use4 = 0) AND (use5 = 0) AND (use6 = 0) AND (use7 = 0) AND
(use8 = 0) AND (elect_gover_use = 1)
              AND (elect_gover_use_code = 0)
ORDER BY gov_code, doc_ser_gov
```

-----تعامل مجالات ويوجد = 2 الاليكترونية البوابة مع لاتتعامل

```
SELECT      *
FROM        f_internet
WHERE      (use1 =1 or use2 =1 or use3 =1 or use4 =1 or
use5 =1 or use6 =1 or use7 =1 or use8 =1 or
              elect_gover_use_code =1) and
(elect_gover_use = 2)
ORDER BY gov_code, doc_ser_gov
```

-----مع تعامل اسباب يوجد ولا الاليكترونية التجارة مع تتعامل لا-
الاليكترونية التجارة

```
SELECT      *
FROM        f_internet
WHERE      (elect_commerce_use =2) AND
(net_barriers_electronic_commerce_code = 0) AND (c1 = 0)
AND (c2 = 0) AND (c3 = 0) AND (c4 = 0) AND (c5 = 0) AND
```



```
ORDER BY gov_code, doc_ser_gov
```

```
-----  
SELECT      *  
FROM        f_internet  
WHERE       (elect_commerce_use_2 <>0) AND  
(elect_commerce_use_21 = 2)  
ORDER BY   gov_code, doc_ser_gov
```

```
-----  
SELECT      *  
FROM        f_internet  
WHERE       (elect_commerce_use_1 = 0) AND  
(elect_commerce_use_11=1)  
ORDER BY   gov_code, doc_ser_gov
```

```
-----  
SELECT      *  
FROM        f_internet  
WHERE       (elect_commerce_use_2 =0) AND  
(elect_commerce_use_21 =1)  
ORDER BY   gov_code, doc_ser_gov
```

```
-----  
SELECT      *  
FROM        f_internet  
WHERE       (connection_code>1 or codec1>1 or codec2>1 or  
codec3>1)  
ORDER BY   gov_code, doc_ser_gov
```

```
-----  
-----اشترك قيمة ولا يوجد انترنت وصلة يوجد
```

```
SELECT      *  
FROM        f_basic_data1 INNER JOIN  
            f_communication ON  
f_basic_data1.YEAR_STATE = f_communication.YEAR_STATE AND  
            f_basic_data1.month1_code =  
f_communication.month1_code AND f_basic_data1.gov_code =  
f_communication.gov_code AND  
            f_basic_data1.doc_ser_gov =  
f_communication.doc_ser_gov AND f_basic_data1.section_code  
= f_communication.section_code AND  
            f_basic_data1.vall_code =  
f_communication.vall_code AND f_basic_data1.doc_ser_vall =  
f_communication.doc_ser_vall AND
```



```

                f_basic_data1.r_u_code =
f_communication.r_u_code
WHERE          (f_basic_data1.p_internet = 1) AND
(f_communication.net_cost = 0 and net_wireless=0 and
net_adsl=0 and net_isdn=0)
ORDER BY      f_basic_data1.gov_code, f_basic_data1.doc_ser_gov

```

-----الاتصالات وجدول الافراد جدول بين العلاقة-----

تليفون خط التعامل عدم ويوجد اسباب تليفون يوجد

```

SELECT      *
FROM          f_basic_data INNER JOIN
                f_communication ON
f_basic_data.YEAR_STATE = f_communication.YEAR_STATE AND
                f_basic_data.month1_code =
f_communication.month1_code AND f_basic_data.gov_code =
f_communication.gov_code AND
                f_basic_data.doc_ser_gov =
f_communication.doc_ser_gov AND f_basic_data.section_code =
f_communication.section_code AND
                f_basic_data.doc_ser_vall =
f_communication.doc_ser_vall AND f_basic_data.vall_code =
f_communication.vall_code AND
                f_basic_data.r_u_code =
f_communication.r_u_code
WHERE          ser_line<>99and(f_communication.phon = 1) AND
(f_basic_data.code2 = 1)
ORDER BY      f_basic_data.gov_code,
f_basic_data.doc_ser_gov,f_basic_data.ser_line

```

-----الاتصالات وجدول المؤشرات وجدول الافراد جدول-----

في التعامل ويوجد انترنت وصلة ولا يوجد تليفون لا يوجد

المنزل

```

SELECT      *
FROM          f_communication INNER JOIN
                f_basic_data ON
f_communication.YEAR_STATE = f_basic_data.YEAR_STATE AND
f_communication.month1_code = f_basic_data.month1_code AND

```

```

                f_communication.gov_code =
f_basic_data.gov_code AND f_communication.doc_ser_gov =
f_basic_data.doc_ser_gov AND
                f_communication.section_code =
f_basic_data.section_code AND f_communication.vall_code =
f_basic_data.vall_code AND
                f_communication.doc_ser_vall =
f_basic_data.doc_ser_vall AND f_communication.r_u_code =
f_basic_data.r_u_code INNER JOIN
                f_basic_data1 ON
f_basic_data.YEAR_STATE = f_basic_data1.YEAR_STATE AND
f_basic_data.month1_code = f_basic_data1.month1_code AND
                f_basic_data.doc_ser_gov =
f_basic_data1.doc_ser_gov AND f_basic_data.gov_code =
f_basic_data1.gov_code AND
                f_basic_data.section_code =
f_basic_data1.section_code AND f_basic_data.vall_code =
f_basic_data1.vall_code AND
                f_basic_data.doc_ser_vall =
f_basic_data1.doc_ser_vall AND f_basic_data.r_u_code =
f_basic_data1.r_u_code
WHERE          (f_communication.phon = 2) AND
(f_basic_data1.p_internet = 2) AND
(f_basic_data.net_moh_code = 1)
ORDER BY      f_communication.gov_code,
f_communication.doc_ser_gov

```

```

-----
-----
SELECT      *
FROM          f_communication INNER JOIN
                f_basic_data ON
f_communication.YEAR_STATE = f_basic_data.YEAR_STATE AND
f_communication.month1_code = f_basic_data.month1_code AND
                f_communication.gov_code =
f_basic_data.gov_code AND f_communication.doc_ser_gov =
f_basic_data.doc_ser_gov AND
                f_communication.section_code =
f_basic_data.section_code AND f_communication.vall_code =
f_basic_data.vall_code AND

```

```

                f_communication.doc_ser_vall =
f_basic_data.doc_ser_vall AND f_communication.r_u_code =
f_basic_data.r_u_code INNER JOIN
                f_basic_data1 ON
f_basic_data.YEAR_STATE = f_basic_data1.YEAR_STATE AND
f_basic_data.month1_code = f_basic_data1.month1_code AND
                f_basic_data.doc_ser_gov =
f_basic_data1.doc_ser_gov AND f_basic_data.gov_code =
f_basic_data1.gov_code AND
                f_basic_data.section_code =
f_basic_data1.section_code AND f_basic_data.vall_code =
f_basic_data1.vall_code AND
                f_basic_data.doc_ser_vall =
f_basic_data1.doc_ser_vall AND f_basic_data.r_u_code =
f_basic_data1.r_u_code
WHERE          f_communication.net_wireless=0 AND
f_communication.net_adsl=0 and
(f_communication.net_ph_cost = 0)and
f_communication.net_isdn=0 AND (f_basic_data.net_moh_code
= 1)
ORDER BY      f_communication.gov_code,
f_communication.doc_ser_gov

```

-----المؤشرات وجدول الحاسب جدول
-----انترنت وصلة ويوجد حاسب لديها ليس

```

SELECT      *
FROM          f_computer INNER JOIN
                f_basic_data1 ON
f_computer.YEAR_STATE = f_basic_data1.YEAR_STATE AND
f_computer.month1_code = f_basic_data1.month1_code AND
                f_computer.gov_code =
f_basic_data1.gov_code AND f_computer.doc_ser_gov =
f_basic_data1.doc_ser_gov AND
                f_computer.section_code =
f_basic_data1.section_code AND f_computer.vall_code =
f_basic_data1.vall_code AND

```

```
                f_computer.doc_ser_vall =
f_basic_data1.doc_ser_vall AND f_computer.r_u_code =
f_basic_data1.r_u_code
WHERE          (f_computer.comp_have = 2) AND
(f_basic_data1.p_internet = 1)
ORDER BY      f_computer.gov_code, f_computer.doc_ser_gov
```


حاسب ويوجد كهرباء لا يوجد

```
SELECT          *
FROM            f_basic_data1 INNER JOIN
                f_computer ON
f_basic_data1.YEAR_STATE = f_computer.YEAR_STATE AND
f_basic_data1.month1_code = f_computer.month1_code AND
                f_basic_data1.gov_code =
f_computer.gov_code AND f_basic_data1.doc_ser_gov =
f_computer.doc_ser_gov AND
                f_basic_data1.section_code =
f_computer.section_code AND f_basic_data1.vall_code =
f_computer.vall_code AND
                f_basic_data1.doc_ser_vall =
f_computer.doc_ser_vall AND f_basic_data1.r_u_code =
f_computer.r_u_code
WHERE          (f_basic_data1.electry = 2) AND
(f_computer.comp_have = 1)
ORDER BY      f_basic_data1.gov_code, f_basic_data1.doc_ser_gov
```


حاسب اجهزة ويوجد كهرباء لا يوجد

```
SELECT          *
FROM            f_basic_data1 INNER JOIN
                f_computer ON
f_basic_data1.YEAR_STATE = f_computer.YEAR_STATE AND
f_basic_data1.month1_code = f_computer.month1_code AND
                f_basic_data1.gov_code =
f_computer.gov_code AND f_basic_data1.doc_ser_gov =
f_computer.doc_ser_gov AND
```

```

                f_basic_data1.section_code =
f_computer.section_code AND f_basic_data1.vall_code =
f_computer.vall_code AND
                f_basic_data1.doc_ser_vall =
f_computer.doc_ser_vall AND f_basic_data1.r_u_code =
f_computer.r_u_code
WHERE      (f_basic_data1.electry = 2) AND
(f_computer.comp_no <> 0)
ORDER BY  f_basic_data1.gov_code, f_basic_data1.doc_ser_gov
-----
-----
-
-----

```

%%%%%%%%%

----- تعامل نوع يوجد ولا انترنت تعامل يوجد

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_internet ON f_basic_data.YEAR_STATE
= f_internet.YEAR_STATE AND f_basic_data.month1_code =
f_internet.month1_code AND
                f_basic_data.gov_code =
f_internet.gov_code AND f_basic_data.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data.section_code =
f_internet.section_code AND f_basic_data.vall_code =
f_internet.vall_code AND
                f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE      (f_internet.codec1 = 0) AND (f_internet.codec2 =
0) AND (f_internet.codec3 = 0) AND
(f_internet.connection_code = 0) AND
                (f_basic_data.net_moh_code = 1)and
(f_internet.codec5 = 0)and (f_internet.codec6 = 0)and
(f_internet.codec4 = 0)
-----
-----

```

----- انترنت ويوجد اتصال الاسرة لدى حاسب وجود عدم

----- اتصال وسيلة ويوجد تليفون لا يوجد -----

```
SELECT      *
FROM        f_communication INNER JOIN
            f_internet ON
f_communication.YEAR_STATE = f_internet.YEAR_STATE AND
f_communication.month1_code = f_internet.month1_code AND
            f_communication.gov_code =
f_internet.gov_code AND f_communication.doc_ser_gov =
f_internet.doc_ser_gov AND
            f_communication.section_code =
f_internet.section_code AND f_communication.vall_code =
f_internet.vall_code AND
            f_communication.doc_ser_vall =
f_internet.doc_ser_vall AND f_communication.r_u_code =
f_internet.r_u_code
WHERE      (f_communication.phon = 2) AND
(f_internet.connection_code = 1)
ORDER BY   f_communication.gov_code,
f_communication.doc_ser_gov
```


----- الالكترونية البوابة مع ويتعامل تليفون لا يوجد -----

```
SELECT      *
FROM        f_communication INNER JOIN
            f_internet ON
f_communication.YEAR_STATE = f_internet.YEAR_STATE AND
f_communication.month1_code = f_internet.month1_code AND
            f_communication.gov_code =
f_internet.gov_code AND f_communication.doc_ser_gov =
f_internet.doc_ser_gov AND
            f_communication.section_code =
f_internet.section_code AND f_communication.vall_code =
f_internet.vall_code AND
```

```

                f_communication.doc_ser_vall =
f_internet.doc_ser_vall AND f_communication.r_u_code =
f_internet.r_u_code
WHERE      (f_communication.phon = 2) AND
(f_internet.elect_gover_use_code = 1)
ORDER BY   f_communication.gov_code,
f_communication.doc_ser_gov
-----

```

```

-----%%%%%%%%%%%%%%$$$$$$$
SELECT      *
FROM        f_communication INNER JOIN
                f_internet ON
f_communication.YEAR_STATE = f_internet.YEAR_STATE AND
f_communication.month1_code = f_internet.month1_code AND
                f_communication.gov_code =
f_internet.gov_code AND f_communication.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_communication.section_code =
f_internet.section_code AND f_communication.vall_code =
f_internet.vall_code AND
                f_communication.doc_ser_vall =
f_internet.doc_ser_vall AND f_communication.r_u_code =
f_internet.r_u_code
WHERE      (f_communication.phon = 2) AND (connection_code=1)
ORDER BY   f_communication.gov_code,
f_communication.doc_ser_gov
-----

```

```

-----%%%%%%%%%%%%%%$$$$$$$
*****
*****
*****

```

```

----- (card1=1)and net_code=2
SELECT      *
FROM        f_basic_data
WHERE      (card1=1)and net_code=2
ORDER BY   gov_code, doc_ser_gov
-----

```

```

----- (card=1)and card1=0
SELECT      *
FROM        f_basic_data

```



```

-----الافراد جدول علاقات =0
SELECT      *
FROM        f_basic_data
WHERE       ((ser_line <> 99)and ((sex_code = 0) or
(relation_code = 0)or
(education_entry_code = 0)or educational_status_code =0 or
in_out_establishment_code = 0 ))
ORDER BY   gov_code, doc_ser_gov

```

```

-----رقم سطر ويوجد =1 من اكثر الاسرة برب الصلة =1
SELECT      *
FROM        f_basic_data
WHERE       (relation_code <>1) AND (ser_line = 1)
ORDER BY   gov_code, doc_ser_gov

```

```

-----الاول الفرد ولايوجد الاسرة برب صلة يوجد
SELECT      *
FROM        f_basic_data
WHERE       (relation_code = 1) AND (ser_line <> 1)
ORDER BY   gov_code, doc_ser_gov

```

```

-----15 من اقل الاسرة رئيس
SELECT      *
FROM        f_basic_data
WHERE       (relation_code = 1) AND (age<14)
ORDER BY   gov_code, doc_ser_gov

```

-----تمت رؤيتهم

```

-----1= بالتعليم والالتحاق التعليمية والحالة =1 الاسرة رئيس
SELECT      *
FROM        f_basic_data
WHERE       (relation_code = 1) AND ((education_entry_code =
1)or (educational_status_code =1))
ORDER BY   gov_code, doc_ser_gov

```

```

-----وانهى خريج بالتعليم والالتحاق 15 من اقل السن
SELECT      *
FROM        f_basic_data
WHERE       age < 6 and(education_entry_code <> 1)and
ser_line<>99

```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----@  
<>1 التعليمية والحالة السن من اقل بالتعليم الالتحاق  
SELECT *  
FROM f_basic_data  
WHERE (educational_status_code <>1)and  
(education_entry_code =1)  
ORDER BY gov_code, doc_ser_gov
```

```
-----@  
وامى اقل التعليمية والحالة يلتحق لم بالتعليم الالتحاق  
SELECT *  
FROM f_basic_data  
WHERE (education_entry_code =2) and  
(educational_status_code <>2)and age>9  
ORDER BY gov_code, doc_ser_gov
```

```
-----  
والحالة خريج بالتعليم الالتحاق  
وامى اقل التعليمية  
SELECT *  
FROM f_basic_data  
WHERE (education_entry_code =1) and  
(educational_status_code <1)  
ORDER BY gov_code, doc_ser_gov
```

```
-----  
- مشغل العمل من والموقف السن من اقل بالتعليم الالتحاق -  
-----  
SELECT *  
FROM f_basic_data  
WHERE (education_entry_code =1 or  
educational_status_code =1) and (in_out_establishment_code=1)  
ORDER BY gov_code, doc_ser_gov
```

```
-----  
-----  
----- المهنة يوجد ولا ارقام بها يوجد العملية الحالة  
الرئيسية  
SELECT *  
FROM f_basic_data  
WHERE (employment_status_code<>4 and  
employment_status_code<>0)and(prof_enter_code=0)
```

```
ORDER BY gov_code, doc_ser_gov
```

```
- '-----@
```

```
---ال من اقل التعليمية الحالة السن من اقل بالتعليم الالتحاق  
=1 العملية والحالة سن
```

```
SELECT *  
FROM f_basic_data  
WHERE (education_entry_code =1) and  
(educational_status_code=1)and (employment_status_code=1)  
ORDER BY gov_code, doc_ser_gov
```

```
--  
-----بالتعليم الالتحاق ويوجد 5 من اقل السن
```

```
SELECT *  
FROM f_basic_data  
WHERE (sex_code >2)  
ORDER BY gov_code, doc_ser_gov
```

```
-----أمى التعليمية الحالة - وانهى خريج بالتعليم الإلتحاق -  
ويكتب يقرأ - السن من اقل
```

```
SELECT *  
FROM f_basic_data  
WHERE (education_entry_code=1) and  
(educational_status_code=1)and (in_out_establishment_code<>5)  
ORDER BY gov_code, doc_ser_gov
```

```
-----من اقل - التعليمية الحالة و السن من اقل - الالتحاق  
=5 لا العمل من والموقف السن
```

```
SELECT *  
FROM f_basic_data  
WHERE (education_entry_code=1)and  
(educational_status_code=1)and (employment_status_code<>0)  
ORDER BY gov_code, doc_ser_gov
```

```
-----المهنة يوجد ولا ارقام بها يوجد العملية الحالة
```

```
الرئيسية  
SELECT *
```

```
FROM          f_basic_data
WHERE
(employment_status_code<>0)and(prof_enter_code=0)
ORDER BY gov_code, doc_ser_gov
```

```
-----@
-----شهرى دخل ولايوجد مهنة يوجد
SELECT      *
FROM          f_basic_data
WHERE        (prof_enter_code <>0)and (incom=0)and
employment_status_code<>4 and employment_status_code<>0 and
ser_line<>99
ORDER BY gov_code, doc_ser_gov
```

```
-----***
SELECT      *
FROM          f_basic_data
WHERE        (incom=0)and employment_status_code<4 and
employment_status_code>0 and ser_line<>99
ORDER BY gov_code, doc_ser_gov
```

```
-----الدخل =0
SELECT      *
FROM          f_basic_data
WHERE        ser_line=99 and incom=0
ORDER BY gov_code, doc_ser_gov
```

```
-----5 من اقل والسن انترنت يوجد
SELECT      *
FROM          f_basic_data
WHERE        (age < 6) AND (net_code = 1)and ser_line<>99
ORDER BY gov_code, doc_ser_gov
```

```
-----50 من اقل للاسرة الكلي الدخل
SELECT      *
FROM          f_basic_data
WHERE        (incom < 20) and incom <>0
ORDER BY gov_code, doc_ser_gov
```

خالص-----

-----امى التعليمية والحالة =1 الانترنت-----

```
SELECT *
FROM f_basic_data
WHERE (educational_status_code=2)and (net_code = 1)
ORDER BY gov_code, doc_ser_gov
```

-----اسباب يوجد لا و الانترنت يوجد لا-----

```
SELECT *
FROM f_basic_data
WHERE (net_code = 2) AND (net_barriers_code = 0) AND
(code1 = 0) AND (code2 = 0) AND
(code3= 0) AND (code4 = 0) AND (code5 = 0)
AND (code6 = 0)and (code7= 0) AND (code8 = 0) AND (code9=
0) AND (code10=0) AND (code11 = 0) AND (code12= 0) AND
(code13=0)and ser_line<>99
ORDER BY gov_code, doc_ser_gov
```

-----تعامل عدم اسباب ويوجد الانترنت يوجد-----

```
SELECT *
FROM f_basic_data
WHERE (net_code = 1) AND ((net_barriers_code = 1) or
(code1 = 1) or (code2 = 1) or
(code3 = 1) or (code4 = 1) or (code5 = 1)
or (code6 = 1)or (code7 = 1) or (code8 = 1) or (code9 = 1)
or (code10 = 1)or (code11 = 1) or (code12 = 1) or (code13 =
1) )
ORDER BY gov_code, doc_ser_gov
```

-----العمل في الانترنت ويستخدم مشغل غير-----

```
SELECT *
FROM f_basic_data
WHERE in_out_establishment_code>1 and net5=1
ORDER BY gov_code, doc_ser_gov
```

-----انترنت تكلفة ولايوجد تعامل اماكن يوجد-----

```
SELECT *
```

```
FROM          f_basic_data
WHERE         (net1=1 OR net2=1 OR net6=1) and net_cost1=0
ORDER BY     gov_code, doc_ser_gov
```

```
-----
---- 21 من اكبر الساعات عدد يومية الاستخدام
SELECT      *
FROM          f_basic_data
WHERE         p_net_code=1 and net_time>13
ORDER BY     gov_code, doc_ser_gov
```

```
-----
---- اسبوعى الاستخدام
SELECT      *
FROM          f_basic_data
WHERE         p_net_code=2 and net_time >50
ORDER BY     gov_code, doc_ser_gov
```

```
-----
---- شهرى الاستخدام
SELECT      *
FROM          f_basic_data
WHERE         p_net_code=3 and net_time >100
ORDER BY     gov_code, doc_ser_gov
```

```
-----
---- تعامل مكان ولا يوجد =1 الانترنت
SELECT      *
FROM          f_basic_data
WHERE         (net1 = 0) AND (net2 = 0) AND (net6 = 0) AND
(net_code = 1) AND (net_moh_code = 0) AND (net3 = 0) AND
(net4 = 0) AND (net5 = 0) AND (net7 = 0) AND
              (ser_line <> 99)
ORDER BY     gov_code, doc_ser_gov
```

```
-----
---- استخدام مجالات ولا يوجد =1 الانترنت
SELECT      *
FROM          f_basic_data
WHERE         (net_code = 1) AND (q1 = 0) AND (q2 = 0) AND (q3
= 0) AND (q4 = 0) AND (q5 = 0) AND (q6 = 0) AND (q7 =
0)AND(q8 = 0)AND(q9= 0)AND(q99= 0)AND (q11 = 0) AND (q12 =
0) AND (q13 = 0) AND (q14 = 0)and(ser_line <> 99)
ORDER BY     gov_code, doc_ser_gov
```

----- لغة ولا يوجد انترنت يستخدم

```
SELECT *
FROM f_basic_data
WHERE (net_code = 1) AND net_languge_site_code=0
ORDER BY gov_code, doc_ser_gov
```

----- لغه من اكثر ويوجد انترنت يستخدم

```
SELECT *
FROM f_basic_data
WHERE (net_code = 1) AND net_languge_site_code=1 AND
net_languge_site_code=2
ORDER BY gov_code, doc_ser_gov
```

----- تعامل دورية ولا يوجد انترنت يستخدم

```
SELECT *
FROM f_basic_data
WHERE (net_code = 1) AND p_net_code=0 and (ser_line <>
99)
ORDER BY gov_code, doc_ser_gov
```

----- عمل ساعات عدد ولا يوجد انترنت يستخدم

```
SELECT *
FROM f_basic_data
WHERE (net_code = 2) AND p_net_code<>0
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basic_data
WHERE (net_code = 1) AND net_time=0 and (ser_line <> 99)
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basic_data
WHERE (net_code = 2) AND net_time<>0
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basic_data
WHERE (net_code = 1) AND (net1=1 or net2=1 or net6=1)and
net_cost1=0
```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (net_code = 2) AND (net1=1 or net2=1 or net6=1)and  
net_cost1=0  
ORDER BY   gov_code, doc_ser_gov
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (net1=0 and net2=0 and net6=0)and net_cost1<>0  
and ser_line<>99  
ORDER BY   gov_code, doc_ser_gov
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (net1<>0 or net2<>0 or net6<>0)and net_cost1=0  
ORDER BY   gov_code, doc_ser_gov
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (net_code = 2) AND net_cost1<>0  
ORDER BY   gov_code, doc_ser_gov
```

```
-----  
--***** العامة المؤشرات *****  
*****  
-----دش ويوجد تليفزيون لايوجد  
*****
```

```
SELECT      *  
FROM        f_basic_data1  
WHERE       (tv = 2) AND (satellite = 1)  
ORDER BY   gov_code, doc_ser_gov
```

```
-----  
-----للدش ولايوجد عدد دش يوجد  
SELECT      *  
FROM        f_basic_data1  
WHERE       (s_no = 0) AND (satellite = 1)  
ORDER BY   gov_code, doc_ser_gov
```



```
-----  
-----  
SELECT      *  
FROM        f_basic_data1  
WHERE       (s_no <>0) AND (satellite = 2)  
ORDER BY   gov_code, doc_ser_gov  
-----  
-----
```

```
----- تليفزيون عدد ولايوجد تليفزيون يوجد  
SELECT      *  
FROM        f_basic_data1  
WHERE       (tv = 1) AND (tv_no = 0)  
ORDER BY   gov_code, doc_ser_gov  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data1  
WHERE       (tv =2) AND (tv_no<> 0)  
ORDER BY   gov_code, doc_ser_gov  
-----  
-----
```

```
----- خاصة قنوات اشتراك ويوجد تليفزيون لا يوجد  
SELECT      *  
FROM        f_basic_data1  
WHERE       (tv = 2) AND (p_c = 1)  
ORDER BY   gov_code, doc_ser_gov  
-----  
-----
```

```
----- دش ويوجدوصلة تليفزيون لا يوجد  
SELECT      *  
FROM        f_basic_data1  
WHERE       (tv = 2) AND (p_satellite = 1)  
ORDER BY   gov_code, doc_ser_gov  
-----  
-----
```

```
----- تليفزيون ويوجد كهرباء لا يوجد  
SELECT      *  
FROM        f_basic_data1  
WHERE       (tv = 1) AND (electry = 2)  
ORDER BY   gov_code, doc_ser_gov  
-----  
-----
```



```
SELECT *
FROM f_communication
WHERE (phon = 2) AND (phon_no <> 0)
ORDER BY gov_code, doc_ser_gov
```


هواتف عدد ولا يوجد تليفون عنده

```
SELECT *
FROM f_communication
WHERE (phon = 1) AND (phon_no = 0)
ORDER BY gov_code, doc_ser_gov
```


تكلفة ولا يوجد تليفون يوجد

```
SELECT *
FROM f_communication
WHERE (phon = 1) AND (phon_cost = 0)
ORDER BY gov_code, doc_ser_gov
```


جديد تليفون

انتظار مدة ويوجد بالانتظار مدرج غير

```
SELECT *
FROM f_communication
WHERE (wait_time <>0) AND (phon_barriers_code2 = 0)
ORDER BY gov_code, doc_ser_gov
```


انتظار مدة ولا يوجد بالانتظار مدرج

```
SELECT *
FROM f_communication
WHERE (wait_time = 0) AND (phon_barriers_code2 = 1)
ORDER BY gov_code, doc_ser_gov
```


انتظار مدة ولا يوجد بالانتظار مدرج

```
SELECT *
FROM f_communication
WHERE (wait_time <>0) AND (phon_barriers_code2 = 0)
ORDER BY gov_code, doc_ser_gov
```


هواتف عدد ويوجد موبايل لا يوجد

```
SELECT      *
FROM        f_communication
WHERE       (mobile = 2) AND (mobile_no <> 0)
ORDER BY   gov_code, doc_ser_gov
```


----- هواتف عدد ولا يوجد موبايل يوجد -----

```
SELECT      *
FROM        f_communication
WHERE       (mobile = 1) AND (mobile_no = 0)
ORDER BY   gov_code, doc_ser_gov
```


----- كارت تكلفة ويوجد موبايل لا يوجد -----

```
SELECT      *
FROM        f_communication
WHERE       (mobile = 2) AND (m_serv2 <> 0)
ORDER BY   gov_code, doc_ser_gov
```


----- بزنس وتكلفة خط يوجد -----

```
SELECT      *
FROM        f_communication
WHERE       (m_line = 1) AND (m_serv2 =1 )
ORDER BY   gov_code, doc_ser_gov
```


----- خط وتكلفة بزنس يوجد -----

```
SELECT      *
FROM        f_communication
WHERE       (m_card= 1) AND (m_serv1 =1 )
ORDER BY   gov_code, doc_ser_gov
```


----- تكلفة ولا يوجد كارت يوجد -----

```
SELECT      *
FROM        f_communication
WHERE       (m_card= 1) AND (m_serv2 =0 )
ORDER BY   gov_code, doc_ser_gov
```


----- تكلفة ولا يوجد خط يوجد -----

```
SELECT      *
FROM        f_communication
WHERE       (m_line= 1) AND (m_serv1 =0 )
ORDER BY   gov_code, doc_ser_gov
```


--*****الحواسب جدول*****
-----مجالات ولا يوجد الحاسب يستخدم

```
SELECT      *
FROM        f_computer
WHERE       (comp_use = 1) AND (use1 = 0) AND (use2 = 0) AND
           (use3 = 0) AND (use4 = 0) AND (use5 = 0)
ORDER BY   gov_code, doc_ser_gov
```

-----مستخدمين عدد ويوجد الحاسب لا يستخدم

```
SELECT      *
FROM        f_computer
WHERE       comp_use = 2 AND comp_user_no<>0
ORDER BY   gov_code, doc_ser_gov
```

```
SELECT      *
FROM        f_computer
WHERE       comp_use = 1 AND comp_user_no=0
ORDER BY   gov_code, doc_ser_gov
```

-----مستخدمين عدد ولا يوجد حاسب يستخدم

```
SELECT      *
FROM        f_computer
WHERE       (comp_use = 1) AND (comp_user_no = 0)
ORDER BY   gov_code, doc_ser_gov
```

```
SELECT      *
FROM        f_computer
WHERE       (comp_use = 2) AND (comp_user_no <> 0)
ORDER BY   gov_code, doc_ser_gov
```

-----مجالات ويوجد لا يستخدم

```
SELECT      *
FROM        f_computer
```

```
WHERE      (comp_use = 2) AND ((use1=1 or use2=1 or use3=1
or use4=1 or use5=1 ))
ORDER BY gov_code, doc_ser_gov
```

مجالات ولا يوجد حاسب يستخدم

----- الشراء عدم اسباب ولا يوجد حاسب لديها ليس

```
SELECT      *
FROM        f_computer
WHERE      (comp_have = 2) AND (comp_barriers_buy_code = 0)
AND (code1 = 0) AND (code2 = 0) AND (code3 = 0) AND (code4 =
0) AND (code5 = 0) AND (code6 = 0) AND (code7 = 0)
ORDER BY gov_code, doc_ser_gov
```

```
SELECT      *
FROM        f_computer
WHERE      (comp_have = 1) AND (comp_barriers_buy_code = 1
or code1 = 1 or code2 = 1 or code3 = 1)
ORDER BY gov_code, doc_ser_gov
```

----- الحواسيب مستخدمى عدد ولا يوجد حاسب لديها

```
SELECT      *
FROM        f_computer
WHERE      (comp_use = 1) AND (comp_user_no = 0)
ORDER BY gov_code, doc_ser_gov
```

```
SELECT      *
FROM        f_computer
WHERE      (comp_use = 2) AND (comp_user_no <> 0)
ORDER BY gov_code, doc_ser_gov
```

***** الإنترنت *****


```
WHERE      (elect_gover_use = 1) AND (use1 = 0) AND (use2 =
0) AND (use3 = 0) AND (use4 = 0) AND (use5 = 0) AND (use6 =
0) AND (use7 = 0) AND (use8 = 0) AND
          (elect_gover_use_code = 0)
ORDER BY gov_code, doc_ser_gov
```

```
-----
-----
-----
SELECT      *
FROM        f_internet
WHERE      (elect_gover_use = 2) AND (use1 = 1 or use2 =1
or use3 =1 or use4 = 1 or use5 = 1 or use6 = 1 or use7 = 1
or use8 = 1 or
          elect_gover_use_code = 1)
ORDER BY gov_code, doc_ser_gov
```

----- لا تتعامل مع التجارة الالكترونية الاسباب يوجد ولا الاليكترونية التجارة
التجارة الالكترونية

```
SELECT      *
FROM        f_internet
WHERE      (elect_commerce_use =2) AND
(net_barriers_electronic_commerce_code = 0) AND (c1 = 0)
AND (c2 = 0) AND (c3 = 0) AND (c4 = 0) AND (c5 = 0) AND
          (c6 = 0) AND (c7 = 0) AND (c8 = 0)
ORDER BY gov_code, doc_ser_gov
```

----- لا تتعامل مع التجارة الالكترونية الاسباب يوجد ولا الاليكترونية التجارة
تعامل

```
SELECT      *
FROM        f_internet
WHERE      (elect_commerce_use = 1) AND
(net_barriers_electronic_commerce_code = 1 or c1 =1 or c2 =
1 or c3 =1 or c4 = 1 or c5 = 1
          or c6 = 1 or c7 =1 or c8 = 1)
ORDER BY gov_code, doc_ser_gov
```



```

-----
-----
-----
-----
---- للتعامل مجال ولا يوجد الاليكترونية التجارة مع تتعامل
SELECT      *
FROM        f_internet
WHERE       (elect_commerce_use = 1) AND
(elect_commerce_use_1 = 0) AND (elect_commerce_use_2 = 0)
ORDER BY   gov_code, doc_ser_gov
-----
-----

```

```

-----
-----
----- للتعامل مجال ويوجد الاليكترونية التجارة مع لاتتعامل
SELECT      *
FROM        f_internet
WHERE       (elect_commerce_use = 2) AND
(elect_commerce_use_1 <> 0
           or elect_commerce_use_2<>0 or
elect_commerce_use_11 <> 0 or elect_commerce_use_21<>0)
ORDER BY   gov_code, doc_ser_gov
-----

```

```

-----
---
SELECT      *
FROM        f_basic_data1 INNER JOIN
           f_communication ON
f_basic_data1.YEAR_STATE = f_communication.YEAR_STATE AND
           f_basic_data1.month1_code =
f_communication.month1_code AND f_basic_data1.gov_code =
f_communication.gov_code AND
           f_basic_data1.doc_ser_gov =
f_communication.doc_ser_gov AND f_basic_data1.section_code
= f_communication.section_code AND
           f_basic_data1.vall_code =
f_communication.vall_code AND f_basic_data1.doc_ser_vall =
f_communication.doc_ser_vall AND
           f_basic_data1.r_u_code =
f_communication.r_u_code
WHERE       (f_basic_data1.p_internet = 2) AND
(f_communication.net_cost <> 0)

```

```
ORDER BY f_basic_data1.gov_code, f_basic_data1.doc_ser_gov
```

```
-----  
-----  
-----اشترك قيمة ولا يوجد انترنت وصلة يوجد-----
```

```
SELECT *  
FROM f_basic_data1 INNER JOIN  
f_communication ON  
f_basic_data1.YEAR_STATE = f_communication.YEAR_STATE AND  
f_basic_data1.month1_code =  
f_communication.month1_code AND f_basic_data1.gov_code =  
f_communication.gov_code AND  
f_basic_data1.doc_ser_gov =  
f_communication.doc_ser_gov AND f_basic_data1.section_code  
= f_communication.section_code AND  
f_basic_data1.vall_code =  
f_communication.vall_code AND f_basic_data1.doc_ser_vall =  
f_communication.doc_ser_vall AND  
f_basic_data1.r_u_code =  
f_communication.r_u_code  
WHERE (f_basic_data1.p_internet = 1) AND  
(f_communication.net_wireless = 0 and  
f_communication.net_adsl = 0 and f_communication.net_isdn =  
0 )
```

```
ORDER BY f_basic_data1.gov_code, f_basic_data1.doc_ser_gov
```

```
-----الاتصالات وجدول الافراد جدول بين العلاقة-----  
-----
```

```
SELECT *  
FROM f_basic_data1 INNER JOIN  
f_communication ON  
f_basic_data1.YEAR_STATE = f_communication.YEAR_STATE AND  
f_basic_data1.month1_code =  
f_communication.month1_code AND f_basic_data1.gov_code =  
f_communication.gov_code AND  
f_basic_data1.doc_ser_gov =  
f_communication.doc_ser_gov AND f_basic_data1.section_code  
= f_communication.section_code AND  
f_basic_data1.vall_code =  
f_communication.vall_code AND f_basic_data1.doc_ser_vall =  
f_communication.doc_ser_vall AND
```

```

                f_basic_data1.r_u_code =
f_communication.r_u_code
WHERE          (f_basic_data1.p_internet = 1) AND
(f_communication.net_wireless = 0 and
f_communication.net_adsl = 0 and f_communication.net_isdn =
0 )and net_ph_cost<>0
ORDER BY      f_basic_data1.gov_code, f_basic_data1.doc_ser_gov
-----
-----

```

```

SELECT      *
FROM          f_basic_data1 INNER JOIN
                f_internet ON
f_basic_data1.YEAR_STATE = f_internet.YEAR_STATE AND
f_basic_data1.month1_code = f_internet.month1_code AND
                f_basic_data1.gov_code =
f_internet.gov_code AND f_basic_data1.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data1.section_code =
f_internet.section_code AND f_basic_data1.vall_code =
f_internet.vall_code AND
                f_basic_data1.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data1.r_u_code =
f_internet.r_u_code INNER JOIN
                f_communication ON
f_internet.YEAR_STATE = f_communication.YEAR_STATE AND
f_internet.month1_code = f_communication.month1_code AND
                f_internet.gov_code =
f_communication.gov_code AND f_internet.doc_ser_gov =
f_communication.doc_ser_gov AND
                f_internet.section_code =
f_communication.section_code AND f_internet.vall_code =
f_communication.vall_code AND
                f_internet.doc_ser_vall =
f_communication.doc_ser_vall AND f_internet.r_u_code =
f_communication.r_u_code
WHERE          (f_basic_data1.p_internet = 1) AND
(f_communication.net_wireless = 0) AND
(f_communication.net_adsl = 0) AND
(f_communication.net_isdn = 0)
                AND (f_internet.q5_1 = 1)

```


 ----- تليفون خط التعامل عدم ويوجد اسباب تليفون يوجد
 SELECT *
 FROM f_basic_data INNER JOIN
 f_communication ON
 f_basic_data.YEAR_STATE = f_communication.YEAR_STATE AND
 f_basic_data.month1_code =
 f_communication.month1_code AND f_basic_data.gov_code =
 f_communication.gov_code AND
 f_basic_data.doc_ser_gov =
 f_communication.doc_ser_gov AND f_basic_data.section_code =
 f_communication.section_code AND
 f_basic_data.doc_ser_vall =
 f_communication.doc_ser_vall AND f_basic_data.vall_code =
 f_communication.vall_code AND
 f_basic_data.r_u_code =
 f_communication.r_u_code
 WHERE ser_line <> 99 and (f_communication.phon = 1) AND
 (f_basic_data.code2 = 1)
 ORDER BY f_basic_data.gov_code,
 f_basic_data.doc_ser_gov, f_basic_data.ser_line

----- الاتصالات وجدول المؤشرات وجدول الافراد جدول -----
 -
 ----- في التعامل ويوجد انترنت وصلة ولا يوجد تليفون لا يوجد
 المنزل

SELECT *
 FROM f_communication INNER JOIN
 f_basic_data ON
 f_communication.YEAR_STATE = f_basic_data.YEAR_STATE AND
 f_communication.month1_code = f_basic_data.month1_code AND
 f_communication.gov_code =
 f_basic_data.gov_code AND f_communication.doc_ser_gov =
 f_basic_data.doc_ser_gov AND
 f_communication.section_code =
 f_basic_data.section_code AND f_communication.vall_code =
 f_basic_data.vall_code AND

```

                f_communication.doc_ser_vall =
f_basic_data.doc_ser_vall AND f_communication.r_u_code =
f_basic_data.r_u_code INNER JOIN
                f_basic_data1 ON
f_basic_data.YEAR_STATE = f_basic_data1.YEAR_STATE AND
f_basic_data.month1_code = f_basic_data1.month1_code AND
                f_basic_data.doc_ser_gov =
f_basic_data1.doc_ser_gov AND f_basic_data.gov_code =
f_basic_data1.gov_code AND
                f_basic_data.section_code =
f_basic_data1.section_code AND f_basic_data.vall_code =
f_basic_data1.vall_code AND
                f_basic_data.doc_ser_vall =
f_basic_data1.doc_ser_vall AND f_basic_data.r_u_code =
f_basic_data1.r_u_code
WHERE      (f_communication.phon = 2) AND
(f_basic_data1.p_internet = 2) AND
(f_basic_data.net_moh_code = 1)
ORDER BY  f_communication.gov_code,
f_communication.doc_ser_gov
-----
-----
-----المؤشرات وجدول الحاسب جدول
-----انترنت وصلة ويوجد حاسب لديها ليس
SELECT      *
FROM        f_computer INNER JOIN
                f_basic_data1 ON
f_computer.YEAR_STATE = f_basic_data1.YEAR_STATE AND
f_computer.month1_code = f_basic_data1.month1_code AND
                f_computer.gov_code =
f_basic_data1.gov_code AND f_computer.doc_ser_gov =
f_basic_data1.doc_ser_gov AND
                f_computer.section_code =
f_basic_data1.section_code AND f_computer.vall_code =
f_basic_data1.vall_code AND
                f_computer.doc_ser_vall =
f_basic_data1.doc_ser_vall AND f_computer.r_u_code =
f_basic_data1.r_u_code
WHERE      (f_computer.comp_have = 2) AND
(f_basic_data1.p_internet = 1)

```

```
ORDER BY f_computer.gov_code, f_computer.doc_ser_gov
```


حاسب ويوجد كهرباء لا يوجد

```
SELECT      *
FROM        f_basic_data1 INNER JOIN
            f_computer ON
f_basic_data1.YEAR_STATE = f_computer.YEAR_STATE AND
f_basic_data1.month1_code = f_computer.month1_code AND
            f_basic_data1.gov_code =
f_computer.gov_code AND f_basic_data1.doc_ser_gov =
f_computer.doc_ser_gov AND
            f_basic_data1.section_code =
f_computer.section_code AND f_basic_data1.vall_code =
f_computer.vall_code AND
            f_basic_data1.doc_ser_vall =
f_computer.doc_ser_vall AND f_basic_data1.r_u_code =
f_computer.r_u_code
WHERE      (f_basic_data1.electry = 2) AND
(f_computer.comp_have = 1)
ORDER BY  f_basic_data1.gov_code, f_basic_data1.doc_ser_gov
```


حاسب اجهزة ويوجد كهرباء لا يوجد

```
SELECT      *
FROM        f_basic_data1 INNER JOIN
            f_computer ON
f_basic_data1.YEAR_STATE = f_computer.YEAR_STATE AND
f_basic_data1.month1_code = f_computer.month1_code AND
            f_basic_data1.gov_code =
f_computer.gov_code AND f_basic_data1.doc_ser_gov =
f_computer.doc_ser_gov AND
            f_basic_data1.section_code =
f_computer.section_code AND f_basic_data1.vall_code =
f_computer.vall_code AND
            f_basic_data1.doc_ser_vall =
f_computer.doc_ser_vall AND f_basic_data1.r_u_code =
f_computer.r_u_code
```

```
WHERE (f_basic_data1.electry = 2) AND
(f_computer.comp_no <> 0)
ORDER BY f_basic_data1.gov_code, f_basic_data1.doc_ser_gov
```

```
-----
-----
-
-----
%%%%%%%%%
```

```
-----اتصال وسيلة ويوجد تليفون لا يوجد-----
-----
```

```
SELECT *
FROM f_communication INNER JOIN
      f_internet ON
f_communication.YEAR_STATE = f_internet.YEAR_STATE AND
f_communication.month1_code = f_internet.month1_code AND
      f_communication.gov_code =
f_internet.gov_code AND f_communication.doc_ser_gov =
f_internet.doc_ser_gov AND
      f_communication.section_code =
f_internet.section_code AND f_communication.vall_code =
f_internet.vall_code AND
      f_communication.doc_ser_vall =
f_internet.doc_ser_vall AND f_communication.r_u_code =
f_internet.r_u_code
WHERE (f_communication.phon = 2) AND
(f_internet.connection_code = 1)
ORDER BY
f_communication.gov_code, f_communication.doc_ser_gov
```

```
-----الالكترونية البوابة مع ويتعامل تليفون لا يوجد-----
-----
```

```
SELECT *
FROM f_communication INNER JOIN
```

```

                f_internet ON
f_communication.YEAR_STATE = f_internet.YEAR_STATE AND
f_communication.month1_code = f_internet.month1_code AND
                f_communication.gov_code =
f_internet.gov_code AND f_communication.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_communication.section_code =
f_internet.section_code AND f_communication.vall_code =
f_internet.vall_code AND
                f_communication.doc_ser_vall =
f_internet.doc_ser_vall AND f_communication.r_u_code =
f_internet.r_u_code
WHERE      (f_communication.phon = 2) AND
(f_internet.elect_gover_use_code = 1)and codec1=0 and
codec2=0 and codec3=0
ORDER BY   f_communication.gov_code,
f_communication.doc_ser_gov

```

 -----%%%%%%%%%%%%%%\$\$\$\$\$\$\$\$

 ---- (card1=1)and net_code=2
 SELECT *
 FROM f_basic_data
 WHERE (card1=1)and net_code=2
 ORDER BY gov_code, doc_ser_gov

 SELECT *
 FROM f_basic_data
 WHERE (card=2)and card1<>0
 ORDER BY gov_code, doc_ser_gov

 ---- (card=1)and card1=0
 SELECT *
 FROM f_basic_data


```

WHERE      (card=1)and card1=0
ORDER BY  gov_code, doc_ser_gov
-----
----- (elect_commerce_use1 = 1) AND (elect_commerce_use_11
= 0)
SELECT      *
FROM        f_internet
WHERE      (elect_commerce_use_1 = 0) AND
(elect_commerce_use_11 = 1)
ORDER BY  gov_code, doc_ser_gov
-----
SELECT      *
FROM        f_internet
WHERE      (elect_commerce_use_1 <> 0) AND
(elect_commerce_use_11 = 2)
ORDER BY  gov_code, doc_ser_gov
-----
----- (elect_commerce_use2 = 1) AND
(elect_commerce_use_21 = 0)
SELECT      *
FROM        f_internet
WHERE      (elect_commerce_use_2 = 0) AND
(elect_commerce_use_21 =1)
ORDER BY  gov_code, doc_ser_gov
-----
-----
SELECT      *
FROM        f_internet
WHERE      (elect_commerce_use_2 <> 0) AND
(elect_commerce_use_21 =2)
ORDER BY  gov_code, doc_ser_gov
-----
-----
----- (elect_commerce_use2 = 1) AND
(elect_commerce_use_21 = 0)
SELECT      *
FROM        f_internet
WHERE      (elect_commerce_use = 1) AND
(elect_commerce_use_21 = 0 or elect_commerce_use_21 = 0)
ORDER BY  gov_code, doc_ser_gov

```

```
-----  
-----  
SELECT      *  
FROM        f_internet  
WHERE       (elect_commerce_use = 2) AND  
(elect_commerce_use_21 <> 0 or elect_commerce_use_21 <> 0)  
ORDER BY   gov_code, doc_ser_gov  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data INNER JOIN  
                f_internet ON f_basic_data.YEAR_STATE  
= f_internet.YEAR_STATE AND f_basic_data.month1_code =  
f_internet.month1_code AND  
                f_basic_data.gov_code =  
f_internet.gov_code AND f_basic_data.doc_ser_gov =  
f_internet.doc_ser_gov AND  
                f_basic_data.section_code =  
f_internet.section_code AND f_basic_data.vall_code =  
f_internet.vall_code AND  
                f_basic_data.doc_ser_vall =  
f_internet.doc_ser_vall AND f_basic_data.r_u_code =  
f_internet.r_u_code  
WHERE       (f_basic_data.net_ent = 1) AND  
(f_internet.elect_gover_use = 0)  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data INNER JOIN  
                f_internet ON f_basic_data.YEAR_STATE  
= f_internet.YEAR_STATE AND f_basic_data.month1_code =  
f_internet.month1_code AND  
                f_basic_data.gov_code =  
f_internet.gov_code AND f_basic_data.doc_ser_gov =  
f_internet.doc_ser_gov AND  
                f_basic_data.section_code =  
f_internet.section_code AND f_basic_data.vall_code =  
f_internet.vall_code AND
```

```
                f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE      (f_basic_data.net_ent = 2) AND
(f_internet.elect_gover_use <>0 or
f_internet.elect_commerce_use <> 0)and
f_basic_data.ser_line=99
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE      (net_code = 1) AND (net_ent <> 1)
ORDER BY  gov_code, doc_ser_gov
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE      (net_code = 2) AND (net_ent = 1 or net_ent = 0)
AND (ser_line<> 99)
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE      (net_code = 2) AND (net_ent = 1 or net_ent = 0)
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE      (net_code = 0) AND (net_ent <> 0) AND (ser_line =
99)
```

```
-----
SELECT      *
FROM        f_basic_data INNER JOIN
                f_internet ON f_basic_data.YEAR_STATE
= f_internet.YEAR_STATE AND f_basic_data.month1_code =
f_internet.month1_code AND
                f_basic_data.gov_code =
f_internet.gov_code AND f_basic_data.doc_ser_gov =
f_internet.doc_ser_gov AND
```

```

                f_basic_data.section_code =
f_internet.section_code AND f_basic_data.vall_code =
f_internet.vall_code AND
                f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE          q5_1<>1 and (f_basic_data.net_moh_code=1)
ORDER BY f_basic_data.gov_code, f_basic_data.doc_ser_gov,
f_basic_data.ser_line
-----
-----

```

```

SELECT          *
FROM            f_basic_data INNER JOIN
                f_internet ON f_basic_data.YEAR_STATE
= f_internet.YEAR_STATE AND f_basic_data.month1_code =
f_internet.month1_code AND
                f_basic_data.gov_code =
f_internet.gov_code AND f_basic_data.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data.section_code =
f_internet.section_code AND f_basic_data.vall_code =
f_internet.vall_code AND
                f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE          (f_internet.codec1 = 1 or f_internet.codec2 = 1
or f_internet.codec3 = 1 or f_internet.connection_code = 1)
and
                (f_basic_data.ind1 <>1)and
ser_line=99
-----
-----

```

```

SELECT          *
FROM            f_basic_data1 INNER JOIN
                f_internet ON
f_basic_data1.YEAR_STATE = f_internet.YEAR_STATE AND
f_basic_data1.month1_code = f_internet.month1_code AND

```

```

                f_basic_data1.gov_code =
f_internet.gov_code AND f_basic_data1.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data1.section_code =
f_internet.section_code AND f_basic_data1.vall_code =
f_internet.vall_code AND
                f_basic_data1.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data1.r_u_code =
f_internet.r_u_code
WHERE      (f_basic_data1.p_internet = 2) AND
(f_internet.codec1 = 1 or f_internet.codec2 = 1 or
f_internet.codec3 = 1 )
-----
-----

```

```

SELECT      *
FROM        f_basic_data1 INNER JOIN
                f_internet ON
f_basic_data1.YEAR_STATE = f_internet.YEAR_STATE AND
f_basic_data1.month1_code = f_internet.month1_code AND
                f_basic_data1.gov_code =
f_internet.gov_code AND f_basic_data1.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data1.section_code =
f_internet.section_code AND f_basic_data1.vall_code =
f_internet.vall_code AND
                f_basic_data1.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data1.r_u_code =
f_internet.r_u_code
WHERE      (f_basic_data1.p_internet = 1) AND
(f_internet.codec1 <> 1 )and (f_internet.codec2 <> 1)and
(f_internet.codec3 <> 1)and (f_internet.codec4 <> 1)and
(f_internet.codec5 <> 1)and (f_internet.codec6 <> 1)
'-----
-----

```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_internet ON f_basic_data.YEAR_STATE
= f_internet.YEAR_STATE AND f_basic_data.month1_code =
f_internet.month1_code AND

```

```

                f_basic_data.gov_code =
f_internet.gov_code AND f_basic_data.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data.section_code =
f_internet.section_code AND f_basic_data.vall_code =
f_internet.vall_code AND
                f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE      (f_internet.elect_gover_use = 2) AND
(f_basic_data.q3 = 1 OR f_basic_data.q9 = 1)and
(f_basic_data.ser_line <> 99)
-----
-----

```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_internet ON f_basic_data.YEAR_STATE
= f_internet.YEAR_STATE AND f_basic_data.month1_code =
f_internet.month1_code AND
                f_basic_data.gov_code =
f_internet.gov_code AND f_basic_data.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data.section_code =
f_internet.section_code AND f_basic_data.vall_code =
f_internet.vall_code AND
                f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE      (f_internet.elect_gover_use = 1) AND
(f_basic_data.q3 = 0) AND (f_basic_data.q9 = 0) AND
(f_basic_data.ser_line<> 99)

```

-----استخدامه يتم ولا ائتمان كارت يوجد-----

```

المشتريات في
SELECT      *
FROM        f_basic_data INNER JOIN
                f_internet ON f_basic_data.YEAR_STATE
= f_internet.YEAR_STATE AND f_basic_data.month1_code =
f_internet.month1_code AND

```

```

                f_basic_data.gov_code =
f_internet.gov_code AND f_basic_data.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data.section_code =
f_internet.section_code AND f_basic_data.vall_code =
f_internet.vall_code AND
                f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE      (f_internet.elect_commerce_use_11 = 0) AND
(f_basic_data.card1 = 1)

```


```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_internet ON f_basic_data.YEAR_STATE
= f_internet.YEAR_STATE AND f_basic_data.month1_code =
f_internet.month1_code AND
                f_basic_data.gov_code =
f_internet.gov_code AND f_basic_data.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data.section_code =
f_internet.section_code AND f_basic_data.vall_code =
f_internet.vall_code AND
                f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE      (f_internet.elect_commerce_use_11 = 0 and
f_internet.elect_commerce_use_21 = 0) AND (f_basic_data.q6
=1)

```


```

SELECT *
FROM        f_basic_data INNER JOIN
                f_internet ON f_basic_data.YEAR_STATE
= f_internet.YEAR_STATE AND f_basic_data.month1_code =
f_internet.month1_code AND

```

```

                f_basic_data.gov_code =
f_internet.gov_code AND f_basic_data.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data.section_code =
f_internet.section_code AND f_basic_data.vall_code =
f_internet.vall_code AND
                f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE      (f_internet.elect_gover_use = 1) AND
(f_basic_data.ser_line <> 99) AND (f_basic_data.q3 = 0) AND
(f_basic_data.q9 = 0)and net_code=1
ORDER BY f_basic_data.gov_code, f_basic_data.doc_ser_gov

```


```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_internet ON f_basic_data.YEAR_STATE
= f_internet.YEAR_STATE AND f_basic_data.month1_code =
f_internet.month1_code AND
                f_basic_data.gov_code =
f_internet.gov_code AND f_basic_data.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data.section_code =
f_internet.section_code AND f_basic_data.vall_code =
f_internet.vall_code AND
                f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE      (f_basic_data.q7 = 1) AND
(f_internet.elect_commerce_use = 2)
ORDER BY f_basic_data.gov_code, f_basic_data.doc_ser_gov

```

'-----عادي-----'

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_internet ON f_basic_data.YEAR_STATE
= f_internet.YEAR_STATE AND f_basic_data.month1_code =
f_internet.month1_code AND

```



```

        f_basic_data.gov_code =
f_internet.gov_code AND f_basic_data.doc_ser_gov =
f_internet.doc_ser_gov AND
        f_basic_data.section_code =
f_internet.section_code AND f_basic_data.vall_code =
f_internet.vall_code AND
        f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE      (f_internet.elect_commerce_use = 1)AND
(f_internet.elect_commerce_use_21 = 0)AND
(f_internet.elect_commerce_use_11 = 0)
ORDER BY f_basic_data.gov_code, f_basic_data.doc_ser_gov

```

الانترنت على تدخل التي والاسر الانترنت على الدخول بين ربط
الاساسيه البيانات وجدول الانترنت جدول

card1=1 and (q7 =0 or q6 =0) الاساسيه البيانات

card1=2 and (q7 =1 or q6 =1) الاساسيه البيانات

(المشتريات) مع (الاساسيه البيانات جدول وخدمات سلع شراء ربط)
(الانترنت جدول)

(المشتريات) مع (الاساسيه البيانات جدول البنكيه التعاملات ربط)
(الانترنت جدول)

في الاتصال ووسائل المنزل في النت المستخدمين الاسرة افراد بين ربط
الاكسل على الانترنت جدول

```

SELECT      *
FROM        f_internet INNER JOIN

```

```

                f_basic_data ON f_internet.YEAR_STATE
= f_basic_data.YEAR_STATE AND f_internet.month1_code =
f_basic_data.month1_code AND
                f_internet.gov_code =
f_basic_data.gov_code AND f_internet.doc_ser_gov =
f_basic_data.doc_ser_gov AND
                f_internet.vall_code =
f_basic_data.vall_code AND f_internet.section_code =
f_basic_data.section_code AND
                f_internet.doc_ser_vall =
f_basic_data.doc_ser_vall AND f_internet.r_u_code =
f_basic_data.r_u_code
WHERE      (f_internet.connection_code = 1) AND
(f_basic_data.ser_line = 99) AND (f_basic_data.ind1 = 0) OR
                (f_internet.codec1 = 1) AND
(f_basic_data.ser_line = 99) AND (f_basic_data.ind1 = 0) OR
                (f_internet.codec2 = 1) AND
(f_basic_data.ser_line = 99) AND (f_basic_data.ind1 = 0) OR
                (f_internet.codec3 = 1) AND
(f_basic_data.ser_line = 99) AND (f_basic_data.ind1 = 0) OR
                (f_internet.codec4 = 1) AND
(f_basic_data.ser_line = 99) AND (f_basic_data.ind1 = 0)
-----
-----

```

```

SELECT      *
FROM        f_internet INNER JOIN
                f_basic_data ON f_internet.YEAR_STATE
= f_basic_data.YEAR_STATE AND f_internet.month1_code =
f_basic_data.month1_code AND
                f_internet.gov_code =
f_basic_data.gov_code AND f_internet.doc_ser_gov =
f_basic_data.doc_ser_gov AND
                f_internet.vall_code =
f_basic_data.vall_code AND f_internet.section_code =
f_basic_data.section_code AND
                f_internet.doc_ser_vall =
f_basic_data.doc_ser_vall AND f_internet.r_u_code =
f_basic_data.r_u_code
WHERE      (f_internet.connection_code = 0) AND
(f_internet.codec1 = 0) AND (f_internet.codec2 = 0) AND

```

```
(f_internet.codec3 = 0) AND (f_internet.codec4 = 0) AND  
(f_internet.codec5 = 0) AND (f_internet.codec6 = 0) AND  
      (f_basic_data.ser_line = 99) AND  
(f_basic_data.ind1 = 1)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (comp_use = 1) AND (comp1 = 0) AND (comp2 = 0)  
AND (comp3 = 0) AND (comp4 = 0) AND (comp9 = 0)and  
ser_line<>99
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile = 1) AND (no1 = 0) AND (no2 = 0)and  
ser_line<>99
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (no1 <> 0) AND (cost1 = 0)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (no1 = 0) AND (cost1 <> 0)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile=2) AND (mobile_net <> 0)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile=1) AND (mobile_net = 0)
```

```
-----  
-----  
SELECT      *
```

```
FROM          f_basic_data
WHERE         (broad_band=0) AND (mobile_net = 1)
```

----- عادى

```
----- هذا الامر ممكن حدوثه
SELECT       *
FROM         f_basic_data
WHERE        (broad_band<>0) AND (mobile_net = 2)
```

```
-----
SELECT       *
FROM         f_basic_data
WHERE        (mobile=2) AND (mob_wifi <> 0)
```

```
-----
SELECT       *
FROM         f_basic_data
WHERE        (mobile=2) AND (mob_3g <> 0)
```

```
-----
SELECT       *
FROM         f_basic_data
WHERE        (employment_status_code<>0) AND
(in_out_establishment_code=5)
```

----- لكبرى السن

```
SELECT       *
FROM         f_basic_data
WHERE        (age<6) AND (entry =1)and
(education_entry_code=5)
```

```
-----
SELECT       *
FROM         f_basic_data
WHERE        (age<17) AND (entry =5)and
(education_entry_code=5)
```

```
-----
SELECT       *
FROM         f_basic_data
```

```
WHERE      (age<20) AND (entry =6)and  
(education_entry_code=5)
```

```
SELECT      *  
FROM        f_basic_data  
WHERE      (age>6) AND (entry =0)and  
(education_entry_code=5)
```

```
SELECT      *  
FROM        f_basic_data  
WHERE      (age<5) AND (entry >0)and  
(education_entry_code=5)
```

```
SELECT      *  
FROM        f_basic_data  
WHERE      (age>5) AND (mobile=0)and (ser_line<>99)
```

```
SELECT      *  
FROM        f_basic_data  
WHERE      (age>5) AND (net=0)and (ser_line<>99)and  
comp_use=1
```

```
SELECT      *  
FROM        f_basic_data  
WHERE      comp_use=1 and (comp1=0 and comp2=0 and comp3=0  
and comp4=0 and comp9=0) and ser_line<>99
```

```
SELECT      *  
FROM        f_basic_data  
WHERE      comp_use=2 and (comp1=1 or comp2=1 or comp3=1 or  
comp4=1 or comp9=1) and ser_line<>99
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data1  
WHERE       (radio = 0)  
ORDER BY   gov_code, doc_ser_gov  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data  
WHERE       (age>5) AND (net_code=0)and (ser_line<>99)and  
net=1  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data  
WHERE       (age>5) AND (net<>0)and (ser_line<>99)and  
comp_use=2  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data  
WHERE       (age>5) AND (net_code<>0)and (ser_line<>99)and  
net=2  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile=2) AND (mobile_bar_1=0)and  
(mobile_bar_2=0)and (mobile_bar_3=0)and (mobile_bar_9=0)and  
ser_line<>99  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data  
WHERE       mobile=1 and (mobile_bar_1=1 or mobile_bar_2=1 or  
mobile_bar_3=1 or mobile_bar_9=1)  
-----  
-----
```

```
SELECT      *
```

```
FROM          f_basic_data
WHERE         comp_use=0 and (age>5) and ser_line<>99
```

```
-----
SELECT      *
FROM        f_basic_data1
WHERE       (satellite = 2)and (s_no<>0)
ORDER BY   gov_code, doc_ser_gov
```

```
-----
SELECT      *
FROM        f_basic_data1
WHERE       (satellite = 2)and (p_c=1)and (p_satellite=2)
ORDER BY   gov_code, doc_ser_gov
```

```
-----
SELECT      *
FROM        f_basic_data INNER JOIN
              f_communication ON
f_basic_data.YEAR_STATE = f_communication.YEAR_STATE AND
              f_basic_data.month1_code =
f_communication.month1_code AND f_basic_data.gov_code =
f_communication.gov_code AND
              f_basic_data.doc_ser_gov =
f_communication.doc_ser_gov AND f_basic_data.section_code =
f_communication.section_code AND
              f_basic_data.vall_code =
f_communication.vall_code AND f_basic_data.doc_ser_vall =
f_communication.doc_ser_vall AND
              f_basic_data.r_u_code =
f_communication.r_u_code
WHERE       (f_basic_data.pc <> 1) AND(f_basic_data.laptop <>
1) AND (f_basic_data.pc_laptop <> 1) AND
(f_communication.net_broadband <> 0)
```

```
-----
SELECT      *
FROM        f_basic_data1 INNER JOIN
              f_internet ON
f_basic_data1.YEAR_STATE = f_internet.YEAR_STATE AND
f_basic_data1.month1_code = f_internet.month1_code AND
```

```

                f_basic_data1.gov_code =
f_internet.gov_code AND f_basic_data1.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data1.section_code =
f_internet.section_code AND f_basic_data1.vall_code =
f_internet.vall_code AND
                f_basic_data1.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data1.r_u_code =
f_internet.r_u_code
WHERE      (f_basic_data1.p_internet = 2) AND
(f_internet.codec1 = 1 or f_internet.codec2 = 1 or
f_internet.codec3 = 1 or f_internet.codec4 = 1 or
f_internet.codec5 = 1 or f_internet.codec6 = 1 )
ORDER BY f_basic_data1.gov_code,f_basic_data1.doc_ser_gov
-----
-----

```

```

SELECT      *
FROM        f_basic_data1 INNER JOIN
                f_internet ON
f_basic_data1.YEAR_STATE = f_internet.YEAR_STATE AND
f_basic_data1.month1_code = f_internet.month1_code AND
                f_basic_data1.gov_code =
f_internet.gov_code AND f_basic_data1.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data1.section_code =
f_internet.section_code AND f_basic_data1.vall_code =
f_internet.vall_code AND
                f_basic_data1.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data1.r_u_code =
f_internet.r_u_code
WHERE      (f_basic_data1.p_internet = 1) AND
(f_internet.codec1 <> 1)AND (f_internet.codec2 <> 1)AND
(f_internet.codec3 <> 1)AND (f_internet.codec4 <> 1)AND
(f_internet.codec5 <> 1)AND (f_internet.codec6 <> 1)
-----
-----

```

```

SELECT      *
FROM        f_basic_data
WHERE      (in_out_establishment_code = 4) AND (net5 = 1)

```



```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (education_entry_code <> 5) AND (net4 = 1)  
مدرسين يکونوا ان
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (code7 = 1) AND (net = 1)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (age < 10) AND (entry > 1) AND  
(education_entry_code = 5)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (education_entry_code = 3) AND  
(educational_status_code < 4)
```

```
-----  
-----  
SELECT      *  
FROM        f_computer  
WHERE       (pc_no > 5) Or      (laptop_no > 6)
```

```
-----  
-----  
SELECT      *  
FROM        f_computer INNER JOIN  
            f_basic_data1 ON  
f_computer.YEAR_STATE = f_basic_data1.YEAR_STATE AND  
f_computer.month1_code = f_basic_data1.month1_code AND  
            f_computer.gov_code =  
f_basic_data1.gov_code AND f_computer.doc_ser_gov =  
f_basic_data1.doc_ser_gov AND
```

```

                f_computer.section_code =
f_basic_data1.section_code AND f_computer.vall_code =
f_basic_data1.vall_code AND
                f_computer.doc_ser_vall =
f_basic_data1.doc_ser_vall AND f_computer.r_u_code =
f_basic_data1.r_u_code
WHERE      (f_computer.comp_have = 2) AND
(f_basic_data1.p_internet = 1)
-----
-----

```

```

SELECT      *
FROM        f_computer INNER JOIN
                f_basic_data1 ON
f_computer.YEAR_STATE = f_basic_data1.YEAR_STATE AND
f_computer.month1_code = f_basic_data1.month1_code AND
                f_computer.gov_code =
f_basic_data1.gov_code AND f_computer.doc_ser_gov =
f_basic_data1.doc_ser_gov AND
                f_computer.section_code =
f_basic_data1.section_code AND f_computer.vall_code =
f_basic_data1.vall_code AND
                f_computer.doc_ser_vall =
f_basic_data1.doc_ser_vall AND f_computer.r_u_code =
f_basic_data1.r_u_code
WHERE      (f_computer.comp_have = 1) AND
(f_basic_data1.electry = 2)
-----
-----

```

```

SELECT      *
FROM        f_communication INNER JOIN
                f_internet ON
f_communication.YEAR_STATE = f_internet.YEAR_STATE AND
f_communication.month1_code = f_internet.month1_code AND
                f_communication.gov_code =
f_internet.gov_code AND f_communication.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_communication.section_code =
f_internet.section_code AND f_communication.vall_code =
f_internet.vall_code AND

```

```
                f_communication.doc_ser_vall =
f_internet.doc_ser_vall AND f_communication.r_u_code =
f_internet.r_u_code
WHERE      (f_communication.phon = 2) AND
(f_internet.elect_gover_use_code = 1)
```

```
-----
-----
SELECT      *
FROM        f_basic_data
WHERE(q7 = 1) AND (card = 2)
```

-----حاسبين-----

```
-----
-----
SELECT      *
FROM        f_basic_data INNER JOIN
                f_computer ON f_basic_data.r_u_code =
f_computer.r_u_code AND f_basic_data.doc_ser_vall =
f_computer.doc_ser_vall AND
                f_basic_data.vall_code =
f_computer.vall_code AND f_basic_data.section_code =
f_computer.section_code AND
                f_basic_data.doc_ser_gov =
f_computer.doc_ser_gov AND f_basic_data.gov_code =
f_computer.gov_code AND
                f_basic_data.month1_code =
f_computer.month1_code AND f_basic_data.YEAR_STATE =
f_computer.YEAR_STATE
WHERE      (f_basic_data.comp_bar_1 = 1) AND
(f_computer.comp_have = 1)
```

```
-----
-----
SELECT      *
FROM        f_table1
WHERE      (sextot <> sex1 + sex2)
```

```
-----
-----
SELECT      *
FROM        f_table1 INNER JOIN
                f_basic_data ON f_table1.r_u_code =
f_basic_data.r_u_code AND f_table1.doc_ser_vall =
f_basic_data.doc_ser_vall AND
```

```

                f_table1.vall_code =
f_basic_data.vall_code AND f_table1.section_code =
f_basic_data.section_code AND
                f_table1.doc_ser_gov =
f_basic_data.doc_ser_gov AND f_table1.gov_code =
f_basic_data.gov_code AND
                f_table1.month1_code =
f_basic_data.month1_code AND f_table1.YEAR_STATE =
f_basic_data.YEAR_STATE AND
                f_table1.sextot <>
f_basic_data.no_line-1
order by
f_basic_data.gov_code,f_basic_data.doc_ser_gov,f_basic_data
.ser_line

```

```

-----
-----
SELECT      *
FROM        f_basic_data
WHERE       (in_out_establishment_code = 1) AND (age < 6)

```

```

-----
-----
SELECT      *
FROM        f_basic_data
WHERE       (hanticape = 0) AND (ser_line <> 99)

```

```

-----
-----
SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.r_u_code =
f_table1.r_u_code AND f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND
                f_basic_data.doc_ser_vall =
f_table1.vall_code AND f_basic_data.section_code =
f_table1.section_code AND
                f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND f_basic_data.gov_code =
f_table1.gov_code AND
                f_basic_data.month1_code =
f_table1.month1_code AND f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE

```

```
WHERE      (f_table1.q_club = 2) AND (f_basic_data.net2 = 1)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (comp_use = 1) AND (comp_bar_1 = 1) OR  
              (comp_use = 1) AND (comp_bar_2 = 1)  
OR  
              (comp_use = 1) AND (comp_bar_3 = 1)  
OR  
              (comp_use = 1) AND (comp_bar_4 = 1)  
OR  
              (comp_use = 1) AND (comp_bar_5 = 1)  
OR  
(comp_use = 1) AND (comp_bar_6 = 1) OR  
(comp_use = 1) AND (comp_bar_7 = 1) OR  
(comp_use = 1) AND (comp_bar_8 = 1) OR  
              (comp_use = 1) AND (comp_bar_9 = 1)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (age < 14) AND (entry = 3) AND  
(education_entry_code = 5)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (age > 5) AND (comp_use = 0) AND (ser_line <> 99)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (age < 10) AND (entry = 2) AND  
(education_entry_code = 5)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (age > 5) AND (mobile = 0) AND (ser_line <> 99)
```

```

-----
-----
SELECT      *
FROM        f_basic_data INNER JOIN
            f_computer ON f_basic_data.r_u_code =
f_computer.r_u_code AND f_basic_data.doc_ser_vall =
f_computer.doc_ser_vall AND
            f_basic_data.vall_code =
f_computer.vall_code AND f_basic_data.section_code =
f_computer.section_code AND
            f_basic_data.doc_ser_gov =
f_computer.doc_ser_gov AND f_basic_data.gov_code =
f_computer.gov_code AND
            f_basic_data.month1_code =
f_computer.month1_code AND f_basic_data.YEAR_STATE =
f_computer.YEAR_STATE
WHERE      (f_basic_data.ind1 = 1) AND (f_computer.comp_have
= 2)
-----

```

```

-----
-----
SELECT      *
FROM        f_basic_data INNER JOIN
            f_computer ON f_basic_data.r_u_code =
f_computer.r_u_code AND f_basic_data.doc_ser_vall =
f_computer.doc_ser_vall AND
            f_basic_data.vall_code =
f_computer.vall_code AND f_basic_data.section_code =
f_computer.section_code AND
            f_basic_data.doc_ser_gov =
f_computer.doc_ser_gov AND f_basic_data.gov_code =
f_computer.gov_code AND
            f_basic_data.month1_code =
f_computer.month1_code AND f_basic_data.YEAR_STATE =
f_computer.YEAR_STATE
WHERE      (f_computer.comp_have = 1) AND
(f_basic_data.net_barriers_code = 1)
-----

```

```

-----
-----
SELECT      *
FROM        f_basic_data INNER JOIN

```

```

                                f_communication ON
f_basic_data.r_u_code = f_communication.r_u_code AND
f_basic_data.doc_ser_vall = f_communication.doc_ser_vall
AND
                                f_basic_data.vall_code =
f_communication.vall_code AND f_basic_data.section_code =
f_communication.section_code AND
                                f_basic_data.doc_ser_gov =
f_communication.doc_ser_gov AND f_basic_data.gov_code =
f_communication.gov_code AND
                                f_basic_data.month1_code =
f_communication.month1_code AND f_basic_data.YEAR_STATE =
f_communication.YEAR_STATE
WHERE      (f_basic_data.code3 = 1) AND
(f_communication.phon = 2)

```

```

-----
---
SELECT      *
FROM        f_basic_data
WHERE       (comp4 = 1) AND (net_code = 2)

```

```

-----
---
SELECT      *
FROM        f_basic_data
WHERE       (comp3 = 1) AND (in_out_establishment_code = 2)

```

```

-----
--
SELECT      *
FROM        f_basic_data
WHERE       (comp3 = 1) AND (in_out_establishment_code = 3)

```

```

-----
--
SELECT      *
FROM        f_basic_data
WHERE       (comp3 = 1) AND (in_out_establishment_code = 4)

```

-----سبق العمل في استخدامه كان-----

```

-----
-
SELECT      *
FROM        f_basic_data
WHERE       (comp3 = 1) AND (in_out_establishment_code = 5)

```

-----مسبقا العمل في استخدامه كان-----

--

SELECT *
FROM f_basic_data
WHERE (hanticafe = 1) AND (comp_use = 1)

-----الاستماره على الكشف تم-----

SELECT *
FROM f_basic_data
WHERE (code4 = 1) AND (code5 = 1)

SELECT *
FROM f_basic_data
WHERE (pc = 1) AND (pc_laptop = 1)

SELECT *
FROM f_basic_data
WHERE (pc_laptop = 1) AND (laptop = 1)

SELECT *
FROM f_basic_data
WHERE (education_entry_code = 1) AND
(educational_status_code = 1) AND (in_out_establishment_code
<> 5)

SELECT *
FROM f_basic_data
WHERE (education_entry_code = 1) AND
(educational_status_code = 1) AND (employment_status_code <>
0)

SELECT *
FROM f_basic_data


```
WHERE      (educational_status_code = 2) AND (net_code = 1)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data1 INNER JOIN  
            f_communication ON  
f_basic_data1.YEAR_STATE = f_communication.YEAR_STATE AND  
            f_basic_data1.month1_code =  
f_communication.month1_code AND f_basic_data1.gov_code =  
f_communication.gov_code AND  
            f_basic_data1.doc_ser_gov =  
f_communication.doc_ser_gov AND f_basic_data1.section_code  
= f_communication.section_code AND  
            f_basic_data1.vall_code =  
f_communication.vall_code AND f_basic_data1.doc_ser_vall =  
f_communication.doc_ser_vall AND  
            f_basic_data1.r_u_code =  
f_communication.r_u_code  
WHERE      (f_basic_data1.p_internet = 2) AND  
(f_communication.net_cost <> 0)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data1 INNER JOIN  
            f_computer ON  
f_basic_data1.YEAR_STATE = f_computer.YEAR_STATE AND  
f_basic_data1.month1_code = f_computer.month1_code AND  
            f_basic_data1.gov_code =  
f_computer.gov_code AND f_basic_data1.doc_ser_gov =  
f_computer.doc_ser_gov AND  
            f_basic_data1.section_code =  
f_computer.section_code AND f_basic_data1.vall_code =  
f_computer.vall_code AND  
            f_basic_data1.doc_ser_vall =  
f_computer.doc_ser_vall AND f_basic_data1.r_u_code =  
f_computer.r_u_code  
WHERE      (f_basic_data1.p_internet = 1) AND  
(f_computer.comp_have = 2)
```

```
SELECT      *
FROM        f_internet
WHERE       (elect_commerce_use_2 = 0) AND
(elect_commerce_use_21 =1)
```

```
-----
SELECT      *
FROM        f_internet INNER JOIN
            f_basic_data ON f_internet.r_u_code =
f_basic_data.r_u_code AND f_internet.doc_ser_vall =
f_basic_data.doc_ser_vall AND
            f_internet.vall_code =
f_basic_data.vall_code AND f_internet.section_code =
f_basic_data.section_code AND
            f_internet.doc_ser_gov =
f_basic_data.doc_ser_gov AND f_internet.gov_code =
f_basic_data.gov_code AND
            f_internet.month1_code =
f_basic_data.month1_code AND f_internet.YEAR_STATE =
f_basic_data.YEAR_STATE
WHERE       (f_internet.codec1 = 1 OR f_internet.codec2 = 1
OR f_internet.codec3 = 1 OR f_internet.connection_code = 1)
            AND (f_basic_data.ind1 = 0) AND
(f_basic_data.ser_line = 99)
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (comp_use<>0 or net_code<>0)and age<6 and
ser_line<>99
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (prof_enter_code<>' ' and prof_enter_code='')
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (prof_enter_code='' and prof_enter_code<>' ')
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile<>0 and age<6)AND (ser_line <> 99)  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (net=0 and comp_use=1)  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (( net_code<>0)and comp_use=2) and ser_line<>99  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile_net=2 and broad_band<>0)  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile=1 and (mob_3g=0 or mob_wifi=0))  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile=2 and (mob_3g<>0 or mob_wifi<>0))  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       broad_band > cost1 and broad_band > cost2  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile=2 and (cost1<>0 or cost2<>0 ))  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile=1 and (cost1=0 and cost2=0 ))and  
ser_line<>99  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (card1<>0 or card<>0)and age<6  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (card1<>0 and card=2)  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (card=0 and age>20)  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (card=1 and card1=0 and age>20)  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (card=2 and card1<>0 and age>20)  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile=1 and mobile_3=0)and ser_line<>99  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
-----  
-----
```

```
WHERE      (mobile=2 and mobile_3<>0)and ser_line<>99
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (mobile=1 and mobile_wireless=0)and ser_line<>99
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (mobile=2 and mobile_wireless<>0)and ser_line<>99
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (mobile=1 and mobile_cam=0)and ser_line<>99
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (mobile=2 and mobile_cam<>0)and ser_line<>99
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (mobile_3=1 and mobile_cam=2)and ser_line<>99
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (mobile_3=2 and q24_3<>0)and ser_line<>99
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (mobile_3=2 and (mob_use3=1 or q24_3<>0))and  
ser_line<>99
```

```
-----  
SELECT      *
```

```
FROM          f_basic_data
WHERE         (q24_2<>0 and (mob_use2=0))and ser_line<>99
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (q24_2=0 and (mob_use2=1))and ser_line<>99
```

-----مكن-----

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (q24_4<>0 and (mob_use1=0))and ser_line<>99
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (q24_4=0 and mob_use1=1) and ser_line<>99
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (q24_1<>0 and (mob_use5=0))and ser_line<>99
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (q24_1=0 and (mob_use5=1))and ser_line<>99
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (mobile=2 and (mobile_cam<>0 or
mobile_wireless<>0 or mobile_3<>0))and ser_line<>99
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (mobile=1 and (mobile_cam=0 or mobile_wireless=0
or mobile_3=0))and ser_line<>99
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       mobile=1 and (mob_use1=0 and mob_use2=0 and  
mob_use3=0 and mob_use4=0 and mob_use5=0 and mob_use6=0 and  
mob_use9=0 )and ser_line<>99  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data  
WHERE       mobile=2 and (mob_use1=1 or mob_use2=1 or  
mob_use3=1 or mob_use4=1 or mob_use5=1 or mob_use6=1 or  
mob_use9=1 )and ser_line<>99  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data  
WHERE       (text_mob='' and mob_use9=1)and ser_line<>99  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data  
WHERE       (text_mob<>' ' and mob_use9=0)and ser_line<>99  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data  
WHERE       ( p_mob_code<>1 and p_mob_code<>2 and  
p_mob_code<>3 and p_mob_code<>9 and p_mob_code<>0 )and  
ser_line<>99  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data  
WHERE       (mobile=1 and p_mob_code=0)and ser_line<>99  
-----  
-----
```

```
SELECT      *  
FROM        f_basic_data
```

```
WHERE      (mobile=2 and p_mob_code<>0)and ser_line<>99
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (p_text='' and p_mob_code=9 and  
p_mob_code<>0)and ser_line<>99
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (net_code=2 and (q32_1=1 or q32_2=1 or q32_3=1 or  
q32_4=1 or q32_5=1 or q32_6=1 or q32_9=1 ))and ser_line<>99
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (net_code=1 and q32_1=0 and q32_2=0 and q32_3=0  
and q32_4=0 and q32_5=0 and q32_6=0 and q32_9=0 )and  
ser_line<>99
```

```
-----  
===== موضوع النسب =====  
=====
```

```
SELECT      *  
FROM        f_basic_data  
WHERE      (Q1=1 AND Q31_1='')
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (Q1=0 AND Q31_1<>'')
```

```
-----  
SELECT      *  
FROM        f_basic_data  
WHERE      (Q2=1 AND Q31_2='')
```

```
-----  
SELECT      *
```



```
FROM          f_basic_data
WHERE         (Q2=0 AND Q31_2<>'')
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (Q3=1 AND Q31_3='')
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (Q3=0 AND Q31_3<>'')
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (Q4=1 AND Q31_4='')
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (Q4=0 AND Q31_4<>'')
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (Q5=1 AND Q31_5='')
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (Q5=0 AND Q31_5<>'')
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (Q6=1 AND Q31_6='')
```

```
-----
SELECT      *
```

```
FROM          f_basic_data
WHERE         (Q6=0 AND Q31_6<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q7=1 AND Q31_7='')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q7=0 AND Q31_7<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q8=1 AND Q31_8='')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q8=0 AND Q31_8<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q9=1 AND Q31_9='')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q9=0 AND Q31_9<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q99=1 AND Q31_99='')
```

```
SELECT      *
```

```
FROM          f_basic_data
WHERE         (Q99=0 AND Q31_99<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q11=1 AND Q31_11='')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q11=0 AND Q31_11<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q12=1 AND Q31_12='')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q12=0 AND Q31_12<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q13=1 AND Q31_13='')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q13=0 AND Q31_13<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q14=1 AND Q31_14='')
```

```
SELECT      *
```

```
FROM          f_basic_data
WHERE         (Q14=0 AND Q31_14<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q14=1 AND TEXT14='')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (Q14=0 AND TEXT14<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (q32_1=1 and q32_1_1='')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (q32_1=0 and q32_1_1<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (q32_2=1 and q32_2_1='')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (q32_2=0 and q32_2_1<>'')
```

```
SELECT      *
FROM        f_basic_data
WHERE       (q32_3=1 and q32_3_1='')
```

```
SELECT      *
```

```
FROM      f_basic_data
WHERE     (q32_3=0 and q32_3_1<>'')
```

```
SELECT    *
FROM      f_basic_data
WHERE     (q32_4=1 and q32_4_1='')
```

```
SELECT    *
FROM      f_basic_data
WHERE     (q32_4=0 and q32_4_1<>'')
```

```
SELECT    *
FROM      f_basic_data
WHERE     (q32_5=1 and q32_5_1='')
```

```
SELECT    *
FROM      f_basic_data
WHERE     (q32_5=0 and q32_5_1<>'')
```

```
SELECT    *
FROM      f_basic_data
WHERE     (q32_6=1 and q32_6_1='')
```

```
SELECT    *
FROM      f_basic_data
WHERE     (q32_6=0 and q32_6_1<>'')
```

```
SELECT    *
FROM      f_basic_data
WHERE     (q32_9=1 and q32_9_1='')
```

```
SELECT    *
```

```
FROM          f_basic_data
WHERE         (q32_9=0 and q32_9_1<>'')
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (q32_9=1 and text_4='')
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (q32_9=0 and text_4<>'')
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (Q32_1_1<>0 and Q32_2_1<>0 and Q32_3_1<>0 and
Q32_4_1 <>0 and Q32_5_1 <>0 and Q32_6_1 <>0 and Q32_9_1<>0
) and (Q32_1_1+Q32_2_1+Q32_3_1+Q32_4_1+Q32_5_1+Q32_6_1
+Q32_9_1<>100)
```

-----f_communication-----

```
-----
SELECT      *
FROM        f_communication
WHERE       (phon_cost<
cost+nation_cost+international_cost+mobile_cost+net_ph_cost
)
ORDER BY   gov_code, doc_ser_gov
```

```
-----
SELECT      *
FROM        f_internet
where       (q5_1=1 and connection_code=0 AND CODEC1=0 AND
CODEC2=0 AND CODEC3=0 AND CODEC4=0 AND CODEC5=0 AND
CODEC6=0)
```

```
-----
SELECT      *
FROM        f_internet
```

```
where      (q5_1=2 and (connection_code=1 OR CODEC1=1 OR
CODEC2=1 OR CODEC3=1 OR CODEC4=1 OR CODEC5=1 OR CODEC6=1))
```

```
-----
SELECT      *
FROM        f_internet
where      (q5_1=2 and Q5_3<>0)
```

```
-----
SELECT      *
FROM        f_internet
where      (q5_3=1 and Q5_4_1=0 AND Q5_4_2=0 AND Q5_4_3=0
AND Q5_4_4=0 AND Q5_4_9=0)
```

```
-----
SELECT      *
FROM        f_internet
where      (q5_3=2 and (Q5_4_1<>0 OR Q5_4_2<>0 OR Q5_4_3<>0
OR Q5_4_4<>0 OR Q5_4_9<>0))
```

```
-----
SELECT      *
FROM        f_computer INNER JOIN
              f_internet ON f_computer.YEAR_STATE =
f_internet.YEAR_STATE AND f_computer.month1_code =
f_internet.month1_code AND
              f_computer.gov_code =
f_internet.gov_code AND f_computer.doc_ser_gov =
f_internet.doc_ser_gov AND
              f_computer.section_code =
f_internet.section_code AND f_computer.vall_code =
f_internet.vall_code AND
              f_computer.doc_ser_vall =
f_internet.doc_ser_vall AND f_computer.r_u_code =
f_internet.r_u_code
WHERE      (f_computer.comp_have = 2) AND (f_internet.q5_1 =
1)
```

```
-----
SELECT      *
```

```

FROM          f_computer INNER JOIN
              f_comp_net_security ON
f_computer.YEAR_STATE = f_comp_net_security.YEAR_STATE AND
              f_computer.month1_code =
f_comp_net_security.month1_code AND f_computer.gov_code =
f_comp_net_security.gov_code AND
              f_computer.doc_ser_gov =
f_comp_net_security.doc_ser_gov AND f_computer.section_code
= f_comp_net_security.section_code AND
              f_computer.vall_code =
f_comp_net_security.vall_code AND f_computer.doc_ser_vall =
f_comp_net_security.doc_ser_vall AND
              f_computer.r_u_code =
f_comp_net_security.r_u_code
WHERE        (f_computer.comp_have = 2) AND
(f_comp_net_security.q7_1 <> 0)

```

```

-----
-----
SELECT      *
FROM        f_computer INNER JOIN
              f_comp_net_security ON
f_computer.YEAR_STATE = f_comp_net_security.YEAR_STATE AND
              f_computer.month1_code =
f_comp_net_security.month1_code AND f_computer.gov_code =
f_comp_net_security.gov_code AND
              f_computer.doc_ser_gov =
f_comp_net_security.doc_ser_gov AND f_computer.section_code
= f_comp_net_security.section_code AND
              f_computer.vall_code =
f_comp_net_security.vall_code AND f_computer.doc_ser_vall =
f_comp_net_security.doc_ser_vall AND
              f_computer.r_u_code =
f_comp_net_security.r_u_code
WHERE        (f_computer.comp_have = 1) AND
(f_comp_net_security.q7_1 =0)

```

```

-----
-----
SELECT      *
FROM        f_computer INNER JOIN

```



```

                f_comp_net_security ON
f_computer.YEAR_STATE = f_comp_net_security.YEAR_STATE AND
                f_computer.month1_code =
f_comp_net_security.month1_code AND f_computer.gov_code =
f_comp_net_security.gov_code AND
                f_computer.doc_ser_gov =
f_comp_net_security.doc_ser_gov AND f_computer.section_code
= f_comp_net_security.section_code AND
                f_computer.vall_code =
f_comp_net_security.vall_code AND f_computer.doc_ser_vall =
f_comp_net_security.doc_ser_vall AND
                f_computer.r_u_code =
f_comp_net_security.r_u_code
WHERE      (f_computer.comp_have = 2) AND
(f_comp_net_security.q7_1 = 0 or f_comp_net_security.q7_1
<> 0)

```


-----جدول f_table الجداول باقى مع-----

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.comp_ent = 2) AND
(f_basic_data.ser_line = 99) AND (f_table1.q_comp = 1)

```


```

SELECT      *
FROM        f_basic_data INNER JOIN

```

```

                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.comp_ent = 1) AND
(f_basic_data.ser_line = 99) AND (f_table1.q_comp = 2)
-----
-----

```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.comp_ent = 0) AND
(f_basic_data.ser_line = 99) AND (f_table1.q_comp <> 0)
-----
-----

```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND

```

```

                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.comp_ent <> 0) AND
(f_basic_data.ser_line = 99) AND (f_table1.q_comp = 0)
-----
-----
```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_table1.q_mobile = 2) AND (f_basic_data.mobile = 1)
order by ser_line
-----
-----
```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
```

```
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE          (f_basic_data.ser_line = 99) AND
(f_table1.q_mobile = 1) AND (f_basic_data.mobile = 2)
```

```
-----
SELECT          *
FROM            f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE          (f_basic_data.ser_line = 99) AND
(f_table1.q_mobile = 0) AND (f_basic_data.mobile <> 0)
```

```
-----
SELECT          *
FROM            f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
```

```
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE          (f_basic_data.ser_line = 99) AND
(f_table1.q_mobile <> 0) AND (f_basic_data.mobile = 0)
```

```
SELECT          *
FROM            f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE          (f_basic_data.ser_line = 99) AND
(f_basic_data.mobile_net = 2) AND (f_table1.qmobile_net =
1)
```

```
SELECT          *
FROM            f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
```

```
WHERE      (f_basic_data.ser_line = 99) AND
(f_basic_data.mobile_net = 1) AND (f_table1.qmobile_net =
2)
```

```
-----
-----
SELECT      *
FROM        f_basic_data INNER JOIN
            f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
            f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
            f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
            f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_basic_data.mobile_net = 0) AND (f_table1.qmobile_net
<>0)
```

```
-----
-----
SELECT      *
FROM        f_basic_data INNER JOIN
            f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
            f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
            f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
            f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_basic_data.mobile_net <>0) AND (f_table1.qmobile_net =0)
```

```

-----
SELECT      *
FROM        f_basic_data INNER JOIN
            f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
            f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
            f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
            f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_table1.q_mobile3 = 1) AND (f_basic_data.mobile_3 = 2)
-----

```

```

-----
SELECT      *
FROM        f_basic_data INNER JOIN
            f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
            f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
            f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
            f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_table1.q_mobile3 = 2) AND (f_basic_data.mobile_3 = 1)
-----

```

```

-----
SELECT      *
FROM        f_basic_data INNER JOIN

```

```

                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_table1.q_mobile3 <>0) AND (f_basic_data.mobile_3 = 0)
-----
-----

```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_table1.q_mobile3 = 0) AND (f_basic_data.mobile_3 <>0)
-----
-----

```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND

```



```

                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND (f_table1.q_net
= 1) AND (f_basic_data.net_ent = 2)
-----
-----

```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND (f_table1.q_net
= 2) AND (f_basic_data.net_ent = 1)
-----
-----

```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND

```

```
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE          (f_basic_data.ser_line = 99) AND (f_table1.q_net
= 0) AND (f_basic_data.net_ent <>0)
```

```
-----
SELECT          *
FROM            f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE          (f_basic_data.ser_line = 99) AND (f_table1.q_net
<> 0) AND (f_basic_data.net_ent =0)
```

```
-----
SELECT          *
FROM            f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
```

```

                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_table1.q_cafee <>2) AND (f_basic_data.cost_cofee =0)
-----
-----
```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_table1.q_cafee <>1) AND (f_basic_data.cost_cofee <>0)
-----
-----
```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
```

```
WHERE      (f_basic_data.ser_line = 99) AND
(f_table1.q_cafee = 0) AND (f_basic_data.cost_cofee <>0)
```

```
-----
SELECT      *
FROM        f_basic_data INNER JOIN
            f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
            f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
            f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
            f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND (f_table1.q_club
<>2) AND (f_basic_data.cost_club = 0)
```

```
-----
SELECT      *
FROM        f_basic_data INNER JOIN
            f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
            f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
            f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
            f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND (f_table1.q_club
<>1)AND (f_basic_data.cost_club <>0)
```

```

SELECT      *
FROM        f_basic_data INNER JOIN
            f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
            f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
            f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
            f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND (f_table1.q_club
= 0) AND (f_basic_data.cost_club <> 0)
-----
-----

```

```

SELECT      *
FROM        f_basic_data INNER JOIN
            f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
            f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
            f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
            f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_table1.q_library <>2) AND (f_basic_data.cost_library =
0)
-----
-----

```

```

SELECT      *
FROM        f_basic_data INNER JOIN

```

```

                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_table1.q_library <>1)AND (f_basic_data.cost_library <>0)
-----
-----

```

```

SELECT      *
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_table1.q_library = 0) AND (f_basic_data.cost_library <>
0)
-----
-----

```

```

SELECT      *
FROM        f_table1 INNER JOIN
                f_internet ON f_table1.YEAR_STATE =
f_internet.YEAR_STATE AND f_table1.month1_code =
f_internet.month1_code AND

```

```

                f_table1.gov_code =
f_internet.gov_code AND f_table1.doc_ser_gov =
f_internet.doc_ser_gov AND f_table1.section_code =
f_internet.section_code AND
                f_table1.vall_code =
f_internet.vall_code AND f_table1.doc_ser_vall =
f_internet.doc_ser_vall AND f_table1.r_u_code =
f_internet.r_u_code
WHERE      (f_table1.q_h_net = 1) AND (f_internet.q5_1 = 2)
-----
-----

```

```

SELECT      *
FROM        f_table1 INNER JOIN
                f_internet ON f_table1.YEAR_STATE =
f_internet.YEAR_STATE AND f_table1.month1_code =
f_internet.month1_code AND
                f_table1.gov_code =
f_internet.gov_code AND f_table1.doc_ser_gov =
f_internet.doc_ser_gov AND f_table1.section_code =
f_internet.section_code AND
                f_table1.vall_code =
f_internet.vall_code AND f_table1.doc_ser_vall =
f_internet.doc_ser_vall AND f_table1.r_u_code =
f_internet.r_u_code
WHERE      (f_table1.q_h_net = 2) AND (f_internet.q5_1 = 1)
-----
-----

```

```

SELECT      *
FROM        f_table1 INNER JOIN
                f_internet ON f_table1.YEAR_STATE =
f_internet.YEAR_STATE AND f_table1.month1_code =
f_internet.month1_code AND
                f_table1.gov_code =
f_internet.gov_code AND f_table1.doc_ser_gov =
f_internet.doc_ser_gov AND f_table1.section_code =
f_internet.section_code AND
                f_table1.vall_code =
f_internet.vall_code AND f_table1.doc_ser_vall =
f_internet.doc_ser_vall AND f_table1.r_u_code =
f_internet.r_u_code

```



```
WHERE (f_basic_data.ind1 IS NULL) AND
(f_basic_data.ser_line = 99) AND (f_table1.q_h_net = 1)
```


===== البداية =====
=====

```
SELECT gov_code, doc_ser_gov, ser_line,
net_moh_code, ind1
FROM f_basic_data
WHERE (net_moh_code = 1) OR
      (ser_line = 99)
ORDER BY gov_code, doc_ser_gov, ser_line
----- ind1 = 1 -----
-----
```

```
SELECT gov_code, doc_ser_gov, ser_line, mob_use5
FROM f_basic_data
WHERE (mob_use5 = 1) OR
      (ser_line = 99)
ORDER BY gov_code, doc_ser_gov, ser_line
```


على للدخول للمحمول المستخدمة الاسر بإعطاء خاص الامر هذا
--- الانترنت ---

```
SELECT *
FROM f_basic_data INNER JOIN
      f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
      f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
      f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
```

```

                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.mob_use5 = 1) AND
(f_basic_data.ser_line = 99) AND (f_table1.qmobile_net <>
1)
-----
-----
-----

```

```

SELECT      f_table1.YEAR_STATE, f_table1.month1_code,
f_table1.gov_code, f_table1.doc_ser_gov,
f_table1.vall_code, f_table1.doc_ser_vall,
f_table1.r_u_code,
                f_table1.qmobile_net
FROM        f_basic_data INNER JOIN
                f_table1 ON f_basic_data.YEAR_STATE =
f_table1.YEAR_STATE AND f_basic_data.month1_code =
f_table1.month1_code AND
                f_basic_data.gov_code =
f_table1.gov_code AND f_basic_data.doc_ser_gov =
f_table1.doc_ser_gov AND
                f_basic_data.section_code =
f_table1.section_code AND f_basic_data.vall_code =
f_table1.vall_code AND
                f_basic_data.doc_ser_vall =
f_table1.doc_ser_vall AND f_basic_data.r_u_code =
f_table1.r_u_code
WHERE      (f_basic_data.mob_use5 = 0) AND
(f_basic_data.ser_line = 99) AND (f_table1.qmobile_net = 1)
=====
=====

```

-----المقارنات بعملية خاصة الاتية الاوامر هذه-----

=====

```

SELECT      COUNT(*) AS Expr1
FROM        f_basic_data
WHERE      (comp_ent=1) AND (ser_line = 99)and comp_use=1

```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_basic_data  
WHERE       (ser_line = 99)and comp_use=1  
-----
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_table1  
WHERE       (q_comp = 1)  
-----
```

مشكلة

```
=====
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_basic_data  
WHERE       (mobile = 1) AND (ser_line = 99)  
-----
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_table1  
WHERE       (q_mobile = 1)  
-----
```

```
=====
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_basic_data  
WHERE       (mob_use5 = 1) AND (ser_line = 99)  
-----
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_table1  
WHERE       (qmobile_net = 1)  
-----
```

```
=====
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_basic_data  
-----
```

```
WHERE      (mobile_3 = 1) AND (ser_line = 99)
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_table1  
WHERE       (q_mobile3 = 1)
```

```
=====
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_basic_data  
WHERE       (net_ent = 1) AND (ser_line = 99)
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_table1  
WHERE       (q_net = 1)
```

```
=====
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_basic_data  
WHERE       (ind1 = 1) AND (ser_line = 99)
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_table1  
WHERE       (q_h_net = 1)
```

```
===== لها  
طريقتان=====
```

```
SELECT      COUNT(*) AS Expr1  
FROM        f_internet  
WHERE       (q5_1 = 1)
```

```
-----  
-----  
SELECT      COUNT(*) AS Expr1  
FROM        f_table1  
WHERE       (q_h_net = 1)  
-----  
-----
```

```
=====
```

```
SELECT      COUNT(*) AS Expr1  
FROM        f_basic_data  
WHERE       (cost_cofee <>0)AND (ser_line = 99)  
-----  
-----
```

```
SELECT      COUNT(*) AS Expr1  
FROM        f_table1  
WHERE       (q_cafee = 1)  
-----  
-----
```

```
=====
```

```
SELECT      COUNT(*) AS Expr1  
FROM        f_basic_data  
WHERE       (cost_club <>0)AND (ser_line = 99)  
-----  
-----
```

```
SELECT      COUNT(*) AS Expr1  
FROM        f_table1  
WHERE       (q_club = 1)  
-----  
-----
```

```
=====
```

```
SELECT      COUNT(*) AS Expr1  
FROM        f_basic_data  
WHERE       (cost_library <>0)AND (ser_line = 99)  
-----  
-----
```

```
SELECT      COUNT(*) AS Expr1  
FROM        f_table1
```

```
WHERE (q_library = 1)
```

----- هنا من -----

```
=====
=====
SELECT COUNT(*) AS Expr1
FROM f_computer
WHERE (comp_have = 1)
```

```
-----
-----
SELECT COUNT(*) AS Expr1
FROM f_comp_net_security
```

```
=====
=====
SELECT COUNT(*) AS Expr1
FROM f_basic_data
WHERE (net_ent = 1) AND (ser_line = 99)
```

```
-----
-----
SELECT COUNT(*) AS Expr1
FROM f_internet
WHERE (net_ent = 1)
```

```
-----
-----
SELECT COUNT(*) AS Expr1
FROM f_internet
```

```
=====
=====
SELECT COUNT(*) AS Expr1
FROM f_basic_data
WHERE (comp_ent <> 1) AND net_ent=1 and (ser_line = 99)
```

```
-----
-----
SELECT COUNT(*) AS Expr1
FROM f_basic_data
WHERE (comp_ent = 1) AND net_ent=0 and (ser_line = 99)
```

```
SELECT      COUNT(*) AS Expr1
FROM        f_basic_data
WHERE       (comp_ent = 1) AND net_ent is null and (ser_line
= 99)
```

```
-----
SELECT      COUNT(*) AS Expr1
FROM        f_basic_data
WHERE       (comp_ent <>1) AND net_ent<>0 and (ser_line = 99)
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (ser_line = 99) AND (comp_ent <> 1) AND (net_ent
= 1)
```

```
-----
SELECT      COUNT(*) AS Expr1
FROM        f_basic_data
WHERE       (comp_ent <> 1) AND net_code =1 and (ser_line =
99)
```

```
-----
SELECT      *
FROM        f_basic_data
WHERE       (comp_ent = 1) AND comp_use <>1 and (ser_line =
99)
```

```
-----
SELECT      COUNT(*) AS Expr1
FROM        f_basic_data
WHERE       (comp_ent <> 1) AND comp_use =1 and (ser_line =
99)
```

```
-----
SELECT      COUNT(*) AS Expr1
FROM        f_basic_data
WHERE       (comp_ent = 2) AND(net_ent =1) AND (ser_line =
99)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data INNER JOIN  
            f_internet ON f_basic_data.YEAR_STATE  
= f_internet.YEAR_STATE AND f_basic_data.month1_code =  
f_internet.month1_code AND  
            f_basic_data.gov_code =  
f_internet.gov_code AND f_basic_data.doc_ser_gov =  
f_internet.doc_ser_gov AND  
            f_basic_data.section_code =  
f_internet.section_code AND f_basic_data.vall_code =  
f_internet.vall_code AND  
            f_basic_data.doc_ser_vall =  
f_internet.doc_ser_vall AND f_basic_data.r_u_code =  
f_internet.r_u_code  
WHERE      (f_basic_data.ind1 = 1) AND  
(f_basic_data.ser_line = 99) AND (f_internet.q5_1 = 2)  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data INNER JOIN  
            f_internet ON f_basic_data.YEAR_STATE  
= f_internet.YEAR_STATE AND f_basic_data.month1_code =  
f_internet.month1_code AND  
            f_basic_data.gov_code =  
f_internet.gov_code AND f_basic_data.doc_ser_gov =  
f_internet.doc_ser_gov AND  
            f_basic_data.section_code =  
f_internet.section_code AND f_basic_data.vall_code =  
f_internet.vall_code AND  
            f_basic_data.doc_ser_vall =  
f_internet.doc_ser_vall AND f_basic_data.r_u_code =  
f_internet.r_u_code  
WHERE      (f_basic_data.ser_line = 99) AND  
(f_basic_data.net_ent = 1) AND (f_internet.net_ent <> 1)  
-----  
-----
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data INNER JOIN
```



```

                f_internet ON f_basic_data.YEAR_STATE
= f_internet.YEAR_STATE AND f_basic_data.month1_code =
f_internet.month1_code AND
                f_basic_data.gov_code =
f_internet.gov_code AND f_basic_data.doc_ser_gov =
f_internet.doc_ser_gov AND
                f_basic_data.section_code =
f_internet.section_code AND f_basic_data.vall_code =
f_internet.vall_code AND
                f_basic_data.doc_ser_vall =
f_internet.doc_ser_vall AND f_basic_data.r_u_code =
f_internet.r_u_code
WHERE      (f_basic_data.ser_line = 99) AND
(f_basic_data.net_ent <> 1) AND (f_internet.net_ent = 1)
-----
-----

```

```

SELECT      COUNT(*) AS Expr1
FROM        f_basic_data
WHERE      (net_code = 1) AND (education_entry_code > 2) AND
(education_type = 0)
-----
-----

```

```

SELECT      *
FROM        f_basic_data
WHERE      (net_code = 1) AND (education_type = 0) AND
(entry = 0)
-----
-----

```

```

SELECT      *
FROM        f_basic_data
WHERE      (net_code = 1) AND (education_type = 0) AND
(entry <> 0)
-----
-----

```

```

SELECT      *
FROM        f_basic_data

```

```
WHERE      (in_out_establishment_code < 3) AND (net_code = 1)
AND (prof_enter_code = '')
```

```
SELECT      *
FROM        f_basic_data
WHERE      (in_out_establishment_code >2) AND (net_code = 1)
AND (prof_enter_code <> '')
```

```
SELECT      *
FROM        f_basic_data
WHERE      (net_code = 1) AND (net_moh_use = 0)
```

```
SELECT      *
FROM        f_basic_data
WHERE      (net_code = 1) AND (net_moh_use = 0)
```

```
SELECT      *
FROM        f_internet INNER JOIN
            f_communication ON
f_internet.YEAR_STATE = f_communication.YEAR_STATE AND
f_internet.month1_code = f_communication.month1_code AND
            f_internet.gov_code =
f_communication.gov_code AND f_internet.doc_ser_gov =
f_communication.doc_ser_gov AND
            f_internet.section_code =
f_communication.section_code AND f_internet.vall_code =
f_communication.vall_code AND
            f_internet.doc_ser_vall =
f_communication.doc_ser_vall AND f_internet.r_u_code =
f_communication.r_u_code
WHERE      (f_communication.net_wireless <> 0) AND
(f_internet.codec4 <> 1)
```

```
SELECT      *
FROM        f_internet INNER JOIN
```

```

                f_communication ON
f_internet.YEAR_STATE = f_communication.YEAR_STATE AND
f_internet.month1_code = f_communication.month1_code AND
                f_internet.gov_code =
f_communication.gov_code AND f_internet.doc_ser_gov =
f_communication.doc_ser_gov AND
                f_internet.section_code =
f_communication.section_code AND f_internet.vall_code =
f_communication.vall_code AND
                f_internet.doc_ser_vall =
f_communication.doc_ser_vall AND f_internet.r_u_code =
f_communication.r_u_code
WHERE      (f_communication.net_wireless = 0) AND
(f_internet.codec4 = 1)
-----
-----

```

```

SELECT      *
FROM        f_internet INNER JOIN
                f_communication ON
f_internet.YEAR_STATE = f_communication.YEAR_STATE AND
f_internet.month1_code = f_communication.month1_code AND
                f_internet.gov_code =
f_communication.gov_code AND f_internet.doc_ser_gov =
f_communication.doc_ser_gov AND
                f_internet.section_code =
f_communication.section_code AND f_internet.vall_code =
f_communication.vall_code AND
                f_internet.doc_ser_vall =
f_communication.doc_ser_vall AND f_internet.r_u_code =
f_communication.r_u_code
WHERE      (f_communication.net_adsl <> 0) AND
(f_internet.codec1 <> 1)
-----
-----

```

```

SELECT      *
FROM        f_internet INNER JOIN
                f_communication ON
f_internet.YEAR_STATE = f_communication.YEAR_STATE AND
f_internet.month1_code = f_communication.month1_code AND

```

```

                f_internet.gov_code =
f_communication.gov_code AND f_internet.doc_ser_gov =
f_communication.doc_ser_gov AND
                f_internet.section_code =
f_communication.section_code AND f_internet.vall_code =
f_communication.vall_code AND
                f_internet.doc_ser_vall =
f_communication.doc_ser_vall AND f_internet.r_u_code =
f_communication.r_u_code
WHERE      (f_communication.net_adsl = 0) AND
(f_internet.codec2 = 1)
-----
-----

```

```

SELECT      *
FROM        f_internet INNER JOIN
                f_communication ON
f_internet.YEAR_STATE = f_communication.YEAR_STATE AND
f_internet.month1_code = f_communication.month1_code AND
                f_internet.gov_code =
f_communication.gov_code AND f_internet.doc_ser_gov =
f_communication.doc_ser_gov AND
                f_internet.section_code =
f_communication.section_code AND f_internet.vall_code =
f_communication.vall_code AND
                f_internet.doc_ser_vall =
f_communication.doc_ser_vall AND f_internet.r_u_code =
f_communication.r_u_code
WHERE      (f_communication.net_isdn <> 0) AND
(f_internet.codec2 <> 1)
-----
-----

```

```

SELECT      *
FROM        f_internet INNER JOIN
                f_communication ON
f_internet.YEAR_STATE = f_communication.YEAR_STATE AND
f_internet.month1_code = f_communication.month1_code AND
                f_internet.gov_code =
f_communication.gov_code AND f_internet.doc_ser_gov =
f_communication.doc_ser_gov AND

```

```
                f_internet.section_code =  
f_communication.section_code AND f_internet.vall_code =  
f_communication.vall_code AND  
                f_internet.doc_ser_vall =  
f_communication.doc_ser_vall AND f_internet.r_u_code =  
f_communication.r_u_code  
WHERE          (f_communication.net_isdn = 0) AND  
(f_internet.codec2 = 1)
```

```
-----  
-----  
SELECT      *  
FROM        f_basic_data  
WHERE       (hanticape = 2) AND (p1 = 1) OR  
            (hanticape = 2) AND (p2 = 1) OR  
            (hanticape = 2) AND (p3 = 1) OR  
            (hanticape = 2) AND (p4 = 1) OR  
            (hanticape = 2) AND (p5 = 1) OR  
            (hanticape = 2) AND (p6 = 1) OR  
            (hanticape = 2) AND (p7 = 1) OR  
            (hanticape = 2) AND (p8 = 1) OR  
            (hanticape = 2) AND (p9 = 1) OR  
            (hanticape = 2) AND (p10 = 1) OR  
            (hanticape = 2) AND (p99 = 1)
```
