

```

3 ولاء-السويسي sql
*****
جدول الغلاف - م / ايمان
عدد الذكور+عدد الاناث لايساوى الاجمالي
-----
SELECT
FROM f_table1
where ((sex1 + sex2 <> sextot))
order by gov_code, doc_ser_gov
-----
SELECT
FROM f_table1
where ( sextot=0)
order by gov_code, doc_ser_gov
-----
SELECT
FROM f_table1
where (sextot>20)
order by gov_code, doc_ser_gov
-----
اسم الطريق ورقم التنظيم واسم رئيس الاسرة-
SELECT
FROM f_table1
where (name = ' ' OR address = ' ' OR build_no = ' ' )
order by gov_code, doc_ser_gov
-----
SELECT
FROM f_table1
where (name = ' ' )
order by gov_code, doc_ser_gov
-----
الجملة =0
SELECT
FROM f_table1
where (sextot = 0 or sextot >20)
order by gov_code, doc_ser_gov
-----
SELECT
FROM f_table1
where (sextot <> sex1 + sex2)
-----
جدول الافراد
جدول الافراد
علاقات جدول الافراد =0
SELECT
FROM f_basi c_data
where ((ser_line <> 99)and (((sex_code = 0) or (relation_code = 0)or
(education_entry_code = 0)or educti onal_status_code =0 or
in_out_establishment_code = 0 ))
ORDER BY gov_code, doc_ser_gov
-----
الصلة برب الاسرة اكثر من 1= ويوجد سطر رقم 1=
SELECT
FROM f_basi c_data
where (relation_code <>1) AND (ser_line = 1)
ORDER BY gov_code, doc_ser_gov
-----
يوجد صلة برب الاسرة ولايوجد الفرد الاول-
SELECT
FROM f_basi c_data
where (relation_code = 1) AND (ser_line <> 1)
ORDER BY gov_code, doc_ser_gov
-----@
رئيس الاسرة اقل من 15
SELECT
FROM f_basi c_data
where (relation_code = 1) AND (age<14)
ORDER BY gov_code, doc_ser_gov
-----
رئيس الاسرة =1 والحالة التعليمية والالتحاق بالتعليم =1
SELECT

```

```
FROM f_basi c_data
where (relation_code = 1) AND ((education_entry_code = 1)or
(educational_status_code =1))
ORDER BY gov_code, doc_ser_gov
```

-----@  
 ----السن اقل من 15 والاتحاق بالتعليم خريج وانهى\*  
 SELECT \*  
 FROM f\_basi c\_data  
 where ( age <6 and education\_entry\_code <> 1 )and ser\_line<>99  
 ORDER BY gov\_code, doc\_ser\_gov

-----@  
 ----الاتحاق بالتعليم اقل من السن والحالة التعليمية <>1\*  
 SELECT \*  
 FROM f\_basi c\_data  
 where (educational\_status\_code <>1)and (education\_entry\_code =1)and age<6  
 ORDER BY gov\_code, doc\_ser\_gov

-----@  
 SELECT \*  
 FROM f\_basi c\_data  
 where (education\_entry\_code =1)and age>5  
 ORDER BY gov\_code, doc\_ser\_gov, ser\_line

-----@  
 SELECT \*  
 FROM f\_basi c\_data  
 where (educational\_status\_code <>1)and age<10 and ser\_line<>99  
 ORDER BY gov\_code, doc\_ser\_gov, ser\_line

-----@  
 SELECT \*  
 FROM f\_basi c\_data  
 where (in\_out\_establishment\_code <>4)and ser\_line<>99 and(age<10 and  
 age>5)  
 ORDER BY gov\_code, doc\_ser\_gov, ser\_line

-----@  
 SELECT \*  
 FROM f\_basi c\_data  
 where (in\_out\_establishment\_code <>5)and ser\_line<>99 and( age<6)  
 ORDER BY gov\_code, doc\_ser\_gov, ser\_line

-----@  
 ----الاتحاق بالتعليم لم يلتحق والحالة التعليمية اقل وامى\*  
 SELECT \*  
 FROM f\_basi c\_data  
 where (education\_entry\_code =2) and (educational\_status\_code >2)  
 ORDER BY gov\_code, doc\_ser\_gov

-----@  
 SELECT \*  
 FROM f\_basi c\_data  
 where (age>5 and age<10 ) and (educational\_status\_code >2)  
 ORDER BY gov\_code, doc\_ser\_gov

-----@  
 ----الاتحاق بالتعليم خريج والحالة التعليمية اقل وامى\*  
 SELECT \*  
 FROM f\_basi c\_data  
 where (education\_entry\_code =3) and (educational\_status\_code<4)  
 ORDER BY gov\_code, doc\_ser\_gov, ser\_line

-----@  
 ----الاتحاق بالتعليم اقل من السن والموقف من العمل مشغل\*  
 SELECT \*  
 FROM f\_basi c\_data  
 where (education\_entry\_code =1) and (in\_out\_establishment\_code=1)  
 ORDER BY gov\_code, doc\_ser\_gov

-----@  
 SELECT \*  
 FROM f\_basi c\_data  
 where ser\_line<>99 and age<6 and (in\_out\_establishment\_code<>5)  
 ORDER BY gov\_code, doc\_ser\_gov

-----@  
 SELECT \*

```
FROM f_basi c_data
where (gov_code>30)and ser_line<>99 and age>64 and
(in_out_estabi shment_code=3 or in_out_estabi shment_code=4)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_basi c_data
WHERE (gov_code>30)and (ser_line <> 99) AND (emp_status = 0 OR
emp_status > 5) AND (age > 5)
```

```
-----
SELECT *
FROM f_basi c_data
WHERE (gov_code>30)and (age < 6 ) AND (ser_line <> 99) AND (emp_status <> 5)
```

```
-----
SELECT *
FROM f_basi c_data
WHERE (gov_code>30)and (in_out_estabi shment_code=5) AND (ser_line <> 99) AND
(emp_status <> 5)
```

```
-----
SELECT *
FROM f_basi c_data
WHERE (gov_code>30)and (in_out_estabi shment_code=4) AND (ser_line <> 99) AND
(emp_status <> 4)
```

```
-----
SELECT *
FROM f_basi c_data
WHERE (gov_code>30)and(in_out_estabi shment_code=1 ) AND (ser_line <> 99) AND
(emp_status=0 or emp_status>3)
```

```
-----
SELECT *
FROM f_basi c_data
WHERE (gov_code>30)and(in_out_estabi shment_code=2 ) AND (ser_line <> 99) AND
( emp_status<3)
```

```
-----
SELECT *
FROM f_basi c_data
WHERE (gov_code>30)and(age >64 ) AND (ser_line <> 99) AND (emp_status =3 or
emp_status =4)
```

```
-----
SELECT *
FROM f_basi c_data
where ser_line<>99 and (age>5 and age<65)and emp_status=5
ORDER BY gov_code, doc_ser_gov
```

```
-----
الـحـالـة العـمـلـيـة يـوجـد بـهـا اـرقـام و لا يـوجـد المـهـنـة الـرئـيـسـيـة
SELECT *
FROM f_basi c_data
where (emp_status<3 and emp_status<>0)and(prof_enter_code=0 or incom=0)
ORDER BY gov_code, doc_ser_gov
```

```
-----@
SELECT *
FROM f_basi c_data
where (emp_status=0)and ser_line<>99
ORDER BY gov_code, doc_ser_gov
```

```
-----@
---1= الـاتـحـاق بـالتـعـلـيـم اقل من السن الـحـالـة التـعـلـيـمـيـة اقل من ال سن و الـحـالـة العـمـلـيـة
SELECT *
FROM f_basi c_data
where (education_entry_code =1) and (educational_status_code=1)and
(employment_status_code<>0)
ORDER BY gov_code, doc_ser_gov
```

```
-----
السن اقل من 5 ويوجد الالتحاق بالتعليم
SELECT *
FROM f_basi c_data
where (age <6) and ((education_entry_code=2)or (education_entry_code=3)or
(education_entry_code=4)or(education_entry_code=5))
```

ORDER BY gov\_code, doc\_ser\_gov

-----الالتحاق - اقل من السن و الحالة التعليمية - اقل من السن والموقف من العمل لا=5-----

```
SELECT *
FROM f_basi c_data
where (education_entry_code=1)and (educti onal_status_code=1)and
(in_out_estabi shment_code<>5)
ORDER BY gov_code, doc_ser_gov
```

-----' يوجد مهنة ولايوجد دخل شهري-----

```
SELECT *
FROM f_basi c_data
where (prof_enter_code <>0)and (incom=0)and employment_status_code<>4 AND
in_out_estabi shment_code=1
ORDER BY gov_code, doc_ser_gov
```

-----الدخل =0-----

```
SELECT *
FROM f_basi c_data
where ser_line=99 and incom=0
ORDER BY gov_code, doc_ser_gov
```

-----5 يوجد انترنت والسن اقل من

```
SELECT *
FROM f_basi c_data
where (age < 5) AND (net_code = 1)and ser_line<>99
ORDER BY gov_code, doc_ser_gov
```

-----50 الدخل الكلي للاسرة اقل من

```
SELECT *
FROM f_basi c_data
where (incom < 20) and incom <>0
ORDER BY gov_code, doc_ser_gov
```

-----خالص-----

-----الانترنت =1 والحالة التعليمية امي-----

```
SELECT *
FROM f_basi c_data
where
(educti onal_status_code=2)and (net_code = 1)
ORDER BY gov_code, doc_ser_gov
```

-----لا يوجد انترنت و لا يوجد اسباب

```
SELECT *
FROM f_basi c_data
where
(net_code = 2) AND (net_barriers_code = 0)AND(net_barriers_4 = 0)AND
(net_barriers_9 = 0) AND (code1 = 0) AND (code2 = 0) AND
(code3= 0) AND (code4 = 0) AND (code5 = 0) AND (code7 = 0) AND
(code8 = 0) AND (code9 = 0) AND (code10 = 0) AND (code6 = 0)and (code11 = 0) AND
(code12 = 0) AND (code13 = 0)
ORDER BY gov_code, doc_ser_gov
```

-----\*\*\*

-----يوجد انترنت ويوجد اسباب عدم تعامل

```
SELECT *
FROM f_basi c_data
where (net_code = 1) AND ((net_barriers_code = 1) or (net_barriers_4 = 1)OR
(net_barriers_9 = 1)OR(code1 = 1) or (code2 = 1) or
(code3 = 1) or (code4 = 1) or (code5 = 1) or (code6 = 1) or
(code7 = 1) or (code8 = 1) or (code9 = 1) or (code10 = 1) or (code11 = 1) or
(code12 = 1) or (code13 = 1) )
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basi c_data
where (net_code = 1) AND ((net_barriers_code = 1) or (net_barriers_4 = 1)OR
(net_barriers_9 = 1)OR(code1 = 1) or (code2 = 1) or
```

```
(code7 = 1) or (code8 = 1) or (code9 = 1) or (code10 = 1) or (code11 = 1) or
(code12 = 1) or (code13 = 1) )
ORDER BY gov_code, doc_ser_gov
```

```
-----اضافات-----
SELECT *
FROM f_basi c_data
where mob_use5<>1 and( mob_type <>' ' or mob_model <>' ')
```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_basi c_data
where mob_use5=1 and( mob_type =' ' or mob_model =' ')
```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_basi c_data
where mob_use5<>1 and( servi ce_1>0 or servi ce_2>0 or servi ce_3 >0 or
servi ce_4>0 or servi ce_5>0 or servi ce_6 >0 or servi ce_9>0)
```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_basi c_data
where SER_LINE<>99 AND mob_use5=1 and( servi ce_1=0 and servi ce_2=0 and
servi ce_3 =0 and servi ce_4=0 and servi ce_5=0 and servi ce_6 =0 and servi ce_9=0)
```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_basi c_data
where ( servi ce_9=0) and text_servi ce<>' '
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_basi c_data
where ( servi ce_9>0) and text_servi ce=' '
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_basi c_data
where ( mob_type =' ' and mob_model <>' ' )
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_basi c_data
where ( mob_type <>' ' and mob_model =' ' )
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_basi c_data
where ser_line<>99 and (mobile =2) and ( p26_1<>0 or p26_2<>0 or p26_6<>0 or
q24_2<>0 or q23_1<>0 or q23_2<>0 )
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_basi c_data
where ser_line<>99 and ( p26_2=0 and mob_use5=1 )
```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_basi c_data
where ser_line<>99 and ( cost1<>0 or cost2<>0 )and ( p26_1=0 and p26_2=0
and q24_2=0)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and  ( cost1=0 and cost2=0 )and ( p26_1<>0 or  p26_2<>0
or q24_2<>0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and  ( p26_1>450 )
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and  ( p26_2>100 )
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and  (p26_1<10 and  p26_2>50 )

ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and  ( q24_2>175 )
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and  ( q23_1>1500 )
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and  ( q23_2>189 )
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and  ( p26_6>110 )
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and MOBILE=1 AND ( customer_service=0 AND sound_clari ty=0
AND company_coverage=0 AND availabl e_servi ce=0 AND servi ce_usi ng=0 AND
servi ce_cost=0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and MOBILE=2 AND ( customer_service<>0 OR sound_clari ty<>0
OR company_coverage<>0 OR availabl e_servi ce<>0 OR servi ce_usi ng<>0 OR
servi ce_cost<>0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and MOBILE<>0 AND ( customer_service>6 OR sound_clari ty>6
OR company_coverage>6 OR availabl e_servi ce>6 OR servi ce_usi ng>6 OR
servi ce_cost>6)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_CODE=1 AND NET_DEALING=0
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_CODE=2 AND NET_DEALING<>0
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_CODE=1 AND (Q1=0 AND Q2=0 AND Q3=0 AND Q4=0 AND
Q5=0 AND Q6=0 AND Q7=0 AND Q8=0 AND Q9=0 AND FIELD10=0 AND FIELD11=0 AND Q11=0
AND Q12=0 AND Q13=0 AND FIELD12=0 AND Q14=0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_CODE=2 AND (Q1<>0 OR Q2<>0 OR Q3<>0 OR Q4<>0 OR
Q5<>0 OR Q6<>0 OR Q7<>0 OR Q8<>0 OR Q9<>0 OR FIELD10<>0 OR FIELD11<>0 OR Q11<>0
OR Q12<>0 OR Q13<>0 OR FIELD12<>0 OR Q14<>0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_CODE<>0 AND (Q4<>0 AND TEXT3='')
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_CODE<>0 AND (Q4=0 AND TEXT3<>'')
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_CODE<>0 AND (Q14<>0 AND TEXT14='')
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_CODE<>0 AND (Q14=0 AND TEXT14<>'')
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_MOH_USE=1 AND NET_MOH_CODE=0
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_MOH_USE=2 AND NET1=0
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_MOH_USE=3 AND NET2=0
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_MOH_USE=4 AND NET3=0
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
where      ser_line<>99 and NET_MOH_USE=5 AND NET4=0
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data
```

3 ولاء-السويس sql  
 where ser\_line<>99 and NET\_MOH\_USE=6 AND NET5=0  
 ORDER BY gov\_code, doc\_ser\_gov

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where ser\_line<>99 and NET\_MOH\_USE=7 AND NET6=0  
 ORDER BY gov\_code, doc\_ser\_gov

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where ser\_line<>99 and NET\_MOH\_USE=9 AND NET7=0  
 ORDER BY gov\_code, doc\_ser\_gov

----- تمام صحيح -----

-----  
 ---- (card1=1)and net\_code=2  
 SELECT \*  
 FROM f\_basi c\_data  
 where (card1=1)and net\_code=2  
 ORDER BY gov\_code, doc\_ser\_gov

-----  
 ---- (card=1)and card1=0  
 SELECT \*  
 FROM f\_basi c\_data  
 where (card=1)and card1=0  
 ORDER BY gov\_code, doc\_ser\_gov

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (card1=1)and net\_code=2  
 ORDER BY gov\_code, doc\_ser\_gov

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (card=2)and card1<>0  
 ORDER BY gov\_code, doc\_ser\_gov

-----  
 ---- (card=1)and card1=0  
 SELECT \*  
 FROM f\_basi c\_data  
 where (card=1)and card1=0  
 ORDER BY gov\_code, doc\_ser\_gov

-----  
 --\*\*\*\*\* جدول الغلاف - م / ايمان \*\*\*\*\*  
 ----- عدد الذكور+ عدد الاناث لايساوى الاجمالي-----

SELECT \*  
 FROM f\_table1  
 where (sex1 + sex2 <> sextot)  
 order by gov\_code, doc\_ser\_gov

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where ((ser\_line <> 99)and ((sex\_code = 0) or (relation\_code = 0)or  
 (education\_entry\_code = 0)or educuional\_status\_code =0 or  
 in\_out\_establishment\_code = 0 ))  
 ORDER BY gov\_code, doc\_ser\_gov

-----  
 -----1= ويوجد سطر رقم 1= الصلة برب الاسرة اكثر من  
 SELECT \*  
 FROM f\_basi c\_data  
 where (relation\_code <>1) AND (ser\_line = 1)  
 ORDER BY gov\_code, doc\_ser\_gov

-----  
 -----يوجد صلة برب الاسرة ولايوجد الفرد الاول-  
 SELECT \*  
 FROM f\_basi c\_data  
 where (relation\_code = 1) AND (ser\_line <> 1)  
 ORDER BY gov\_code, doc\_ser\_gov



```

-----@
-----15 من رئيس الاسرة اقل من
SELECT
FROM      f_basi c_data
where      (relation_code = 1) AND (age<14)
ORDER BY  gov_code, doc_ser_gov
----- رؤيتهم تمت -----
-----1= رئيس الاسرة =1 والحالة التعليمية والالتحاق بالتعليم
SELECT
FROM      f_basi c_data
where      (relation_code = 1) AND ((education_entry_code = 1)or
(educational_status_code =1))
ORDER BY  gov_code, doc_ser_gov
-----@
-----السن اقل من 15 والالتحاق بالتعليم خريج وانهى
SELECT
FROM      f_basi c_data
where      age < 6 and(education_entry_code <> 1)and ser_line<>99
ORDER BY  gov_code, doc_ser_gov
-----@
-----الالتحاق بالتعليم اقل من السن والحالة التعليمية <>1
SELECT
FROM      f_basi c_data
where      (educational_status_code <>1)and (education_entry_code =1)
ORDER BY  gov_code, doc_ser_gov
-----@
-----الالتحاق بالتعليم لم يلتحق والحالة التعليمية اقل وامى
SELECT
FROM      f_basi c_data
where      (education_entry_code =2) and (educational_status_code <>2)and age>9
ORDER BY  gov_code, doc_ser_gov
-----
-----الالتحاق بالتعليم خريج والحالة التعليمية اقل وامى
SELECT
FROM      f_basi c_data
where      (education_entry_code =1) and (educational_status_code <1)
ORDER BY  gov_code, doc_ser_gov
-----
-----الالتحاق بالتعليم اقل من السن والموقف من العمل مشغل
SELECT
FROM      f_basi c_data
where      (education_entry_code =1 or educational_status_code =1) and
(in_out_estabishment_code=1)
ORDER BY  gov_code, doc_ser_gov
----- عادى ممكن-----
-----الحالة العملية يوجد بها ارقام ولا يوجد المهنة الرئيسية
SELECT
FROM      f_basi c_data
where      (employment_status_code<>4 and
employment_status_code<>0)and(prof_enter_code=0)
ORDER BY  gov_code, doc_ser_gov
-----@
-----الالتحاق بالتعليم اقل من السن والحالة التعليمية اقل من ال سن والحالة العملية =1
SELECT
FROM      f_basi c_data
where      (education_entry_code =1) and (educational_status_code=1)and
(employment_status_code=1)
ORDER BY  gov_code, doc_ser_gov
-----
-----السن اقل من 5 ويوجد الالتحاق بالتعليم
SELECT
FROM      f_basi c_data
where      (sex_code >2)
ORDER BY  gov_code, doc_ser_gov
-----
-----الالتحاق بالتعليم خريج وانهى - الحالة التعليمية أمى - اقل من السن - يقرأ ويكتب

```

```

SELECT *
FROM f_basi c_data
where (education_entry_code=1) and (educational_status_code=1)and
(in_out_estabishment_code<>5)
ORDER BY gov_code, doc_ser_gov

```

-----5= لا الموقف من العمل والالتحاق - اقل من السن و الحالة التعليمية - اقل من السن

```

SELECT *
FROM f_basi c_data
where (education_entry_code=1)and (educational_status_code=1)and
(employment_status_code<>0)
ORDER BY gov_code, doc_ser_gov

```

----- الحالة العملية يوجد بها ارقام ولا يوجد المهنة الرئيسية

```

SELECT *
FROM f_basi c_data
where (employment_status_code<>0)and(prof_enter_code=0)
ORDER BY gov_code, doc_ser_gov

```

-@

----- يوجد مهنة ولا يوجد دخل شهري

```

SELECT *
FROM f_basi c_data
where (prof_enter_code <>0)and (incom=0)and employment_status_code<>4 and
employment_status_code<>0 and ser_line<>99
ORDER BY gov_code, doc_ser_gov

```

```

SELECT *
FROM f_basi c_data
where (incom=0)and employment_status_code<4 and employment_status_code>0 and
ser_line<>99
ORDER BY gov_code, doc_ser_gov

```

-----0= الدخل

```

SELECT *
FROM f_basi c_data
where ser_line=99 and incom=0
ORDER BY gov_code, doc_ser_gov

```

-----5- يوجد انترنت والسن اقل من

```

SELECT *
FROM f_basi c_data
where (age < 6) AND (net_code = 1)and ser_line<>99
ORDER BY gov_code, doc_ser_gov

```

----- 50- الدخل الكلي للأسرة اقل من

```

SELECT *
FROM f_basi c_data
where (incom < 20) and incom <>0
ORDER BY gov_code, doc_ser_gov

```

-----خالص-----

-----الانترنت = 1 والحالة التعليمية امي

```

SELECT *
FROM f_basi c_data
where
(educational_status_code=2)and (net_code = 1)
ORDER BY gov_code, doc_ser_gov

```

----- لا يوجد انترنت و لا يوجد اسباب

```

SELECT *
FROM f_basi c_data
where (net_code = 2) AND (net_barriers_code = 0) AND (code1 = 0) AND (code2
= 0) AND
(code3= 0) AND (code4 = 0) AND (code5 = 0) AND (code6 = 0)and
(code7= 0) AND (code8 = 0) AND (code9= 0) AND (code10=0) AND (code11 = 0) AND
(code12= 0) AND (code13=0)and ser_line<>99

```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----***
```

```
----- يوجد انترنت ويوجد اسباب عدم تعامل *
```

```
SELECT
FROM      f_basi c_data
where      (net_code = 1) AND ((net_barriers_code = 1) or (code1 = 1) or (code2 =
1) or
          (code3 = 1) or (code4 = 1) or (code5 = 1) or (code6 = 1)or (code7
= 1) or (code8 = 1) or (code9 = 1) or (code10 = 1)or (code11 = 1) or (code12 = 1)
or (code13 = 1) )
ORDER BY gov_code, doc_ser_gov
-----
```

```
----- غير مشغل ويستخدم الانترنت في العمل *
```

```
SELECT
FROM      f_basi c_data
where      in_out_establishment_code>1 and net5=1
ORDER BY gov_code, doc_ser_gov
-----
```

```
----- يوجد اماكن تعامل ولايوجد تكلفة انترنت *
```

```
SELECT
FROM      f_basi c_data
where      (net1=1 OR net2=1 OR net6=1) and net_cost1=0
ORDER BY gov_code, doc_ser_gov
-----
```

```
----- الاستخدام يومية عدد الساعات اكبر من 21 *
```

```
SELECT
FROM      f_basi c_data
where      p_net_code=1 and net_time>13
ORDER BY gov_code, doc_ser_gov
-----
```

```
----- الاستخدام اسبوعي *
```

```
SELECT
FROM      f_basi c_data
where      p_net_code=2 and net_time >50
ORDER BY gov_code, doc_ser_gov
-----
```

```
----- الاستخدام شهري *
```

```
SELECT
FROM      f_basi c_data
where      p_net_code=3 and net_time >100
ORDER BY gov_code, doc_ser_gov
-----
```

```
----- الانترنت =1 ولايوجد مكان تعامل *
```

```
SELECT
FROM      f_basi c_data
where      (net1 = 0) AND (net2 = 0) AND (net6 = 0) AND (net_code = 1) AND
(net_moh_code = 0) AND (net3 = 0) AND (net4 = 0) AND (net5 = 0) AND (net7 = 0)
AND (net8 = 0) AND (net9 = 0) AND
          (ser_line <> 99)
ORDER BY gov_code, doc_ser_gov
-----
```

```
----- *
```

```
SELECT
FROM      f_basi c_data
where      (net_code = 2) AND (net1 <> 0 OR net2 <> 0 OR net6 <> 0 OR
net_moh_code <> 0 OR net3 <> 0 OR net4 <> 0 OR net5 <> 0 OR net7 <> 0 OR net8 <>
0 OR net9 <> 0) AND
          (ser_line <> 99)
ORDER BY gov_code, doc_ser_gov
-----
```

```
----- الانترنت =1 ولايوجد مجالات استخدام *
```

```
SELECT
FROM      f_basi c_data
where      (net_code = 1) AND (q1 = 0) AND (q2 = 0) AND (q3 = 0) AND (q4 = 0)
AND (q5 = 0) AND (q6 = 0) AND (q7 = 0)AND(q8 = 0)AND(q9= 0)AND(q99= 0)AND (q11 =
0) AND (q12 = 0) AND (q13 = 0) AND (q14 = 0)and(ser_line <> 99)
ORDER BY gov_code, doc_ser_gov
-----
```

----- يستخدم انترنت ولا يوجد لغة

```
SELECT *
FROM f_basi c_data
where (net_code = 1) AND net_l anguge_si te_code=0
ORDER BY gov_code, doc_ser_gov
```

----- يستخدم انترنت ويوجد اكثر من لغة

```
SELECT *
FROM f_basi c_data
where (net_code = 1) AND net_l anguge_si te_code=1 AND
net_l anguge_si te_code=2
ORDER BY gov_code, doc_ser_gov
```

----- يستخدم انترنت ولا يوجد دورية تعامل

```
SELECT *
FROM f_basi c_data
where (net_code = 1) AND p_net_code=0 and (ser_line <> 99)
ORDER BY gov_code, doc_ser_gov
```

----- يستخدم انترنت ولا يوجد عدد ساعات

```
عمل
SELECT *
FROM f_basi c_data
where (net_code = 2) AND p_net_code<>0
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basi c_data
where (net_code = 1) AND net_time=0 and (ser_line <> 99)
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basi c_data
where (net_code = 2) AND net_time<>0
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basi c_data
where (net_code = 1) AND (net1=1 or net2=1 or net6=1)and net_cost1=0
ORDER BY gov_code, doc_ser_gov
```

----- 1 ليس ل net\_costl اهتمام

```
SELECT *
FROM f_basi c_data
where (net_code = 2) AND (net1=1 or net2=1 or net6=1)and net_cost1=0
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basi c_data
where (net1=0 and net2=0 and net6=0)and net_cost1<>0 and ser_line<>99
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basi c_data
where (net1<>0 or net2<>0 or net6<>0)and net_cost1=0
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basi c_data
where (net_code = 2) AND net_cost1<>0
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basi c_data
where (net_code = 1) AND (net_ent <> 1)
ORDER BY gov_code, doc_ser_gov
```

```
SELECT *
FROM f_basi c_data
where (net_code = 2) AND (net_ent = 1 or net_ent = 0) AND (ser_line<> 99)
```

```

-----
SELECT      *
FROM        f_basi c_data
where       (net_code = 2) AND (net_ent = 1 or net_ent = 0)
-----
SELECT      *
FROM        f_basi c_data
where       (net_code = 0) AND (net_ent <> 0) AND (ser_line = 99)
-----
SELECT      *
FROM        f_basi c_data
where       (comp_use<>0 or net_code<>0)and age<6 and ser_line<>99
-----
SELECT      *
FROM        f_basi c_data
where       (prof_enter_code<>' ' and prof_enter_code='')
-----
SELECT      *
FROM        f_basi c_data
where       (prof_enter_code='' and prof_enter_code<>'')
-----
SELECT      *
FROM        f_basi c_data
where       (mobile<>0 and age<6)AND (ser_line <> 99)
-----
SELECT      *
FROM        f_basi c_data
where       (net=0 and comp_use=1)
-----
SELECT      *
FROM        f_basi c_data
where       (( net_code<>0)and comp_use=2) and ser_line<>99
-----
SELECT      *
FROM        f_basi c_data
where       (mobile_net=2 and broad_band<>0)
-----
SELECT      *
FROM        f_basi c_data
where       (mobile=1 and (mob_3g=0 or mob_wi fi =0))
-----
SELECT      *
FROM        f_basi c_data
where       (mobile=2 and (mob_3g<>0 or mob_wi fi <>0))
-----
SELECT      *
FROM        f_basi c_data
where       broad_band > cost1 and broad_band > cost2
-----
SELECT      *
FROM        f_basi c_data
where       (mobile=2 and (cost1<>0 or cost2<>0 ))
-----
SELECT      *
FROM        f_basi c_data
where       (mobile=1 and (cost1=0 and cost2=0 ))and ser_line<>99
-----
SELECT      *
FROM        f_basi c_data
where       (mobile_bar_9=1 and text_mob_bar='')and ser_line<>99
-----
SELECT      *
FROM        f_basi c_data
where       (mobile_bar_9<>1 and text_mob_bar<>'')and ser_line<>99
-----
SELECT      *
FROM        f_basi c_data

```

where (card1<>0 or card<>0)and age<6 AND (ser\_line <> 99)

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (card1<>0 and card=2)

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (card=0 and age>20)

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (card=1 and card1=0 and age>20)

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (card=2 and card1<>0 and age>20)

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (mobile=1 and mobile\_3=0)and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (mobile=2 and mobile\_3<>0)and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (mobile=1 and mobile\_wi rel ess=0)and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (mobile=2 and mobile\_wi rel ess<>0)and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (mobile=1 and mobile\_cam=0)and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (mobile=2 and mobile\_cam<>0)and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (mobile\_3=1 and mobile\_cam=2)and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (mobile\_3=2 and q24\_3<>0)and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (mobile\_3=2 and (mob\_use3=1 or q24\_3<>0))and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (q24\_2<>0 and (mob\_use2=0))and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (q24\_2=0 and (mob\_use2=1))and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (q24\_4<>0 and (mob\_use1=0))and ser\_line<>99

-----  
 SELECT \*  
 FROM f\_basi c\_data

```

WHERE (mob_use1 = 0) AND (ser_line <> 99) AND (p26_1 <> 0) AND (mobile = 1)
-----
SELECT *
FROM f_basi c_data
where (p26_2=0 and mob_use5=1)and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where (mobile=2 and (mobile_cam<>0 or mobile_wi reless<>0 or
mobile_3<>0))and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where (mobile=1 and (mobile_cam=0 or mobile_wi reless=0 or mobile_3=0))and
ser_line<>99
-----
SELECT *
FROM f_basi c_data
where mobile=1 and (mob_use1=0 and mob_use2=0 and mob_use3=0 and mob_use4=0
and mob_use5=0 and mob_use6=0 and mob_use9=0 )and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where mobile=2 and (mob_use1=1 or mob_use2=1 or mob_use3=1 or mob_use4=1 or
mob_use5=1 or mob_use6=1 or mob_use9=1 )and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where (text_mob='' and mob_use9=1)and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where (text_mob<>' ' and mob_use9=0)and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where ( p_mob_code<>1 and p_mob_code<>2 and p_mob_code<>3 and p_mob_code<>9
and p_mob_code<>0 )and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where ( p_mob_code=0 )and ser_line<>99 and mobile=1
-----
SELECT *
FROM f_basi c_data
where (mobile=1 and p_mob_code=0)and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where (mobile=2 and p_mob_code<>0)and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where (p_text='' and p_mob_code=9 )and mobile=1 and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where (p_text='' and p_mob_code=9 )and mobile=2 and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where (net_code=2 and (q32_1=1 or q32_2=1 or q32_3=1 or q32_4=1 or q32_5=1
or q32_6=1 or q32_9=1 ))and ser_line<>99
-----
SELECT *
FROM f_basi c_data
where (net_code=1 and q32_1=0 and q32_2=0 and q32_3=0 and q32_4=0 and
q32_5=0 and q32_6=0 and q32_9=0 )and ser_line<>99

```

```

===== النسب موضوع =====
SELECT *
FROM f_basi c_data
where (Q1=1 AND Q31_1='')

-----
SELECT *
FROM f_basi c_data
where (Q1=0 AND Q31_1<>'')

-----
SELECT *
FROM f_basi c_data
where (Q2=1 AND Q31_2='')

-----
SELECT *
FROM f_basi c_data
where (Q2=0 AND Q31_2<>'')

-----
SELECT *
FROM f_basi c_data
where (Q3=1 AND Q31_3='')

-----
SELECT *
FROM f_basi c_data
where (Q3=0 AND Q31_3<>'')

-----
SELECT *
FROM f_basi c_data
where (Q4=1 AND Q31_4='')

-----
SELECT *
FROM f_basi c_data
where (Q4=0 AND Q31_4<>'')

-----
SELECT *
FROM f_basi c_data
where (Q5=1 AND Q31_5='')

-----
SELECT *
FROM f_basi c_data
where (Q5=0 AND Q31_5<>'')

-----
SELECT *
FROM f_basi c_data
where (Q6=1 AND Q31_6='')

-----
SELECT *
FROM f_basi c_data
where (Q6=0 AND Q31_6<>'')

-----
SELECT *
FROM f_basi c_data
where (Q7=1 AND Q31_7='')

-----
SELECT *
FROM f_basi c_data
where (Q7=0 AND Q31_7<>'')

-----
SELECT *
FROM f_basi c_data
where (Q8=1 AND Q31_8='')

-----
SELECT *
FROM f_basi c_data
where (Q8=0 AND Q31_8<>'')

-----
SELECT *
FROM f_basi c_data

```



where (Q9=1 AND Q31\_9='')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q9=0 AND Q31\_9<>'')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q99=1 AND Q31\_99='')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q99=0 AND Q31\_99<>'')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q11=1 AND Q31\_11='')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q11=0 AND Q31\_11<>'')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q12=1 AND Q31\_12='')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q12=0 AND Q31\_12<>'')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q13=1 AND Q31\_13='')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q13=0 AND Q31\_13<>'')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q14=1 AND Q31\_14='')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q14=0 AND Q31\_14<>'')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q14=1 AND TEXT14='')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (Q14=0 AND TEXT14<>'')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (q32\_1=1 and q32\_1\_1='')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (q32\_1=0 and q32\_1\_1<>'')

-----  
 SELECT \*  
 FROM f\_basi c\_data  
 where (q32\_2=1 and q32\_2\_1='')

-----  
 SELECT \*  
 FROM f\_basi c\_data

where (q32\_2=0 and q32\_2\_1<>'')<sup>3 ولاء-السويبي sql</sup>

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_3=1 and q32\_3\_1='')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_3=0 and q32\_3\_1<>'')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_4=1 and q32\_4\_1='')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_4=0 and q32\_4\_1<>'')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_5=1 and q32\_5\_1='')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_5=0 and q32\_5\_1<>'')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_6=1 and q32\_6\_1='')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_6=0 and q32\_6\_1<>'')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_9=1 and q32\_9\_1='')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_9=0 and q32\_9\_1<>'')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_9=1 and text\_4='')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (q32\_9=0 and text\_4<>'')

-----  
SELECT \*  
FROM f\_basi c\_data  
where (Q32\_1\_1<>0 and Q32\_2\_1<>0 and Q32\_3\_1<>0 and Q32\_4\_1 <>0 and Q32\_5\_1  
<>0 and Q32\_6\_1 <>0 and Q32\_9\_1<>0 ) and  
(Q32\_1\_1+Q32\_2\_1+Q32\_3\_1+Q32\_4\_1+Q32\_5\_1+Q32\_6\_1 +Q32\_9\_1<>100)

-----  
SELECT COUNT(\*) AS Expr1  
FROM f\_basi c\_data  
where (net\_code = 1) AND (education\_entry\_code > 2) AND (education\_type =  
0)

-----  
SELECT \*  
FROM f\_basi c\_data  
where ((net\_code = 1) AND (education\_type = 0 or entry = 0))

```

SELECT      *
FROM        f_basi c_data
where       net_code=1 and (education_type = 0 and age=6 )and ser_line<>99
-----
SELECT      *
FROM        f_basi c_data
where       (net_code = 1) AND (education_entry_code =2)and ser_line<>99
-----
SELECT      *
FROM        f_basi c_data
where       (in_out_estabi shment_code < 3) AND (prof_enter_code = '')and
ser_line<>99
-----
SELECT      *
FROM        f_basi c_data
where       (in_out_estabi shment_code >2) AND(prof_enter_code <> '')
-----
SELECT      *
FROM        f_basi c_data
where       (net_code = 1) AND (net_moh_use = 0)and ser_line<>99
-----
SELECT      *
FROM        f_basi c_data
where       (comp4 = 1) AND (net_code = 2)
-----
SELECT      *
FROM        f_basi c_data
where       (comp3 = 1) AND (in_out_estabi shment_code = 2)
-----
SELECT      *
FROM        f_basi c_data
where       (comp3 = 1) AND (in_out_estabi shment_code = 3)
-----
SELECT      *
FROM        f_basi c_data
where       (comp3 = 1) AND (in_out_estabi shment_code = 4)
-----
SELECT      *
FROM        f_basi c_data
where       (comp3 = 1) AND (in_out_estabi shment_code = 5)
-----
SELECT      *
FROM        f_basi c_data
where       (hanti cape = 1) AND (comp_use = 1)
-----
SELECT      *
FROM        f_basi c_data
where       (code4 = 1) AND (code5 = 1)
-----
SELECT      *
FROM        f_basi c_data
where       (pc = 1) AND (pc_laptop = 1)
-----
SELECT      *
FROM        f_basi c_data
where       (pc_laptop = 1) AND (laptop = 1)
-----
SELECT      *
FROM        f_basi c_data
where       (education_entry_code = 1) AND (educational_status_code = 1) AND
(in_out_estabi shment_code <> 5)
-----
SELECT      *
FROM        f_basi c_data
where       (education_entry_code = 1) AND (educational_status_code = 1) AND
(empl oyment_status_code <> 0)
-----

```

```

SELECT      *
FROM        f_basi c_data
where       (educational_status_code = 2) AND (net_code = 1)
-----
SELECT      *
FROM        f_basi c_data
where       (age <13) AND (entry = 3) AND (education_entry_code = 5)
-----
SELECT      *
FROM        f_basi c_data
where       (age > 5) AND (comp_use = 0) AND (ser_line <> 99)
-----
SELECT      *
FROM        f_basi c_data
where       (age < 10) AND (entry = 2) AND (education_entry_code = 5)
-----
SELECT      *
FROM        f_basi c_data
where       (age > 5) AND (mobile = 0) AND (ser_line <> 99)
-----
SELECT      *
FROM        f_basi c_data
where       (in_out_establishment_code = 1) AND (age < 6)
-----
SELECT      *
FROM        f_basi c_data
where       (hanticafe = 0) AND (ser_line <> 99)
-----
SELECT      *
FROM        f_basi c_data
where       (q7 = 1) AND (card = 2)AND (ser_line <> 99)
-----
SELECT      *
FROM        f_basi c_data
where       (in_out_establishment_code = 4) AND (net5 = 1)
-----
SELECT      *
FROM        f_basi c_data
where       (education_entry_code <> 5) AND (net4 = 1)
-----
SELECT      *
FROM        f_basi c_data
where       (code7 = 1) AND (net = 1)
-----
SELECT      *
FROM        f_basi c_data
where       (age < 10) AND (entry > 1) AND (education_entry_code = 5)
-----
SELECT      *
FROM        f_basi c_data
where       (education_entry_code = 3) AND (educational_status_code < 4)
-----
SELECT      *
FROM        f_basi c_data
where       (age>5) AND (net_code=0)and (ser_line<>99)and net=1
-----
SELECT      *
FROM        f_basi c_data
where       (age>5) AND (net<>0)and (ser_line<>99)and comp_use=2
-----
SELECT      *
FROM        f_basi c_data
where       (age>5) AND (net_code<>0)and (ser_line<>99)and net=2
-----

```

```
-----
SELECT      *
FROM        f_basi c_data
where      (mobile=2) AND (mobile_bar_1=0)and (mobile_bar_2=0)and
(mobile_bar_3=0)and (mobile_bar_9=0)and ser_line<>99
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
where      mobile=1 and (mobile_bar_1=1 or mobile_bar_2=1 or mobile_bar_3=1 or
mobile_bar_9=1)
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
where      comp_use=0 and (age>5) and ser_line<>99
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
WHERE      (cost_cofee <> 0 or net1 = 1) AND (net_code <>1) and ser_line<>99
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
WHERE      (cost_cofee = 0 and net1 = 1) AND (net_code =1) and ser_line<>99
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
WHERE      (cost_cofee <> 0) AND (net1 = 0) and ser_line<>99
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
WHERE      (cost_cofee <> 0) AND (net_code =1)
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
WHERE      (cost_club <> 0) AND (net2 = 0) AND (net_code <>1)
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
WHERE      (cost_club <> 0) AND (net2 = 0)
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
WHERE      (cost_club= 0) AND (net2 = 1)
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
WHERE      (cost_library <> 0) AND (net6 = 0) and ser_line<>99
-----
```

```
-----
SELECT      *
FROM        f_basi c_data
WHERE      (cost_library = 0) AND (net6 = 1) and ser_line<>99
-----
```

```
-----
--_***** المؤشرات العامة *****
*****
-----
```

```
-----
SELECT      *
FROM        f_basi c_data1
where      (tv = 2) AND (satellite = 1)
-----
```

```
ORDER BY gov_code, doc_ser_gov
```

```
--
```

```
-----* يوجد دش ولا يوجد عدد للدش
```

```
SELECT
FROM      f_basi c_data1
where     (s_no = 0) AND (satellite = 1)
ORDER BY gov_code, doc_ser_gov
```

```
-----*
```

```
SELECT
FROM      f_basi c_data1
where     (s_no <>0) AND (satellite = 2)
ORDER BY gov_code, doc_ser_gov
```

```
-----* يوجد تلفزيون ولا يوجد عدد تلفزيون
```

```
SELECT
FROM      f_basi c_data1
where     (tv = 1) AND (tv_no = 0)
ORDER BY gov_code, doc_ser_gov
```

```
-----*
```

```
SELECT
FROM      f_basi c_data1
where     (tv =2) AND (tv_no<> 0)
ORDER BY gov_code, doc_ser_gov
```

```
-----* لا يوجد تلفزيون ويوجد اشتراك قنوات خاصة
```

```
SELECT
FROM      f_basi c_data1
where     (tv = 2) AND (p_c = 1)
ORDER BY gov_code, doc_ser_gov
```

```
-----* لا يوجد تلفزيون ويوجد وصلة دش
```

```
SELECT
FROM      f_basi c_data1
where     (tv = 2) AND (p_satellite = 1)
ORDER BY gov_code, doc_ser_gov
```

```
-----* لا يوجد كهرباء ويوجد تلفزيون
```

```
SELECT
FROM      f_basi c_data1
where     (tv = 1) AND (electry = 2)
ORDER BY gov_code, doc_ser_gov
```

```
-----* لا يوجد كهرباء ويوجد دش
```

```
SELECT
FROM      f_basi c_data1
where     (electry = 2) AND (satellite = 1)
ORDER BY gov_code, doc_ser_gov
```

```
-----* لا يوجد كهرباء ويوجد وصلة دش
```

```
SELECT
FROM      f_basi c_data1
where     (electry = 2) AND (p_satellite = 1)
ORDER BY gov_code, doc_ser_gov
```

```
-----* لا يوجد كهرباء ويوجد وصلة قنوات خاصة
```

```
SELECT
FROM      f_basi c_data1
where     (electry = 2) AND (s_no <>0)
ORDER BY gov_code, doc_ser_gov
```

```

-----
----- يوجد راديو ولا يوجد عدد اجهزة راديو-----
SELECT *
FROM f_basi c_data1
where (r_no= 0) AND (radio = 1)
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----
SELECT *
FROM f_basi c_data1
where (r_no<>0) AND (radio = 2)
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----
SELECT *
FROM f_basi c_data1
where (satellite = 2)and (s_no<>0)
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----
SELECT *
FROM f_basi c_data1
where (satellite = 2)and (p_c=1)and (p_satellite=2)
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----
SELECT *
FROM f_basi c_data1
where (radio = 0)
ORDER BY gov_code, doc_ser_gov
-----

```

-----f\_communication-----

-----السن اصغر من 10 واللغة انجليزي-----

```

----- مناطق مثل المهندسين-----
SELECT *
FROM f_communication
where (phon = 2 or phon =0 ) AND (phon_no <> 0)
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----
SELECT *
FROM f_communication
where (phon = 1) AND (phon_barriers_code=1 or phon_barriers_code2=1 or
phon_barriers_code1=1 or phon_barriers_code3=1)
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----
SELECT *
FROM f_communication
where (phon = 2) AND (phon_barriers_code=0 and phon_barriers_code1=0 and
phon_barriers_code2=0 and phon_barriers_code3=0 and phon_barriers_code4=0 and
phon_barriers_code5=0)
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----
SELECT *
FROM f_communication
where (phon_barriers_code>1 or phon_barriers_code1>1 or
phon_barriers_code2>1 or phon_barriers_code3>1 or phon_barriers_code4>1 or

```

```
phon_barriers_code5>1)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT      *
FROM        f_communication
where      (phon_barriers_code3=1 and text1='')
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_communication
where      (phon_barriers_code3=0 and text1<>'')
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_communication
where      (phon = 2) AND (phon_no <> 0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
عنده تليفون ولا يوجد عدد هواتف
SELECT      *
FROM        f_communication
where      (phon = 1) AND (phon_no = 0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
غير مدرج بالانتظار و يوجد مده انتظار
SELECT      *
FROM        f_communication
where      (wait_time <>0) AND (phon_barriers_code2 = 0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
مدرج بالانتظار ولا يوجد مده انتظار
SELECT      *
FROM        f_communication
where      (wait_time = 0) AND (phon_barriers_code2 = 1)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
لا يوجد موبايل و يوجد عدد هواتف
SELECT      *
FROM        f_communication
where      (mobile = 2) AND (mobile_no <> 0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
يوجد موبايل ولا يوجد عدد هواتف
SELECT      *
FROM        f_communication
where      (mobile = 1) AND (mobile_no = 0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_communication
where      (mobile = 2) AND (m_line_p <>0 or m_line <>0 or m_card <>0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_communication
where      (mobile = 1) AND (m_line_p =0 and m_line =0 and m_card =0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_communication
where      (mobile = 1) AND (m_line_p =0 and m_line =0 and m_card =0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
يوجد خط وتكلفة بزنس
SELECT      *
FROM        f_communication
where      (m_line <>0) AND (m_serv1 =0 )
-----
```



ORDER BY gov\_code, doc\_ser\_gov

```
-----
SELECT      *
FROM        f_communication
where      (m_line =0) AND (m_serv1 <>0 )
ORDER BY  gov_code, doc_ser_gov
-----
```

```
----- يوجد بزنس وتكلفة خط-----
SELECT      *
FROM        f_communication
where      (m_card<>0) AND (m_serv2 =0 )
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
SELECT      *
FROM        f_communication
where      (m_card=0) AND (m_serv2 <>0 )
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
SELECT      *
FROM        f_communication
where      (m_line_p<>0) AND (m_serv_p =0 )
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
SELECT      *
FROM        f_communication
where      (m_line_p=0) AND (m_serv_p <>0 )
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
SELECT      *
FROM        f_communication
where      (mobile_no <> m_line_p + m_line + m_card)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
SELECT      *
FROM        f_communication
where      (mobile_no <>0) and no_users=0
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
SELECT      *
FROM        f_communication
where      (mobile_no =0) and no_users<>0
ORDER BY  gov_code, doc_ser_gov
-----
```

```
-----
SELECT      *
FROM        f_communication
where      (phon_cost<
cost+nation_cost+international_cost+mobile_cost+net_ph_cost)
ORDER BY  gov_code, doc_ser_gov
-----
```

----- جدول الاتصالات \*\*\*\*\*

```
----- لا يوجد تليفون ويوجد عدد هواتف-----
SELECT      *
FROM        f_communication
where      (phon = 2) AND (phon_no <> 0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
----- عنده تليفون ولا يوجد عدد هواتف-----
SELECT      *
FROM        f_communication
where      (phon = 1) AND (phon_no = 0)
ORDER BY  gov_code, doc_ser_gov
-----
```

```
----- يوجد تليفون ولا يوجد تكلفة-----
SELECT      *
FROM        f_communication
where      (phon = 1) AND (phon_cost = 0)
-----
```

ORDER BY gov\_code, doc\_ser\_gov

-----تليفون جديد-----

غير مدرج بالانتظار ويوجد مده انتظار\*

```
SELECT
FROM      f_communication
where      (wait_time <>0) AND (phon_barriers_code2 = 0)
ORDER BY  gov_code, doc_ser_gov
```

-----مدرج بالانتظار ولايوجد مده انتظار\*

```
SELECT
FROM      f_communication
where      (wait_time = 0) AND (phon_barriers_code2 = 1)
ORDER BY  gov_code, doc_ser_gov
```

```
SELECT      *
FROM      f_communication
where      (wait_time <>0) AND (phon_barriers_code2 = 0)
ORDER BY  gov_code, doc_ser_gov
```

-----لايوجد موبايل ويوجد عدد هواتف\*

```
SELECT      *
FROM      f_communication
where      (mobile = 2) AND (mobile_no <> 0)
ORDER BY  gov_code, doc_ser_gov
```

-----يوجد موبايل ولايوجد عدد هواتف\*

```
SELECT      *
FROM      f_communication
where      (mobile = 1) AND (mobile_no = 0)
ORDER BY  gov_code, doc_ser_gov
```

-----لايوجد موبايل ويوجد تكلفة كارت\*

```
SELECT      *
FROM      f_communication
where      (mobile = 2) AND (m_serv2 <> 0)
ORDER BY  gov_code, doc_ser_gov
```

-----يوجد خط وتكلفة بزنس\*

```
SELECT      *
FROM      f_communication
where      (m_line = 1) AND (m_serv2 =1 )
ORDER BY  gov_code, doc_ser_gov
```

-----يوجد بزنس وتكلفة خط\*

```
SELECT      *
FROM      f_communication
where      (m_card= 1) AND (m_serv1 =1 )
ORDER BY  gov_code, doc_ser_gov
```

-----يوجد كارت ولايوجد تكلفة\*

```
SELECT      *
FROM      f_communication
where      (m_card= 1) AND (m_serv2 =0 )
ORDER BY  gov_code, doc_ser_gov
```

-----يوجد خط ولايوجد تكلفة\*

```
SELECT      *
FROM      f_communication
where      (m_line= 1) AND (m_serv1 =0 )
ORDER BY  gov_code, doc_ser_gov
```

-----\*\*\*\*\*جدول الحواسيب\*\*\*\*\*

-----يستخدم الحاسب ولايوجد مجالات

\*\*\*\*\*

3 ولاء-السويس sql  
 \*\*\*\*\*  
 \*\*\*\*\*  
 \*\*\*\*  
 \*\*

```

SELECT *
FROM f_computer
where (comp_use = 1) AND (use1 = 0) AND (use2 = 0)AND(use4 = 0) AND (use5=
0) AND (use3 = 0)
ORDER BY gov_code, doc_ser_gov
-----

```

```

SELECT *
FROM f_computer
where (use1 >1 or use2>1 or use4 >1 or use5>1 or use3 >1)
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----لايستخدم الحاسب ويوجد عدد مستخدمين
SELECT *
FROM f_computer
where comp_use = 2 AND comp_user_no<>0
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----يستخدم حاسب ولايوجد عدد مستخدمين
SELECT *
FROM f_computer
where (comp_use = 1) AND (comp_user_no = 0)
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----يستخدم حاسب ولايوجد مجالات
SELECT *
FROM f_computer
where (comp_use =2 )AND (use1=1 or use2=1 or use3=1 or use4=1 or use5=1)
ORDER BY gov_code, doc_ser_gov
-----

```

```

--
-----ليس لديها حاسب ولايوجد اسباب عدم الشراء
SELECT *
FROM f_computer
where (comp_have = 2) AND (comp_barriers_buy_code = 0) AND (code1 = 0) AND
(code2 = 0) AND (code3 = 0) AND (code4 = 0) AND (code5 = 0) AND
(code6 = 0) AND (code7 = 0)
ORDER BY gov_code, doc_ser_gov
-----

```

```

SELECT *
FROM f_computer
where (comp_have = 1) AND (comp_barriers_buy_code =1 or code1 =1 or code2
= 1 or code3 = 1 or code4 =1 or code5 = 1 or code6 = 1 or code7 = 1)
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----لديها حاسب ولايوجد عدد اجهزة حواسيب
SELECT *
FROM f_computer
where (comp_have = 1) AND (pc_no = 0 and laptop_no=0)
ORDER BY gov_code, doc_ser_gov
-----

```

```

SELECT *
FROM f_computer
where (comp_have = 2) AND (pc_no <> 0 or laptop_no <>0)
ORDER BY gov_code, doc_ser_gov
-----

```

```

SELECT *
FROM f_computer
where (pc_no >5 or laptop_no >6)

```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----
-----لديها حاسب ولايوجد عدد مستخدمى الحواسيب-----
SELECT *
FROM f_computer
where (comp_use = 1) AND (comp_user_no = 0)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_computer
where (comp_use=2) AND (comp_have=1)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_computer
where (pc_no > 5) Or (laptop_no > 6)
```

```
-----
--*****جدول الحواسيب*****
-----يستخد الحاسب ولايوجد مجالات-----
```

```
SELECT *
FROM f_computer
where (comp_use = 1) AND (use1 = 0) AND (use2 = 0) AND (use3 = 0) AND
(use4 = 0)AND (use5 = 0)
ORDER BY gov_code, doc_ser_gov
```

```
-----لايستخد الحاسب ويوجد عدد مستخدمين-----
SELECT *
FROM f_computer
where comp_use = 2 AND comp_user_no<>0
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_computer
where comp_use = 1 AND comp_user_no=0
ORDER BY gov_code, doc_ser_gov
```

```
-----يستخد حاسب ولايوجد عدد مستخدمين-----
SELECT *
FROM f_computer
where (comp_use = 1) AND (comp_user_no = 0)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_computer
where (comp_use = 2) AND (comp_user_no <> 0)
ORDER BY gov_code, doc_ser_gov
```

```
-----لايستخد ويوجد مجالات-----
SELECT *
FROM f_computer
where (comp_use = 2) AND ((use1=1 or use2=1 or use3=1 or use4=1 or use5=1
))
ORDER BY gov_code, doc_ser_gov
```

```
-----يستخد حاسب ولايوجد مجالات-----
```

```
-----ليس لديها حاسب ولايوجد اسباب عدم الشراء-----
SELECT *
FROM f_computer
where (comp_have = 2) AND (comp_barriers_buy_code = 0) AND (code1 = 0) AND
(code2 = 0)AND (code3 = 0)AND (code4 = 0)AND (code5 = 0)AND (code6 = 0)AND (code7
= 0)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_computer
```

```

3 ولاء-السويش sql
where (comp_have = 1) AND (comp_barriers_buy_code = 1 or code1 = 1 or
code2 = 1 or code3 = 1)
ORDER BY gov_code, doc_ser_gov

```

```

-----
لديها حاسب ولا يوجد عدد مستخدمى الحواسيب*
SELECT
FROM f_computer
where (comp_use = 1) AND (comp_user_no = 0)
ORDER BY gov_code, doc_ser_gov

```

```

-----
SELECT
FROM f_computer
where (comp_use = 2) AND (comp_user_no <> 0)
ORDER BY gov_code, doc_ser_gov

```

\*\*\*\*\*الانترنت\*\*\*\*\*

```

-----
عدم التعامل مع البوابة الاليكترونية = 2 ولا يوجد اسباب عدم تعامل
SELECT
FROM f_internet
where (elect_gover_use = 2) AND (elect_gover_barriers_code = 0) AND
(barriers1 = 0) AND (barriers2 =0) AND (barriers3 = 0)
ORDER BY gov_code, doc_ser_gov

```

```

-----
تتعامل مع البوابة الاليكترونية = 1 ويوجد اسباب تعامل
SELECT
FROM f_internet
where (elect_gover_use = 1) AND (elect_gover_barriers_code =1 or barriers1
=1 or barriers2 =1 or barriers3 =1)
ORDER BY gov_code, doc_ser_gov

```

```

-----
تتعامل مع البوابة الاليكترونية =1 ولا يوجد مجالات تعامل*
SELECT
FROM f_internet
where (use1 = 0) AND (use2 = 0) AND (use3 = 0) AND (use4 = 0) AND (use5 =
0) AND (fi el d_deal i ng_1=0) AND (fi el d_deal i ng_2=0)AND(use8 = 0) AND
(elect_gover_use = 1)
AND (elect_gover_use_code = 0)
ORDER BY gov_code, doc_ser_gov

```

```

-----
لا تتعامل مع البوابة الاليكترونية = 2 ويوجد مجالات تعامل*
SELECT
FROM f_internet
where (use1 =1 or use2 =1 or use3 =1 or use4 =1 or use5 =1 or use8 =1 or
fi el d_deal i ng_1=1 OR fi el d_deal i ng_2=1 OR
elect_gover_use_code =1) and (elect_gover_use = 2)
ORDER BY gov_code, doc_ser_gov

```

```

-----
لا تتعامل مع التجارة الاليكترونية ولا يوجد اسباب تعامل مع التجارة الاليكترونية*
SELECT
FROM f_internet
where (elect_commerce_use =2) AND (net_barriers_el ectroni c_commerce_code =
0) AND (c1 = 0) AND (c2 = 0) AND (c3 = 0) AND (c_4 = 0) AND (c5 = 0) AND
(c_6 = 0) AND (c_7 = 0) AND (c8 = 0)
ORDER BY gov_code, doc_ser_gov

```

```

-----
-----
-----
*
تتعامل مع التجارة الالكترونية ويوجد اسباب عدم تعامل
SELECT
FROM      f_internet
where      (elect_commerce_use = 1) AND (net_barriers_electronic_commerce_code
=1 or c1 =1 or c2 =1 or c3 =1 or c_4 =1 or c5 =1
          or c_6 =1 or c_7 =1 or c8 =1)
ORDER BY  gov_code, doc_ser_gov
-----
-----

```

```

-----
*
تتعامل مع التجارة الالكترونية ولايوجد مجال للتعامل
SELECT
FROM      f_internet
where      (elect_commerce_use = 1) AND (elect_commerce_use_11 = 0) AND
(elect_commerce_use_21 = 0)
ORDER BY  gov_code, doc_ser_gov
-----
-----

```

```

-----
*
لاتعامل مع التجارة الالكترونية ويوجد مجال للتعامل
SELECT
FROM      f_internet
where      (elect_commerce_use = 2) AND (elect_commerce_use_11 =1 or
elect_commerce_use_21=1)
ORDER BY  gov_code, doc_ser_gov
-----

```

```

*
SELECT
FROM      f_internet
where      (elect_commerce_use_1 <>0) AND (elect_commerce_use_11 = 2)

ORDER BY  gov_code, doc_ser_gov
-----

```

```

*
SELECT
FROM      f_internet
where      (elect_commerce_use_2 <>0) AND (elect_commerce_use_21 = 2)

ORDER BY  gov_code, doc_ser_gov
-----

```

```

*
SELECT
FROM      f_internet
where      (elect_commerce_use_1 = 0) AND (elect_commerce_use_11=1)

ORDER BY  gov_code, doc_ser_gov
-----

```

```

*
SELECT
FROM      f_internet
where      (elect_commerce_use_2 =0) AND (elect_commerce_use_21 =1)

ORDER BY  gov_code, doc_ser_gov
-----

```

```

*
SELECT
FROM      f_internet
where      (connection_code>1 or codec1>1 or codec2>1 or codec3>1)

ORDER BY  gov_code, doc_ser_gov
-----

```

```

*
SELECT
FROM      f_internet
where      (Q5_1=1 AND CONNECTION_CODE=0 AND CODEC2=0 AND CODEC5=0 AND CODEC1=0
AND LEASEDLINE=0 AND CODEC6=0 AND MOBILE=0 AND LAPTOP=0 AND PDA=0)

ORDER BY  gov_code, doc_ser_gov
-----

```

```

*
SELECT
FROM      f_internet

```

```
where Q5_1=2 AND (CONNECTION_CODE<>0 OR CODEC2<>0 OR CODEC5<>0 OR CODEC1<>0
OR LEASEDLINE>1 OR CODEC6<>0 OR MOBILE<>0 OR LAPTOP<>0 OR PDA<>0)
```

```
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT      *
FROM        f_internet
where      (CONNECTION_CODE>1 OR CODEC2>1 OR CODEC5>1 OR CODEC1>1 OR
LEASEDLINE>1 OR CODEC6>1 OR MOBILE>1 OR LAPTOP>1 OR PDA>1)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
where      ( CODEC1<>0 AND P1=0)      and gov_code<11
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
where      ( CODEC1=0 AND P1<>0)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
where      ( P1>16)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
where      ( Q5_1=1 AND Q5_3=0)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
where      ( Q5_1=2 AND Q5_3<>0)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
where      ( Q5_1>2 )
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
where      ( Q5_3>2 )
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
where      (ELECT_GOVER_USE>2 OR ELECT_GOVER_USE=0)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
where      (ELECT_COMMERCE_USE>2 OR ELECT_COMMERCE_USE=0)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
where      (ELECT_COMMERCE_USE=1 AND P6_10=0)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
where      (ELECT_COMMERCE_USE=2 AND P6_10<>0)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT      *
FROM        f_internet
```

```
where (P6_10>3 )
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_internet
where (P6_10>3 OR P6_10=0)and elect_commerce_use=1
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_internet
where elect_commerce_use=1
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_internet
where (P6_10<>0)and elect_commerce_use=2
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_internet
where ( ELECT_COMMERCE_USE=1 AND Q5_12_1=0 AND Q5_12_2=0 AND Q5_12_3=0 AND
Q5_12_4=0 AND Q5_12_5=0 AND Q5_12_6=0 AND Q5_12_7=0 AND Q5_12_9=0 )
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_internet
where ELECT_COMMERCE_USE=2 AND (Q5_12_1<>0 OR Q5_12_2<>0 OR Q5_12_3<>0 OR
Q5_12_4<>0 OR Q5_12_5<>0 OR Q5_12_6<>0 OR Q5_12_7<>0 OR Q5_12_9<>0 )
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_internet
where (Q5_12_1>1 OR Q5_12_2>1 OR Q5_12_3>1 OR Q5_12_4>1 OR Q5_12_5>1 OR
Q5_12_6>1 OR Q5_12_7>1 OR Q5_12_9>1 )
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_internet
where ( Q5_12_9=1 AND TEXT5='' )
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_internet
where ( Q5_12_9=0 AND TEXT5<>' ' )
ORDER BY gov_code, doc_ser_gov
```

```
-----
----- (elect_commerce_use1 = 1) AND (elect_commerce_use11 = 0)
SELECT *
FROM f_internet
where (elect_commerce_use_1 = 1) AND (elect_commerce_use11 = 0)
ORDER BY gov_code, doc_ser_gov
```

```
-----
----- (elect_commerce_use2 = 1) AND (elect_commerce_use21 = 0)
SELECT *
FROM f_internet
where (elect_commerce_use_2 = 1) AND (elect_commerce_use21 = 0)
ORDER BY gov_code, doc_ser_gov
```

```
-----
----- عدم التعامل مع البوابة الاللكترونية = 2 ولا يوجد اسباب عدم تعامل
SELECT *
FROM f_internet
where (elect_gover_use = 2) AND (elect_gover_barriers_code = 0) AND
(barriers1 = 0) AND (barriers2 = 0) AND (barriers3 = 0)
```



```
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT *
FROM f_internet
where (elect_gover_use = 1) AND (elect_gover_barriers_code = 1 or
barriers1 = 1 or barriers2 = 1 or barriers3 = 1)
ORDER BY gov_code, doc_ser_gov
-----
```

```
-----
تتعامل مع البوابة الاليكترونية = 1 ولا يوجد مجالات تعامل
```

```
*****
```

```
SELECT *
FROM f_internet
where (use1 = 0) AND (use2 = 0) AND (use3 = 0) AND (use4 = 0) AND (use5 =
0) AND (use6 = 0) AND (use7 = 0) AND (use8 = 0) AND (elect_gover_use = 1)
AND (elect_gover_use_code = 0)
ORDER BY gov_code, doc_ser_gov
-----
```

```
-----
لا تتعامل مع البوابة الاليكترونية = 2 ويوجد مجالات تعامل
```

```
SELECT *
FROM f_internet
where (elect_gover_use = 1) AND (use1 = 0) AND (use2 = 0) AND (use3 = 0)
AND (use4 = 0) AND (use5 = 0) AND (use6 = 0) AND (use7 = 0) AND (use8 = 0) AND
(elect_gover_use_code = 0)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT *
FROM f_internet
where (elect_gover_use = 2) AND (use1 = 1 or use2 = 1 or use3 = 1 or use4 =
1 or use5 = 1 or use6 = 1 or use7 = 1 or use8 = 1 or
elect_gover_use_code = 1)
ORDER BY gov_code, doc_ser_gov
-----
```

```
-----
لا تتعامل مع التجارة الاليكترونية ولا يوجد اسباب تعامل مع التجارة الاليكترونية
```

```
SELECT *
FROM f_internet
where (elect_commerce_use = 2) AND (net_barriers_electronic_commerce_code =
0) AND (c1 = 0) AND (c2 = 0) AND (c3 = 0) AND (c4 = 0) AND (c5 = 0) AND
(c6 = 0) AND (c7 = 0) AND (c8 = 0)
ORDER BY gov_code, doc_ser_gov
-----
```

```
-----
تتعامل مع التجارة الاليكترونية ويوجد اسباب عدم تعامل
```

```
SELECT *
FROM f_internet
where (elect_commerce_use = 1) AND (net_barriers_electronic_commerce_code
= 1 or c1 = 1 or c2 = 1 or c3 = 1 or c4 = 1 or c5 = 1
or c6 = 1 or c7 = 1 or c8 = 1)
ORDER BY gov_code, doc_ser_gov
-----
```

```
-----
تتعامل مع التجارة الاليكترونية ولا يوجد مجال للتعامل
```

```
SELECT *
FROM f_internet
where (elect_commerce_use = 1) AND (elect_commerce_use_1 = 0) AND
(elect_commerce_use_2 = 0)
ORDER BY gov_code, doc_ser_gov
-----
```

```
-----
لا تتعامل مع التجارة الاليكترونية ويوجد مجال للتعامل
```

```

SELECT      *
FROM        f_internet
where       (elect_commerce_use = 2) AND (elect_commerce_use_1 <> 0
        or elect_commerce_use_2<>0 or elect_commerce_use_11 <> 0 or
elect_commerce_use_21<>0)
ORDER BY   gov_code, doc_ser_gov
-----
---- (card1=1)and net_code=2
----- (elect_commerce_use1 = 1) AND (elect_commerce_use_11 = 0)
SELECT      *
FROM        f_internet
where       (elect_commerce_use_1 = 0) AND (elect_commerce_use_11 = 1)
ORDER BY   gov_code, doc_ser_gov
-----
SELECT      *
FROM        f_internet
where       (elect_commerce_use_1 <> 0) AND (elect_commerce_use_11 = 2)
ORDER BY   gov_code, doc_ser_gov
-----
----- (elect_commerce_use2 = 1) AND (elect_commerce_use_21 = 0)
SELECT      *
FROM        f_internet
where       (elect_commerce_use_2 = 0) AND (elect_commerce_use_21 =1)
ORDER BY   gov_code, doc_ser_gov
-----
SELECT      *
FROM        f_internet
where       (elect_commerce_use_2 <> 0) AND (elect_commerce_use_21 =2)
ORDER BY   gov_code, doc_ser_gov
-----
----- (elect_commerce_use2 = 1) AND (elect_commerce_use_21 = 0)
SELECT      *
FROM        f_internet
where       (elect_commerce_use = 1) AND (elect_commerce_use_21 = 0 and
elect_commerce_use_11 = 0)
ORDER BY   gov_code, doc_ser_gov
-----
SELECT      *
FROM        f_internet
where       (elect_commerce_use = 2) AND (elect_commerce_use_21 <> 0 or
elect_commerce_use_21 <> 0)
ORDER BY   gov_code, doc_ser_gov
-----
SELECT      *
FROM        f_internet
where       (q5_1=2 and (connection_code=1 OR CODEC1=1 OR CODEC2=1 OR CODEC3=1
OR CODEC4=1 OR CODEC5=1 OR CODEC6=1))
-----
SELECT      *
FROM        f_internet
where       (q5_1=2 and Q5_3<>0)
-----
SELECT      *
FROM        f_internet
where       (q5_3=1 and Q5_4_1=0 AND Q5_4_2=0 AND Q5_4_3=0 AND Q5_4_4=0 AND
Q5_4_9=0)
-----
SELECT      *
FROM        f_internet
where       (q5_3=2 and (Q5_4_1<>0 OR Q5_4_2<>0 OR Q5_4_3<>0 OR Q5_4_4<>0 OR
Q5_4_9<>0))
-----
SELECT      *
FROM        f_internet
where       (elect_commerce_use_2 = 0) AND (elect_commerce_use_21 =1)
-----
-----
-----
-----

```



3 ولاء-السويس sql

where (f\_basi c\_data1.p\_i nternet = 1) AND (f\_comm unacati on.net\_wi rel ess = 0  
and f\_comm unacati on.net\_adsl = 0 and f\_comm unacati on.net\_i sdn = 0 )  
ORDER BY f\_basi c\_data1.gov\_code, f\_basi c\_data1.doc\_ser\_gov

----- العلاقة بين جدول الافراد وجدول الاتصالات -----  
SELECT \*  
FROM f\_basi c\_data1 INNER JOIN  
f\_comm unacati on ON f\_basi c\_data1.YEAR\_STATE =  
f\_comm unacati on.YEAR\_STATE AND  
f\_basi c\_data1.month1\_code = f\_comm unacati on.month1\_code AND  
f\_basi c\_data1.gov\_code = f\_comm unacati on.gov\_code AND  
f\_basi c\_data1.doc\_ser\_gov = f\_comm unacati on.doc\_ser\_gov AND  
f\_basi c\_data1.secti on\_code = f\_comm unacati on.secti on\_code AND  
f\_basi c\_data1.val l\_code = f\_comm unacati on.val l\_code AND  
f\_basi c\_data1.doc\_ser\_val l = f\_comm unacati on.doc\_ser\_val l AND  
f\_basi c\_data1.r\_u\_code = f\_comm unacati on.r\_u\_code  
where (f\_basi c\_data1.p\_i nternet = 1) AND (f\_comm unacati on.net\_wi rel ess = 0  
and f\_comm unacati on.net\_adsl = 0 and f\_comm unacati on.net\_i sdn = 0 )and  
net\_ph\_cost<>0  
ORDER BY f\_basi c\_data1.gov\_code, f\_basi c\_data1.doc\_ser\_gov

-----  
SELECT \*  
FROM f\_basi c\_data1 INNER JOIN  
f\_i nternet ON f\_basi c\_data1.YEAR\_STATE =  
f\_i nternet.YEAR\_STATE AND f\_basi c\_data1.month1\_code = f\_i nternet.month1\_code AND  
f\_basi c\_data1.gov\_code = f\_i nternet.gov\_code AND  
f\_basi c\_data1.doc\_ser\_gov = f\_i nternet.doc\_ser\_gov AND  
f\_basi c\_data1.secti on\_code = f\_i nternet.secti on\_code AND  
f\_basi c\_data1.val l\_code = f\_i nternet.val l\_code AND  
f\_basi c\_data1.doc\_ser\_val l = f\_i nternet.doc\_ser\_val l AND  
f\_basi c\_data1.r\_u\_code = f\_i nternet.r\_u\_code INNER JOIN  
f\_comm unacati on ON f\_i nternet.YEAR\_STATE =  
f\_comm unacati on.YEAR\_STATE AND f\_i nternet.month1\_code =  
f\_comm unacati on.month1\_code AND  
f\_i nternet.gov\_code = f\_comm unacati on.gov\_code AND  
f\_i nternet.doc\_ser\_gov = f\_comm unacati on.doc\_ser\_gov AND  
f\_i nternet.secti on\_code = f\_comm unacati on.secti on\_code AND  
f\_i nternet.val l\_code = f\_comm unacati on.val l\_code AND  
f\_i nternet.doc\_ser\_val l = f\_comm unacati on.doc\_ser\_val l AND  
f\_i nternet.r\_u\_code = f\_comm unacati on.r\_u\_code  
where (f\_basi c\_data1.p\_i nternet = 1) AND (f\_comm unacati on.net\_wi rel ess = 0)  
AND (f\_comm unacati on.net\_adsl = 0) AND (f\_comm unacati on.net\_i sdn = 0)  
AND (f\_i nternet.q5\_1 = 1)

----- يوجد تليفون ويوجد اسباب عدم التعامل خط تليفون -----  
SELECT \*  
FROM f\_basi c\_data1 INNER JOIN  
f\_comm unacati on ON f\_basi c\_data1.YEAR\_STATE =  
f\_comm unacati on.YEAR\_STATE AND  
f\_basi c\_data1.month1\_code = f\_comm unacati on.month1\_code AND  
f\_basi c\_data1.gov\_code = f\_comm unacati on.gov\_code AND  
f\_basi c\_data1.doc\_ser\_gov = f\_comm unacati on.doc\_ser\_gov AND  
f\_basi c\_data1.secti on\_code = f\_comm unacati on.secti on\_code AND  
f\_basi c\_data1.doc\_ser\_val l = f\_comm unacati on.doc\_ser\_val l  
AND f\_basi c\_data1.val l\_code = f\_comm unacati on.val l\_code AND  
f\_basi c\_data1.r\_u\_code = f\_comm unacati on.r\_u\_code  
where ser\_line<>99and(f\_comm unacati on.phon = 1) AND (f\_basi c\_data1.code2 = 1)  
ORDER BY f\_basi c\_data1.gov\_code, f\_basi c\_data1.doc\_ser\_gov, f\_basi c\_data1.ser\_line

----- جدول الافراد وجدول المؤشرات وجدول الاتصالات -----  
----- لا يوجد تليفون ولا يوجد وصلة انترنت ويوجد التعامل في المنزل -----  
SELECT \*  
FROM f\_comm unacati on INNER JOIN  
f\_basi c\_data1 ON f\_comm unacati on.YEAR\_STATE =  
f\_basi c\_data1.YEAR\_STATE AND f\_comm unacati on.month1\_code =  
f\_basi c\_data1.month1\_code AND  
f\_comm unacati on.gov\_code = f\_basi c\_data1.gov\_code AND  
f\_comm unacati on.doc\_ser\_gov = f\_basi c\_data1.doc\_ser\_gov AND

3 ولاء-السويس sql

```
f_communication.section_code = f_basic_data.section_code
AND f_communication.val_l_code = f_basic_data.val_l_code AND
f_communication.doc_ser_val_l = f_basic_data.doc_ser_val_l
AND f_communication.r_u_code = f_basic_data.r_u_code INNER JOIN
f_basic_data1 ON f_basic_data.YEAR_STATE =
f_basic_data1.YEAR_STATE AND f_basic_data.month1_code = f_basic_data1.month1_code
AND
f_basic_data.doc_ser_gov = f_basic_data1.doc_ser_gov AND
f_basic_data.gov_code = f_basic_data1.gov_code AND
f_basic_data.section_code = f_basic_data1.section_code AND
f_basic_data.val_l_code = f_basic_data1.val_l_code AND
f_basic_data.doc_ser_val_l = f_basic_data1.doc_ser_val_l AND
f_basic_data.r_u_code = f_basic_data1.r_u_code
where (f_communication.phon = 2) AND (f_basic_data1.p_internet = 2) AND
(f_basic_data.net_moh_code = 1)
ORDER BY f_communication.gov_code, f_communication.doc_ser_gov
```

----- جدول الحاسب وجدول المؤشرات

----- ليس لديها حاسب ويوجد وصلة انترنت

```
SELECT *
FROM f_computer INNER JOIN
f_basic_data1 ON f_computer.YEAR_STATE =
f_basic_data1.YEAR_STATE AND f_computer.month1_code = f_basic_data1.month1_code
AND
f_computer.gov_code = f_basic_data1.gov_code AND
f_computer.doc_ser_gov = f_basic_data1.doc_ser_gov AND
f_computer.section_code = f_basic_data1.section_code AND
f_computer.val_l_code = f_basic_data1.val_l_code AND
f_computer.doc_ser_val_l = f_basic_data1.doc_ser_val_l AND
f_computer.r_u_code = f_basic_data1.r_u_code
where (f_computer.comp_have = 2) AND (f_basic_data1.p_internet = 1)
ORDER BY f_computer.gov_code, f_computer.doc_ser_gov
```

----- لا يوجد كهرباء ويوجد حاسب

```
SELECT *
FROM f_basic_data1 INNER JOIN
f_computer ON f_basic_data1.YEAR_STATE =
f_computer.YEAR_STATE AND f_basic_data1.month1_code = f_computer.month1_code AND
f_basic_data1.gov_code = f_computer.gov_code AND
f_basic_data1.doc_ser_gov = f_computer.doc_ser_gov AND
f_basic_data1.section_code = f_computer.section_code AND
f_basic_data1.val_l_code = f_computer.val_l_code AND
f_basic_data1.doc_ser_val_l = f_computer.doc_ser_val_l AND
f_basic_data1.r_u_code = f_computer.r_u_code
where (f_basic_data1.electry = 2) AND (f_computer.comp_have = 1)
ORDER BY f_basic_data1.gov_code, f_basic_data1.doc_ser_gov
```

----- لا يوجد كهرباء ويوجد اجهزة حاسب

```
SELECT *
FROM f_basic_data1 INNER JOIN
f_computer ON f_basic_data1.YEAR_STATE =
f_computer.YEAR_STATE AND f_basic_data1.month1_code = f_computer.month1_code AND
f_basic_data1.gov_code = f_computer.gov_code AND
f_basic_data1.doc_ser_gov = f_computer.doc_ser_gov AND
f_basic_data1.section_code = f_computer.section_code AND
f_basic_data1.val_l_code = f_computer.val_l_code AND
f_basic_data1.doc_ser_val_l = f_computer.doc_ser_val_l AND
f_basic_data1.r_u_code = f_computer.r_u_code
where (f_basic_data1.electry = 2) AND (f_computer.comp_no <> 0)
ORDER BY f_basic_data1.gov_code, f_basic_data1.doc_ser_gov
```

```
SELECT *
FROM f_communication INNER JOIN
f_internet ON f_communication.YEAR_STATE =
f_internet.YEAR_STATE AND f_communication.month1_code = f_internet.month1_code
```

```

AND
      f_communication.gov_code = f_internet.gov_code AND
f_communication.doc_ser_gov = f_internet.doc_ser_gov AND
      f_communication.section_code = f_internet.section_code AND
f_communication.vall_code = f_internet.vall_code AND
      f_communication.doc_ser_vall = f_internet.doc_ser_vall AND
f_communication.r_u_code = f_internet.r_u_code
where (f_communication.phon = 2) AND (f_internet.connection_code = 1)
ORDER BY      f_communication.gov_code, f_communication.doc_ser_gov
-----

```

```

SELECT      *
FROM        f_communication INNER JOIN
            f_internet ON f_communication.YEAR_STATE =
f_internet.YEAR_STATE AND f_communication.month1_code = f_internet.month1_code
AND
            f_communication.gov_code = f_internet.gov_code AND
f_communication.doc_ser_gov = f_internet.doc_ser_gov AND
            f_communication.section_code = f_internet.section_code AND
f_communication.vall_code = f_internet.vall_code AND
            f_communication.doc_ser_vall = f_internet.doc_ser_vall AND
f_communication.r_u_code = f_internet.r_u_code
where      (f_communication.phon = 2) AND (f_internet.select_gover_use_code =
1)and codec1=0 and codec2=0 and codec3=0
ORDER BY      f_communication.gov_code,      f_communication.doc_ser_gov
-----%

```

%%%%%%%%%%%%\$\$\$\$\$\$\$\$

----- يوجد وصلة انترنت ولا يوجد قيمة اشتراك

```

SELECT      *
FROM        f_basic_data1 INNER JOIN
            f_communication ON f_basic_data1.YEAR_STATE =
f_communication.YEAR_STATE AND
            f_basic_data1.month1_code = f_communication.month1_code AND
f_basic_data1.gov_code = f_communication.gov_code AND
            f_basic_data1.doc_ser_gov = f_communication.doc_ser_gov AND
f_basic_data1.section_code = f_communication.section_code AND
            f_basic_data1.vall_code = f_communication.vall_code AND
f_basic_data1.doc_ser_vall = f_communication.doc_ser_vall AND
            f_basic_data1.r_u_code = f_communication.r_u_code
where      (f_basic_data1.p_internet = 1) AND (f_communication.net_cost = 0 and
net_wireless=0 and net_adsl=0 and net_isdn=0)
ORDER BY      f_basic_data1.gov_code, f_basic_data1.doc_ser_gov
-----

```

----- العلاقة بين جدول الافراد وجدول الاتصالات

----- يوجد تليفون ويوجد اسباب عدم التعامل خط تليفون

```

SELECT      *
FROM        f_basic_data INNER JOIN
            f_communication ON f_basic_data.YEAR_STATE =
f_communication.YEAR_STATE AND
            f_basic_data.month1_code = f_communication.month1_code AND
f_basic_data.gov_code = f_communication.gov_code AND
            f_basic_data.doc_ser_gov = f_communication.doc_ser_gov AND
f_basic_data.section_code = f_communication.section_code AND
            f_basic_data.doc_ser_vall = f_communication.doc_ser_vall
AND f_basic_data.vall_code = f_communication.vall_code AND
            f_basic_data.r_u_code = f_communication.r_u_code
where      ser_line<>99and(f_communication.phon = 1) AND (f_basic_data.code2 = 1)
ORDER BY      f_basic_data.gov_code, f_basic_data.doc_ser_gov, f_basic_data.ser_line
-----

```

----- جدول الافراد وجدول المؤشرات وجدول الاتصالات

----- لا يوجد تليفون ولا يوجد وصلة انترنت ويوجد التعامل في المنزل

```

SELECT      *
FROM        f_communication INNER JOIN
            f_basic_data ON f_communication.YEAR_STATE =
f_basic_data.YEAR_STATE AND f_communication.month1_code =
f_basic_data.month1_code AND
            f_communication.gov_code = f_basic_data.gov_code AND
f_communication.doc_ser_gov = f_basic_data.doc_ser_gov AND
            f_communication.section_code = f_basic_data.section_code

```

3 ولاء-السويس sql

```
AND f_communicati on.val l_code = f_basi c_data.val l_code AND
      f_communicati on.doc_ser_val l = f_basi c_data.doc_ser_val l
AND f_communicati on.r_u_code = f_basi c_data.r_u_code INNER JOIN
      f_basi c_data1 ON f_basi c_data.YEAR_STATE =
f_basi c_data1.YEAR_STATE AND f_basi c_data.month1_code = f_basi c_data1.month1_code
AND
      f_basi c_data.doc_ser_gov = f_basi c_data1.doc_ser_gov AND
f_basi c_data.gov_code = f_basi c_data1.gov_code AND
      f_basi c_data.secti on_code = f_basi c_data1.secti on_code AND
f_basi c_data.val l_code = f_basi c_data1.val l_code AND
      f_basi c_data.doc_ser_val l = f_basi c_data1.doc_ser_val l AND
f_basi c_data.r_u_code = f_basi c_data1.r_u_code
where (f_communicati on.phon = 2) AND (f_basi c_data1.p_i nternet = 2) AND
(f_basi c_data.net_moh_code = 1)
ORDER BY f_communicati on.gov_code, f_communicati on.doc_ser_gov
```

```
-----
SELECT *
FROM f_communicati on INNER JOIN
      f_basi c_data ON f_communicati on.YEAR_STATE =
f_basi c_data.YEAR_STATE AND f_communicati on.month1_code =
f_basi c_data.month1_code AND
      f_communicati on.gov_code = f_basi c_data.gov_code AND
f_communicati on.doc_ser_gov = f_basi c_data.doc_ser_gov AND
      f_communicati on.secti on_code = f_basi c_data.secti on_code
AND f_communicati on.val l_code = f_basi c_data.val l_code AND
      f_communicati on.doc_ser_val l = f_basi c_data.doc_ser_val l
AND f_communicati on.r_u_code = f_basi c_data.r_u_code INNER JOIN
      f_basi c_data1 ON f_basi c_data.YEAR_STATE =
f_basi c_data1.YEAR_STATE AND f_basi c_data.month1_code = f_basi c_data1.month1_code
AND
      f_basi c_data.doc_ser_gov = f_basi c_data1.doc_ser_gov AND
f_basi c_data.gov_code = f_basi c_data1.gov_code AND
      f_basi c_data.secti on_code = f_basi c_data1.secti on_code AND
f_basi c_data.val l_code = f_basi c_data1.val l_code AND
      f_basi c_data.doc_ser_val l = f_basi c_data1.doc_ser_val l AND
f_basi c_data.r_u_code = f_basi c_data1.r_u_code
where f_communicati on.net_wi rel ess=0 AND f_communicati on.net_adsl =0 and
(f_communicati on.net_ph_cost = 0) and f_communicati on.net_isdn=0 AND
(f_basi c_data.net_moh_code = 1)
ORDER BY f_communicati on.gov_code, f_communicati on.doc_ser_gov
-----
```

جدول الحاسب وجدول المؤشرات-  
ليس لديها حاسب ويوجد وصلة انترنت----

```
SELECT *
FROM f_computer INNER JOIN
      f_basi c_data1 ON f_computer.YEAR_STATE =
f_basi c_data1.YEAR_STATE AND f_computer.month1_code = f_basi c_data1.month1_code
AND
      f_computer.gov_code = f_basi c_data1.gov_code AND
f_computer.doc_ser_gov = f_basi c_data1.doc_ser_gov AND
      f_computer.secti on_code = f_basi c_data1.secti on_code AND
f_computer.val l_code = f_basi c_data1.val l_code AND
      f_computer.doc_ser_val l = f_basi c_data1.doc_ser_val l AND
f_computer.r_u_code = f_basi c_data1.r_u_code
where (f_computer.comp_have = 2) AND (f_basi c_data1.p_i nternet = 1)
ORDER BY f_computer.gov_code, f_computer.doc_ser_gov
```

لايوجد كهرباء ويوجد حاسب----

```
SELECT *
FROM f_basi c_data1 INNER JOIN
      f_computer ON f_basi c_data1.YEAR_STATE =
f_computer.YEAR_STATE AND f_basi c_data1.month1_code = f_computer.month1_code AND
      f_basi c_data1.gov_code = f_computer.gov_code AND
f_basi c_data1.doc_ser_gov = f_computer.doc_ser_gov AND
      f_basi c_data1.secti on_code = f_computer.secti on_code AND
f_basi c_data1.val l_code = f_computer.val l_code AND
```

3 ولاء-السويس sql  
 f\_basi c\_data1.doc\_ser\_val l = f\_computer.doc\_ser\_val l AND  
 f\_basi c\_data1.r\_u\_code = f\_computer.r\_u\_code  
 where (f\_basi c\_data1.electry = 2) AND (f\_computer.comp\_have = 1)  
 ORDER BY f\_basi c\_data1.gov\_code, f\_basi c\_data1.doc\_ser\_gov

لا يوجد كهرباء ويوجد اجهزة حاسب--

SELECT \*  
 FROM f\_basi c\_data1 INNER JOIN  
 f\_computer ON f\_basi c\_data1.YEAR\_STATE =  
 f\_computer.YEAR\_STATE AND f\_basi c\_data1.month1\_code = f\_computer.month1\_code AND  
 f\_basi c\_data1.gov\_code = f\_computer.gov\_code AND  
 f\_basi c\_data1.doc\_ser\_gov = f\_computer.doc\_ser\_gov AND  
 f\_basi c\_data1.secti on\_code = f\_computer.secti on\_code AND  
 f\_basi c\_data1.val l\_code = f\_computer.val l\_code AND  
 f\_basi c\_data1.doc\_ser\_val l = f\_computer.doc\_ser\_val l AND  
 f\_basi c\_data1.r\_u\_code = f\_computer.r\_u\_code  
 where (f\_basi c\_data1.electry = 2) AND (f\_computer.comp\_no <> 0)  
 ORDER BY f\_basi c\_data1.gov\_code, f\_basi c\_data1.doc\_ser\_gov

-----%  
 %

يوجد تعامل انترنت ولا يوجد نوع تعامل

SELECT \*  
 FROM f\_basi c\_data INNER JOIN  
 f\_i nternet ON f\_basi c\_data.YEAR\_STATE =  
 f\_i nternet.YEAR\_STATE AND f\_basi c\_data.month1\_code = f\_i nternet.month1\_code AND  
 f\_basi c\_data.gov\_code = f\_i nternet.gov\_code AND  
 f\_basi c\_data.doc\_ser\_gov = f\_i nternet.doc\_ser\_gov AND  
 f\_basi c\_data.secti on\_code = f\_i nternet.secti on\_code AND  
 f\_basi c\_data.val l\_code = f\_i nternet.val l\_code AND  
 f\_basi c\_data.doc\_ser\_val l = f\_i nternet.doc\_ser\_val l AND  
 f\_basi c\_data.r\_u\_code = f\_i nternet.r\_u\_code  
 where (f\_i nternet.codec1 = 0) AND (f\_i nternet.codec2 = 0) AND  
 (f\_i nternet.codec3 = 0) AND (f\_i nternet.connection\_code = 0) AND  
 (f\_basi c\_data.net\_moh\_code = 1)and (f\_i nternet.codec5 =  
 0)and (f\_i nternet.codec6 = 0)and (f\_i nternet.codec4 = 0)

عدم وجود حاسب لدى الاسرة ويوجد اتصال انترنت--

لا يوجد تليفون ويوجد وسيلة اتصال

SELECT \*  
 FROM f\_communacati on INNER JOIN  
 f\_i nternet ON f\_communacati on.YEAR\_STATE =  
 f\_i nternet.YEAR\_STATE AND f\_communacati on.month1\_code = f\_i nternet.month1\_code  
 AND  
 f\_communacati on.gov\_code = f\_i nternet.gov\_code AND  
 f\_communacati on.doc\_ser\_gov = f\_i nternet.doc\_ser\_gov AND  
 f\_communacati on.secti on\_code = f\_i nternet.secti on\_code AND  
 f\_communacati on.val l\_code = f\_i nternet.val l\_code AND  
 f\_communacati on.doc\_ser\_val l = f\_i nternet.doc\_ser\_val l AND  
 f\_communacati on.r\_u\_code = f\_i nternet.r\_u\_code  
 where (f\_communacati on.phon = 2) AND (f\_i nternet.connection\_code = 1)  
 ORDER BY f\_communacati on.gov\_code, f\_communacati on.doc\_ser\_gov

لا يوجد تليفون ويتعامل مع البوابة الالكترونية--

SELECT \*  
 FROM f\_communacati on INNER JOIN  
 f\_i nternet ON f\_communacati on.YEAR\_STATE =  
 f\_i nternet.YEAR\_STATE AND f\_communacati on.month1\_code = f\_i nternet.month1\_code  
 AND  
 f\_communacati on.gov\_code = f\_i nternet.gov\_code AND  
 f\_communacati on.doc\_ser\_gov = f\_i nternet.doc\_ser\_gov AND  
 f\_communacati on.secti on\_code = f\_i nternet.secti on\_code AND



3 ولاء-السويس sql

f\_communicati on.vall\_code = f\_internet.vall\_code AND  
f\_communicati on.doc\_ser\_vall = f\_internet.doc\_ser\_vall AND  
f\_communicati on.r\_u\_code = f\_internet.r\_u\_code  
where (f\_communicati on.phon = 2) AND (f\_internet.elect\_gover\_use\_code = 1)  
ORDER BY f\_communicati on.gov\_code, f\_communicati on.doc\_ser\_gov

------%%%%

SELECT \*  
FROM f\_communicati on INNER JOIN  
f\_internet ON f\_communicati on.YEAR\_STATE =  
f\_internet.YEAR\_STATE AND f\_communicati on.month1\_code = f\_internet.month1\_code  
AND  
f\_communicati on.gov\_code = f\_internet.gov\_code AND  
f\_communicati on.doc\_ser\_gov = f\_internet.doc\_ser\_gov AND  
f\_communicati on.secti on\_code = f\_internet.secti on\_code AND  
f\_communicati on.vall\_code = f\_internet.vall\_code AND  
f\_communicati on.doc\_ser\_vall = f\_internet.doc\_ser\_vall AND  
f\_communicati on.r\_u\_code = f\_internet.r\_u\_code  
where (f\_communicati on.phon = 2) AND (connecti on\_code=1)  
ORDER BY f\_communicati on.gov\_code, f\_communicati on.doc\_ser\_gov

-----

SELECT \*  
FROM f\_basi c\_data INNER JOIN  
f\_internet ON f\_basi c\_data.YEAR\_STATE =  
f\_internet.YEAR\_STATE AND f\_basi c\_data.month1\_code = f\_internet.month1\_code AND  
f\_basi c\_data.gov\_code = f\_internet.gov\_code AND  
f\_basi c\_data.doc\_ser\_gov = f\_internet.doc\_ser\_gov AND  
f\_basi c\_data.secti on\_code = f\_internet.secti on\_code AND  
f\_basi c\_data.vall\_code = f\_internet.vall\_code AND  
f\_basi c\_data.doc\_ser\_vall = f\_internet.doc\_ser\_vall AND  
f\_basi c\_data.r\_u\_code = f\_internet.r\_u\_code  
where (f\_basi c\_data.net\_ent = 1) AND (f\_internet.elect\_gover\_use = 0)and  
ser\_line=99

SELECT \*  
FROM f\_basi c\_data INNER JOIN  
f\_internet ON f\_basi c\_data.YEAR\_STATE =  
f\_internet.YEAR\_STATE AND f\_basi c\_data.month1\_code = f\_internet.month1\_code AND  
f\_basi c\_data.gov\_code = f\_internet.gov\_code AND  
f\_basi c\_data.doc\_ser\_gov = f\_internet.doc\_ser\_gov AND  
f\_basi c\_data.secti on\_code = f\_internet.secti on\_code AND  
f\_basi c\_data.vall\_code = f\_internet.vall\_code AND  
f\_basi c\_data.doc\_ser\_vall = f\_internet.doc\_ser\_vall AND  
f\_basi c\_data.r\_u\_code = f\_internet.r\_u\_code  
where (f\_basi c\_data.net\_ent = 2) AND (f\_internet.elect\_gover\_use <>0 or  
f\_internet.elect\_commerce\_use <> 0)and f\_basi c\_data.ser\_line=99

SELECT \*  
FROM f\_basi c\_data INNER JOIN  
f\_internet ON f\_basi c\_data.YEAR\_STATE =  
f\_internet.YEAR\_STATE AND f\_basi c\_data.month1\_code = f\_internet.month1\_code AND  
f\_basi c\_data.gov\_code = f\_internet.gov\_code AND  
f\_basi c\_data.doc\_ser\_gov = f\_internet.doc\_ser\_gov AND  
f\_basi c\_data.secti on\_code = f\_internet.secti on\_code AND  
f\_basi c\_data.vall\_code = f\_internet.vall\_code AND  
f\_basi c\_data.doc\_ser\_vall = f\_internet.doc\_ser\_vall AND  
f\_basi c\_data.r\_u\_code = f\_internet.r\_u\_code  
where q5\_1<>1 and (f\_basi c\_data.net\_moh\_code=1)  
ORDER BY f\_basi c\_data.gov\_code, f\_basi c\_data.doc\_ser\_gov, f\_basi c\_data.ser\_line

-----حالة 35 ممكن-----

SELECT \*  
FROM f\_basi c\_data INNER JOIN  
f\_internet ON f\_basi c\_data.YEAR\_STATE =  
f\_internet.YEAR\_STATE AND f\_basi c\_data.month1\_code = f\_internet.month1\_code AND  
f\_basi c\_data.gov\_code = f\_internet.gov\_code AND

```

f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
f_basi c_data.secti on_code = f_i nternet.secti on_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code
where (f_i nternet.codec1 = 1 or f_i nternet.codec2 = 1 or f_i nternet.codec3
= 1 or f_i nternet.connection_code = 1 or f_i nternet.codec5 = 1 or
f_i nternet.codec6 = 1 or f_i nternet.leasedline = 1 or f_i nternet.mobile = 1 or
f_i nternet.laptop = 1 or f_i nternet.pda = 1 ) and
(f_basi c_data.ind1 <>1)and ser_line=99
order by f_basi c_data.gov_code,f_basi c_data.doc_ser_gov
-----

```

```

SELECT *
FROM f_basi c_data1 INNER JOIN
f_i nternet ON f_basi c_data1.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data1.month1_code = f_i nternet.month1_code AND
f_basi c_data1.gov_code = f_i nternet.gov_code AND
f_basi c_data1.doc_ser_gov = f_i nternet.doc_ser_gov AND
f_basi c_data1.secti on_code = f_i nternet.secti on_code AND
f_basi c_data1.val l_code = f_i nternet.val l_code AND
f_basi c_data1.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data1.r_u_code = f_i nternet.r_u_code
where (f_basi c_data1.p_i nternet = 2) AND (f_i nternet.codec1 = 1 or
f_i nternet.codec2 = 1 or f_i nternet.codec3 = 1 )
-----

```

```

SELECT *
FROM f_basi c_data1 INNER JOIN
f_i nternet ON f_basi c_data1.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data1.month1_code = f_i nternet.month1_code AND
f_basi c_data1.gov_code = f_i nternet.gov_code AND
f_basi c_data1.doc_ser_gov = f_i nternet.doc_ser_gov AND
f_basi c_data1.secti on_code = f_i nternet.secti on_code AND
f_basi c_data1.val l_code = f_i nternet.val l_code AND
f_basi c_data1.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data1.r_u_code = f_i nternet.r_u_code
where (f_basi c_data1.p_i nternet = 1) AND (f_i nternet.codec1 <> 1 )and
(f_i nternet.codec2 <> 1)and (f_i nternet.codec3 <> 1)and (f_i nternet.codec4 <>
1)and (f_i nternet.codec5 <> 1)and (f_i nternet.codec6 <> 1)
-----

```

```

SELECT *
FROM f_basi c_data INNER JOIN
f_i nternet ON f_basi c_data.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data.month1_code = f_i nternet.month1_code AND
f_basi c_data.gov_code = f_i nternet.gov_code AND
f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
f_basi c_data.secti on_code = f_i nternet.secti on_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code
where (f_i nternet.elect_gover_use = 2) AND (f_basi c_data.q3 = 1 OR
f_basi c_data.q9 = 1)and (f_basi c_data.ser_line <> 99)
-----

```

```

SELECT *
FROM f_basi c_data INNER JOIN
f_i nternet ON f_basi c_data.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data.month1_code = f_i nternet.month1_code AND
f_basi c_data.gov_code = f_i nternet.gov_code AND
f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
f_basi c_data.secti on_code = f_i nternet.secti on_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code
where net_code=1 and (f_i nternet.elect_gover_use = 1) AND (f_basi c_data.q3 =
0) AND (f_basi c_data.q9 = 0) AND (f_basi c_data.ser_line<> 99)
-----

```

```

SELECT      *
FROM        f_basi c_data INNER JOIN
           f_i nternet ON f_basi c_data.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data.month1_code = f_i nternet.month1_code AND
           f_basi c_data.gov_code = f_i nternet.gov_code AND
f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
           f_basi c_data.secti on_code = f_i nternet.secti on_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
           f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code
where      (f_i nternet.elect_commerce_use_11 = 0) AND (f_basi c_data.card1 = 1)

```

```

-----
SELECT      *
FROM        f_basi c_data INNER JOIN
           f_i nternet ON f_basi c_data.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data.month1_code = f_i nternet.month1_code AND
           f_basi c_data.gov_code = f_i nternet.gov_code AND
f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
           f_basi c_data.secti on_code = f_i nternet.secti on_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
           f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code
where      (f_i nternet.elect_commerce_use_11 = 0 and
f_i nternet.elect_commerce_use_21 = 0) AND (f_basi c_data.q6 =1)
-----

```

```

-----
SELECT      *
FROM        f_basi c_data INNER JOIN
           f_i nternet ON f_basi c_data.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data.month1_code = f_i nternet.month1_code AND
           f_basi c_data.gov_code = f_i nternet.gov_code AND
f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
           f_basi c_data.secti on_code = f_i nternet.secti on_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
           f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code
where      (f_i nternet.elect_gover_use = 1) AND (f_basi c_data.ser_l ine <> 99)
AND (f_basi c_data.q3 = 0) AND (f_basi c_data.q9 = 0)and net_code=1
ORDER BY  f_basi c_data.gov_code, f_basi c_data.doc_ser_gov

```

```

-----
SELECT      *
FROM        f_basi c_data INNER JOIN
           f_i nternet ON f_basi c_data.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data.month1_code = f_i nternet.month1_code AND
           f_basi c_data.gov_code = f_i nternet.gov_code AND
f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
           f_basi c_data.secti on_code = f_i nternet.secti on_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
           f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code
where      (f_basi c_data.q7 = 1) AND (f_i nternet.elect_commerce_use = 2)
ORDER BY  f_basi c_data.gov_code, f_basi c_data.doc_ser_gov
-----

```

```

-----
SELECT      *
FROM        f_basi c_data INNER JOIN
           f_i nternet ON f_basi c_data.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data.month1_code = f_i nternet.month1_code AND
           f_basi c_data.gov_code = f_i nternet.gov_code AND
f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
           f_basi c_data.secti on_code = f_i nternet.secti on_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
           f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code
where      (f_i nternet.elect_commerce_use = 1)AND

```

3 ولاء-السويس sql

```
(f_internet.select_commerce_use_21 = 0)AND (f_internet.select_commerce_use_11 = 0)  
ORDER BY f_basic_data.gov_code, f_basic_data.doc_ser_gov
```

ربط بين الدخول على الانترنت والاسر التي تدخل على الانترنت  
جدول الانترنت وجدول البيانات الاساسيه

card1=1 and (q7 =0 or q6 =0) البيانات الاساسيه

card1=2 and (q7 =1 or q6 =1) البيانات الاساسيه

(ربط شراء سلع وخدمات جدول البيانات الاساسيه )مع (المشتريات جدول الانترنت)

(ربط التعاملات البنكيه جدول البيانات الاساسيه )مع (المشتريات جدول الانترنت)

ربط بين افراد الاسرة المستخدمين النت فى المنزل ووسائل الاتصال فى جدول الانترنت على الاكسل

```
SELECT *  
FROM f_internet INNER JOIN  
f_basic_data ON f_internet.YEAR_STATE =  
f_basic_data.YEAR_STATE AND f_internet.month1_code = f_basic_data.month1_code AND  
f_internet.gov_code = f_basic_data.gov_code AND  
f_internet.doc_ser_gov = f_basic_data.doc_ser_gov AND  
f_internet.val1_code = f_basic_data.val1_code AND  
f_internet.section_code = f_basic_data.section_code AND  
f_internet.doc_ser_val1 = f_basic_data.doc_ser_val1 AND  
f_internet.r_u_code = f_basic_data.r_u_code  
where (f_internet.connection_code = 1) AND (f_basic_data.ser_line = 99) AND  
(f_basic_data.ind1 = 0) OR  
(f_internet.codec1 = 1) AND (f_basic_data.ser_line = 99)  
AND (f_basic_data.ind1 = 0) OR  
(f_internet.codec2 = 1) AND (f_basic_data.ser_line = 99)  
AND (f_basic_data.ind1 = 0) OR  
(f_internet.codec3 = 1) AND (f_basic_data.ser_line = 99)  
AND (f_basic_data.ind1 = 0) OR  
(f_internet.codec4 = 1) AND (f_basic_data.ser_line = 99)  
AND (f_basic_data.ind1 = 0)
```

```
SELECT *  
FROM f_internet INNER JOIN  
f_basic_data ON f_internet.YEAR_STATE =  
f_basic_data.YEAR_STATE AND f_internet.month1_code = f_basic_data.month1_code AND  
f_internet.gov_code = f_basic_data.gov_code AND  
f_internet.doc_ser_gov = f_basic_data.doc_ser_gov AND  
f_internet.val1_code = f_basic_data.val1_code AND  
f_internet.section_code = f_basic_data.section_code AND  
f_internet.doc_ser_val1 = f_basic_data.doc_ser_val1 AND  
f_internet.r_u_code = f_basic_data.r_u_code  
where (f_internet.connection_code = 0) AND (f_internet.codec1 = 0) AND  
(f_internet.codec2 = 0) AND (f_internet.codec3 = 0) AND (f_internet.codec4 = 0)  
AND (f_internet.codec5 = 0) AND (f_internet.codec6 = 0) AND  
(f_basic_data.ser_line = 99) AND (f_basic_data.ind1 = 1)
```

```
SELECT *  
FROM f_basic_data INNER JOIN  
f_communication ON f_basic_data.YEAR_STATE =  
f_communication.YEAR_STATE AND  
f_basic_data.month1_code = f_communication.month1_code AND  
f_basic_data.gov_code = f_communication.gov_code AND  
f_basic_data.doc_ser_gov = f_communication.doc_ser_gov AND  
f_basic_data.section_code = f_communication.section_code AND  
f_basic_data.val1_code = f_communication.val1_code AND  
f_basic_data.doc_ser_val1 = f_communication.doc_ser_val1 AND  
f_basic_data.r_u_code = f_communication.r_u_code  
where (f_basic_data.pc <> 1) AND(f_basic_data.laptop <> 1) AND
```

```
(f_basi c_data.pc_laptop <> 1) AND (f_communacati on.net_broadband <> 0)
```

```
-----
SELECT      *
FROM        f_basi c_data1 INNER JOIN
            f_i nternet ON f_basi c_data1.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data1.month1_code = f_i nternet.month1_code AND
            f_basi c_data1.gov_code = f_i nternet.gov_code AND
f_basi c_data1.doc_ser_gov = f_i nternet.doc_ser_gov AND
            f_basi c_data1.secti on_code = f_i nternet.secti on_code AND
f_basi c_data1.val l_code = f_i nternet.val l_code AND
            f_basi c_data1.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data1.r_u_code = f_i nternet.r_u_code
where      (f_basi c_data1.p_i nternet = 2) AND (f_i nternet.codec1 = 1 or
f_i nternet.codec2 = 1 or f_i nternet.codec3 = 1 or f_i nternet.codec4 = 1 or
f_i nternet.codec5 = 1 or f_i nternet.codec6 = 1 )
ORDER BY  f_basi c_data1.gov_code, f_basi c_data1.doc_ser_gov
-----
```

```
SELECT      *
FROM        f_basi c_data1 INNER JOIN
            f_i nternet ON f_basi c_data1.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data1.month1_code = f_i nternet.month1_code AND
            f_basi c_data1.gov_code = f_i nternet.gov_code AND
f_basi c_data1.doc_ser_gov = f_i nternet.doc_ser_gov AND
            f_basi c_data1.secti on_code = f_i nternet.secti on_code AND
f_basi c_data1.val l_code = f_i nternet.val l_code AND
            f_basi c_data1.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data1.r_u_code = f_i nternet.r_u_code
where      (f_basi c_data1.p_i nternet = 1) AND (f_i nternet.codec1 <> 1)AND
(f_i nternet.codec2 <> 1)AND (f_i nternet.codec3 <> 1)AND (f_i nternet.codec4 <>
1)AND (f_i nternet.codec5 <> 1)AND (f_i nternet.codec6 <> 1)
-----
```

```
SELECT      *
FROM        f_computer INNER JOIN
            f_basi c_data1 ON f_computer.YEAR_STATE =
f_basi c_data1.YEAR_STATE AND f_computer.month1_code = f_basi c_data1.month1_code
AND
            f_computer.gov_code = f_basi c_data1.gov_code AND
f_computer.doc_ser_gov = f_basi c_data1.doc_ser_gov AND
            f_computer.secti on_code = f_basi c_data1.secti on_code AND
f_computer.val l_code = f_basi c_data1.val l_code AND
            f_computer.doc_ser_val l = f_basi c_data1.doc_ser_val l AND
f_computer.r_u_code = f_basi c_data1.r_u_code
where      (f_computer.comp_have = 2) AND (f_basi c_data1.p_i nternet = 1)
-----
```

```
SELECT      *
FROM        f_computer INNER JOIN
            f_basi c_data1 ON f_computer.YEAR_STATE =
f_basi c_data1.YEAR_STATE AND f_computer.month1_code = f_basi c_data1.month1_code
AND
            f_computer.gov_code = f_basi c_data1.gov_code AND
f_computer.doc_ser_gov = f_basi c_data1.doc_ser_gov AND
            f_computer.secti on_code = f_basi c_data1.secti on_code AND
f_computer.val l_code = f_basi c_data1.val l_code AND
            f_computer.doc_ser_val l = f_basi c_data1.doc_ser_val l AND
f_computer.r_u_code = f_basi c_data1.r_u_code
where      (f_computer.comp_have = 1) AND (f_basi c_data1.electry = 2)
-----
```

```
SELECT      *
FROM        f_communacati on INNER JOIN
            f_i nternet ON f_communacati on.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_communacati on.month1_code = f_i nternet.month1_code
AND
            f_communacati on.gov_code = f_i nternet.gov_code AND
f_communacati on.doc_ser_gov = f_i nternet.doc_ser_gov AND
            f_communacati on.secti on_code = f_i nternet.secti on_code AND
f_communacati on.val l_code = f_i nternet.val l_code AND
            f_communacati on.doc_ser_val l = f_i nternet.doc_ser_val l AND
-----
```

```
f_communication.r_u_code = f_internet.r_u_code
where (f_communication.phon = 2) AND (f_internet.elect_gover_use_code = 1)
```

```
-----
SELECT *
FROM f_basic_data INNER JOIN
      f_computer ON f_basic_data.r_u_code = f_computer.r_u_code
AND f_basic_data.doc_ser_val1 = f_computer.doc_ser_val1 AND
      f_basic_data.val1_code = f_computer.val1_code AND
f_basic_data.section_code = f_computer.section_code AND
      f_basic_data.doc_ser_gov = f_computer.doc_ser_gov AND
f_basic_data.gov_code = f_computer.gov_code AND
      f_basic_data.month1_code = f_computer.month1_code AND
f_basic_data.YEAR_STATE = f_computer.YEAR_STATE
where (f_basic_data.comp_bar_1 = 1) AND (f_computer.comp_have = 1)
```

```
-----
SELECT *
FROM f_table1 INNER JOIN
      f_basic_data ON f_table1.r_u_code = f_basic_data.r_u_code
AND f_table1.doc_ser_val1 = f_basic_data.doc_ser_val1 AND
      f_table1.val1_code = f_basic_data.val1_code AND
f_table1.section_code = f_basic_data.section_code AND
      f_table1.doc_ser_gov = f_basic_data.doc_ser_gov AND
f_table1.gov_code = f_basic_data.gov_code AND
      f_table1.month1_code = f_basic_data.month1_code AND
f_table1.YEAR_STATE = f_basic_data.YEAR_STATE AND
      f_table1.sextot <> f_basic_data.no_line-1
order by f_basic_data.gov_code, f_basic_data.doc_ser_gov, f_basic_data.ser_line
```

```
-----
SELECT *
FROM f_basic_data INNER JOIN
      f_table1 ON f_basic_data.r_u_code = f_table1.r_u_code AND
f_basic_data.doc_ser_val1 = f_table1.doc_ser_val1 AND
      f_basic_data.doc_ser_val1 = f_table1.val1_code AND
f_basic_data.section_code = f_table1.section_code AND
      f_basic_data.doc_ser_gov = f_table1.doc_ser_gov AND
f_basic_data.gov_code = f_table1.gov_code AND
      f_basic_data.month1_code = f_table1.month1_code AND
f_basic_data.YEAR_STATE = f_table1.YEAR_STATE
where (f_table1.q_club = 2) AND (f_basic_data.net2 = 1)
```

```
-----
SELECT *
FROM f_basic_data
where (comp_use = 1) AND (comp_bar_1 = 1) OR
      (comp_use = 1) AND (comp_bar_2 = 1) OR
      (comp_use = 1) AND (comp_bar_3 = 1) OR
      (comp_use = 1) AND (comp_bar_4 = 1) OR
      (comp_use = 1) AND (comp_bar_5 = 1) OR
      (comp_use = 1) AND (comp_bar_6 = 1) OR
      (comp_use = 1) AND (comp_bar_7 = 1) OR
      (comp_use = 1) AND (comp_bar_8 = 1) OR
      (comp_use = 1) AND (comp_bar_9 = 1)
```

```
-----
SELECT *
FROM f_basic_data INNER JOIN
      f_computer ON f_basic_data.r_u_code = f_computer.r_u_code
AND f_basic_data.doc_ser_val1 = f_computer.doc_ser_val1 AND
      f_basic_data.val1_code = f_computer.val1_code AND
f_basic_data.section_code = f_computer.section_code AND
      f_basic_data.doc_ser_gov = f_computer.doc_ser_gov AND
f_basic_data.gov_code = f_computer.gov_code AND
      f_basic_data.month1_code = f_computer.month1_code AND
f_basic_data.YEAR_STATE = f_computer.YEAR_STATE
where (f_basic_data.ind1 = 1) AND (f_computer.comp_have = 2)
```

```
-----
SELECT *
FROM f_basic_data INNER JOIN
      f_computer ON f_basic_data.r_u_code = f_computer.r_u_code
```

3 ولاء-السويس sql

```
AND f_basi c_data.doc_ser_val l = f_computer.doc_ser_val l AND
      f_basi c_data.val l_code = f_computer.val l_code AND
f_basi c_data.secti on_code = f_computer.secti on_code AND
      f_basi c_data.doc_ser_gov = f_computer.doc_ser_gov AND
f_basi c_data.gov_code = f_computer.gov_code AND
      f_basi c_data.month1_code = f_computer.month1_code AND
f_basi c_data.YEAR_STATE = f_computer.YEAR_STATE
where (f_computer.comp_have = 1) AND (f_basi c_data.net_barriers_code = 1)
```

```
-----
SELECT      *
FROM        f_basi c_data INNER JOIN
            f_communacati on ON f_basi c_data.r_u_code =
f_communacati on.r_u_code AND f_basi c_data.doc_ser_val l =
f_communacati on.doc_ser_val l AND
            f_basi c_data.val l_code = f_communacati on.val l_code AND
f_basi c_data.secti on_code = f_communacati on.secti on_code AND
            f_basi c_data.doc_ser_gov = f_communacati on.doc_ser_gov AND
f_basi c_data.gov_code = f_communacati on.gov_code AND
            f_basi c_data.month1_code = f_communacati on.month1_code AND
f_basi c_data.YEAR_STATE = f_communacati on.YEAR_STATE
where (f_basi c_data.code3 = 1) AND (f_communacati on.phon = 2)
```

```
-----
SELECT      *
FROM        f_basi c_data1 INNER JOIN
            f_communacati on ON f_basi c_data1.YEAR_STATE =
f_communacati on.YEAR_STATE AND
            f_basi c_data1.month1_code = f_communacati on.month1_code AND
f_basi c_data1.gov_code = f_communacati on.gov_code AND
            f_basi c_data1.doc_ser_gov = f_communacati on.doc_ser_gov AND
f_basi c_data1.secti on_code = f_communacati on.secti on_code AND
            f_basi c_data1.val l_code = f_communacati on.val l_code AND
f_basi c_data1.doc_ser_val l = f_communacati on.doc_ser_val l AND
            f_basi c_data1.r_u_code = f_communacati on.r_u_code
where (f_basi c_data1.p_internet = 2) AND (f_communacati on.net_cost <> 0)
```

```
-----
SELECT      *
FROM        f_basi c_data1 INNER JOIN
            f_computer ON f_basi c_data1.YEAR_STATE =
f_computer.YEAR_STATE AND f_basi c_data1.month1_code = f_computer.month1_code AND
            f_basi c_data1.gov_code = f_computer.gov_code AND
f_basi c_data1.doc_ser_gov = f_computer.doc_ser_gov AND
            f_basi c_data1.secti on_code = f_computer.secti on_code AND
f_basi c_data1.val l_code = f_computer.val l_code AND
            f_basi c_data1.doc_ser_val l = f_computer.doc_ser_val l AND
f_basi c_data1.r_u_code = f_computer.r_u_code
where (f_basi c_data1.p_internet = 1) AND (f_computer.comp_have = 2)
```

```
-----
SELECT      *
FROM        f_internet INNER JOIN
            f_basi c_data ON f_internet.r_u_code = f_basi c_data.r_u_code
AND f_internet.doc_ser_val l = f_basi c_data.doc_ser_val l AND
            f_internet.val l_code = f_basi c_data.val l_code AND
f_internet.secti on_code = f_basi c_data.secti on_code AND
            f_internet.doc_ser_gov = f_basi c_data.doc_ser_gov AND
f_internet.gov_code = f_basi c_data.gov_code AND
            f_internet.month1_code = f_basi c_data.month1_code AND
f_internet.YEAR_STATE = f_basi c_data.YEAR_STATE
where (f_internet.codec1 = 1 OR f_internet.codec2 = 1 OR f_internet.codec3
= 1 OR f_internet.connection_code = 1)
      AND (f_basi c_data.ind1 = 0) AND (f_basi c_data.ser_line =
99)
```

```
-----
SELECT      *
FROM        f_computer INNER JOIN
            f_internet ON f_computer.YEAR_STATE = f_internet.YEAR_STATE
AND f_computer.month1_code = f_internet.month1_code AND
            f_computer.gov_code = f_internet.gov_code AND
f_computer.doc_ser_gov = f_internet.doc_ser_gov AND
```

3 ولاء-السويس sql

```
f_computer.section_code = f_internet.section_code AND
f_computer.vall_code = f_internet.vall_code AND
f_computer.doc_ser_vall = f_internet.doc_ser_vall AND
f_computer.r_u_code = f_internet.r_u_code
where (f_computer.comp_have = 2) AND (f_internet.q5_1 = 1)
```

```
-----
SELECT *
FROM f_computer INNER JOIN
      f_comp_net_security ON f_computer.YEAR_STATE =
f_comp_net_security.YEAR_STATE AND
      f_computer.month1_code = f_comp_net_security.month1_code
AND f_computer.gov_code = f_comp_net_security.gov_code AND
      f_computer.doc_ser_gov = f_comp_net_security.doc_ser_gov
AND f_computer.section_code = f_comp_net_security.section_code AND
      f_computer.vall_code = f_comp_net_security.vall_code AND
f_computer.doc_ser_vall = f_comp_net_security.doc_ser_vall AND
      f_computer.r_u_code = f_comp_net_security.r_u_code
where (f_computer.comp_have = 2) AND (f_comp_net_security.q7_1 <> 0)
```

```
-----
SELECT *
FROM f_computer INNER JOIN
      f_comp_net_security ON f_computer.YEAR_STATE =
f_comp_net_security.YEAR_STATE AND
      f_computer.month1_code = f_comp_net_security.month1_code
AND f_computer.gov_code = f_comp_net_security.gov_code AND
      f_computer.doc_ser_gov = f_comp_net_security.doc_ser_gov
AND f_computer.section_code = f_comp_net_security.section_code AND
      f_computer.vall_code = f_comp_net_security.vall_code AND
f_computer.doc_ser_vall = f_comp_net_security.doc_ser_vall AND
      f_computer.r_u_code = f_comp_net_security.r_u_code
where (f_computer.comp_have = 1) AND (f_comp_net_security.q7_1 = 0)
```

```
-----
SELECT *
FROM f_computer INNER JOIN
      f_comp_net_security ON f_computer.YEAR_STATE =
f_comp_net_security.YEAR_STATE AND
      f_computer.month1_code = f_comp_net_security.month1_code
AND f_computer.gov_code = f_comp_net_security.gov_code AND
      f_computer.doc_ser_gov = f_comp_net_security.doc_ser_gov
AND f_computer.section_code = f_comp_net_security.section_code AND
      f_computer.vall_code = f_comp_net_security.vall_code AND
f_computer.doc_ser_vall = f_comp_net_security.doc_ser_vall AND
      f_computer.r_u_code = f_comp_net_security.r_u_code
where (f_computer.comp_have = 2) AND (f_comp_net_security.q7_1 = 0)
```

-----جدول ال f\_table مع باقي الجداول-----

```
SELECT *
FROM f_basic_data INNER JOIN
      f_table1 ON f_basic_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basic_data.month1_code = f_table1.month1_code AND
      f_basic_data.gov_code = f_table1.gov_code AND
f_basic_data.doc_ser_gov = f_table1.doc_ser_gov AND
      f_basic_data.section_code = f_table1.section_code AND
f_basic_data.vall_code = f_table1.vall_code AND
      f_basic_data.doc_ser_vall = f_table1.doc_ser_vall AND
f_basic_data.r_u_code = f_table1.r_u_code
where (f_basic_data.comp_ent = 2) AND (f_basic_data.ser_line = 99) AND
(f_table1.q_comp <> 2)
```

```
-----
SELECT *
FROM f_basic_data INNER JOIN
      f_table1 ON f_basic_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basic_data.month1_code = f_table1.month1_code AND
      f_basic_data.gov_code = f_table1.gov_code AND
f_basic_data.doc_ser_gov = f_table1.doc_ser_gov AND
      f_basic_data.section_code = f_table1.section_code AND
f_basic_data.vall_code = f_table1.vall_code AND
      f_basic_data.doc_ser_vall = f_table1.doc_ser_vall AND
```



```
f_basi c_data.r_u_code = f_table1.r_u_code
where (f_basi c_data.comp_ent = 1) AND (f_basi c_data.ser_line = 99) AND
(f_table1.q_comp <>1)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
      f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
      f_basi c_data.section_code = f_table1.section_code AND
f_basi c_data.val_l_code = f_table1.val_l_code AND
      f_basi c_data.doc_ser_val_l = f_table1.doc_ser_val_l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where (f_basi c_data.comp_ent = 0) AND (f_basi c_data.ser_line = 99) AND
(f_table1.q_comp <> 0)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
      f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
      f_basi c_data.section_code = f_table1.section_code AND
f_basi c_data.val_l_code = f_table1.val_l_code AND
      f_basi c_data.doc_ser_val_l = f_table1.doc_ser_val_l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where (f_basi c_data.comp_ent <> 0) AND (f_basi c_data.ser_line = 99) AND
(f_table1.q_comp = 0)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
      f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
      f_basi c_data.section_code = f_table1.section_code AND
f_basi c_data.val_l_code = f_table1.val_l_code AND
      f_basi c_data.doc_ser_val_l = f_table1.doc_ser_val_l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where (f_basi c_data.ser_line = 99) AND (f_table1.q_mobile = 2) AND
(f_basi c_data.mobile = 1)
order by ser_line
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
      f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
      f_basi c_data.section_code = f_table1.section_code AND
f_basi c_data.val_l_code = f_table1.val_l_code AND
      f_basi c_data.doc_ser_val_l = f_table1.doc_ser_val_l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where (f_basi c_data.ser_line = 99) AND (f_table1.q_mobile <>2) AND
(f_basi c_data.mobile = 2)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
      f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
      f_basi c_data.section_code = f_table1.section_code AND
f_basi c_data.val_l_code = f_table1.val_l_code AND
      f_basi c_data.doc_ser_val_l = f_table1.doc_ser_val_l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where (f_basi c_data.ser_line = 99) AND (f_table1.q_mobile = 0) AND
```

```
(f_basi c_data. mobi le <> 0)
```

```
-----
SELECT      *
FROM        f_basi c_data INNER JOIN
            f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
            f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
            f_basi c_data.secti on_code = f_table1.secti on_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
            f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where      (f_basi c_data.ser_l ine = 99) AND (f_table1.q_mobi le <> 0) AND
(f_basi c_data.mobi le = 0)
```

```
-----
SELECT      *
FROM        f_basi c_data INNER JOIN
            f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
            f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
            f_basi c_data.secti on_code = f_table1.secti on_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
            f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where      (f_basi c_data.ser_l ine = 99) AND (f_basi c_data.mobi le_net = 2) AND
(f_table1.qmobi le_net = 1)
```

```
-----
SELECT      *
FROM        f_basi c_data INNER JOIN
            f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
            f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
            f_basi c_data.secti on_code = f_table1.secti on_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
            f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where      (f_basi c_data.ser_l ine = 99) AND (f_basi c_data.mobi le_net = 1) AND
(f_table1.qmobi le_net = 2)
```

```
-----
SELECT      *
FROM        f_basi c_data INNER JOIN
            f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
            f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
            f_basi c_data.secti on_code = f_table1.secti on_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
            f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where      (f_basi c_data.ser_l ine = 99) AND (f_basi c_data.mob_use5 = 1) AND
(f_table1.qmobi le_net <>0)
```

```
-----
SELECT      *
FROM        f_basi c_data INNER JOIN
            f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
            f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
            f_basi c_data.secti on_code = f_table1.secti on_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
            f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where      (f_basi c_data.ser_l ine = 99) AND (f_basi c_data.mobi le_net <>0) AND
(f_table1.qmobi le_net =0)
```

```
-----
SELECT      *
```

```

FROM      f_basi c_data INNER JOIN
          f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
          f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
          f_basi c_data.secti on_code = f_table1.secti on_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
          f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where      (f_basi c_data.ser_l ine = 99) AND (f_table1.q_mobile3 = 1) AND
(f_basi c_data.mobi le_3 = 2)
-----

```

```

SELECT      *
FROM      f_basi c_data INNER JOIN
          f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
          f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
          f_basi c_data.secti on_code = f_table1.secti on_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
          f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where      (f_basi c_data.ser_l ine = 99) AND (f_table1.q_mobile3 <>1) AND
(f_basi c_data.mobi le_3 = 1)
-----

```

```

SELECT      *
FROM      f_basi c_data INNER JOIN
          f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
          f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
          f_basi c_data.secti on_code = f_table1.secti on_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
          f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where      (f_basi c_data.ser_l ine = 99) AND (f_table1.q_mobile3 <>2) AND
(f_basi c_data.mobi le_3 = 0)
-----

```

```

SELECT      *
FROM      f_basi c_data INNER JOIN
          f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
          f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
          f_basi c_data.secti on_code = f_table1.secti on_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
          f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where      (f_basi c_data.ser_l ine = 99) AND (f_table1.q_mobile3 = 0) AND
(f_basi c_data.mobi le_3 <>0)
-----

```

```

SELECT      *
FROM      f_basi c_data INNER JOIN
          f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
          f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
          f_basi c_data.secti on_code = f_table1.secti on_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
          f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where      (f_basi c_data.ser_l ine = 99) AND (f_table1.q_net = 1) AND
(f_basi c_data.net_ent = 2)
-----

```

```

SELECT      *
FROM      f_basi c_data INNER JOIN
          f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND

```

3 ولاء-السويس sql

```
f_basi c_data.gov_code = f_tabl e1.gov_code AND
f_basi c_data.doc_ser_gov = f_tabl e1.doc_ser_gov AND
f_basi c_data.secti on_code = f_tabl e1.secti on_code AND
f_basi c_data.val l_code = f_tabl e1.val l_code AND
f_basi c_data.doc_ser_val l = f_tabl e1.doc_ser_val l AND
f_basi c_data.r_u_code = f_tabl e1.r_u_code
where (f_basi c_data.ser_l ine = 99) AND (f_tabl e1.q_net = 2) AND
(f_basi c_data.net_ent = 1)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_tabl e1 ON f_basi c_data.YEAR_STATE = f_tabl e1.YEAR_STATE
AND f_basi c_data.month1_code = f_tabl e1.month1_code AND
      f_basi c_data.gov_code = f_tabl e1.gov_code AND
f_basi c_data.doc_ser_gov = f_tabl e1.doc_ser_gov AND
      f_basi c_data.secti on_code = f_tabl e1.secti on_code AND
f_basi c_data.val l_code = f_tabl e1.val l_code AND
      f_basi c_data.doc_ser_val l = f_tabl e1.doc_ser_val l AND
f_basi c_data.r_u_code = f_tabl e1.r_u_code
where (f_basi c_data.ser_l ine = 99) AND (f_tabl e1.q_net = 0) AND
(f_basi c_data.net_ent <>0)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_tabl e1 ON f_basi c_data.YEAR_STATE = f_tabl e1.YEAR_STATE
AND f_basi c_data.month1_code = f_tabl e1.month1_code AND
      f_basi c_data.gov_code = f_tabl e1.gov_code AND
f_basi c_data.doc_ser_gov = f_tabl e1.doc_ser_gov AND
      f_basi c_data.secti on_code = f_tabl e1.secti on_code AND
f_basi c_data.val l_code = f_tabl e1.val l_code AND
      f_basi c_data.doc_ser_val l = f_tabl e1.doc_ser_val l AND
f_basi c_data.r_u_code = f_tabl e1.r_u_code
where (f_basi c_data.ser_l ine = 99) AND (f_tabl e1.q_net <> 2) AND
(f_basi c_data.net_code =0)and comp_use=1
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_tabl e1 ON f_basi c_data.YEAR_STATE = f_tabl e1.YEAR_STATE
AND f_basi c_data.month1_code = f_tabl e1.month1_code AND
      f_basi c_data.gov_code = f_tabl e1.gov_code AND
f_basi c_data.doc_ser_gov = f_tabl e1.doc_ser_gov AND
      f_basi c_data.secti on_code = f_tabl e1.secti on_code AND
f_basi c_data.val l_code = f_tabl e1.val l_code AND
      f_basi c_data.doc_ser_val l = f_tabl e1.doc_ser_val l AND
f_basi c_data.r_u_code = f_tabl e1.r_u_code
where (f_basi c_data.ser_l ine <> 99) AND (f_tabl e1.q_cafee <>2) AND
(f_basi c_data.cost_cofee =0)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_tabl e1 ON f_basi c_data.YEAR_STATE = f_tabl e1.YEAR_STATE
AND f_basi c_data.month1_code = f_tabl e1.month1_code AND
      f_basi c_data.gov_code = f_tabl e1.gov_code AND
f_basi c_data.doc_ser_gov = f_tabl e1.doc_ser_gov AND
      f_basi c_data.secti on_code = f_tabl e1.secti on_code AND
f_basi c_data.val l_code = f_tabl e1.val l_code AND
      f_basi c_data.doc_ser_val l = f_tabl e1.doc_ser_val l AND
f_basi c_data.r_u_code = f_tabl e1.r_u_code
where (f_basi c_data.ser_l ine <> 99) AND (f_tabl e1.q_cafee <>1) AND
(f_basi c_data.cost_cofee <>0)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_tabl e1 ON f_basi c_data.YEAR_STATE = f_tabl e1.YEAR_STATE
AND f_basi c_data.month1_code = f_tabl e1.month1_code AND
      f_basi c_data.gov_code = f_tabl e1.gov_code AND
f_basi c_data.doc_ser_gov = f_tabl e1.doc_ser_gov AND
      f_basi c_data.secti on_code = f_tabl e1.secti on_code AND
```

```
f_basi c_data. vall _code = f_table1. vall _code AND
f_basi c_data. doc_ser_vall = f_table1. doc_ser_vall AND
f_basi c_data. r_u_code = f_table1. r_u_code
where (f_basi c_data. ser_line = 99) AND (f_table1. q_cafee = 0) AND
(f_basi c_data. cost_cofee <>0)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
f_table1 ON f_basi c_data. YEAR_STATE = f_table1. YEAR_STATE
AND f_basi c_data. month1_code = f_table1. month1_code AND
f_basi c_data. gov_code = f_table1. gov_code AND
f_basi c_data. doc_ser_gov = f_table1. doc_ser_gov AND
f_basi c_data. secti on_code = f_table1. secti on_code AND
f_basi c_data. vall _code = f_table1. vall _code AND
f_basi c_data. doc_ser_vall = f_table1. doc_ser_vall AND
f_basi c_data. r_u_code = f_table1. r_u_code
where (f_basi c_data. ser_line = 99) AND (f_table1. q_club <>2) AND
(f_basi c_data. cost_club = 0)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
f_table1 ON f_basi c_data. YEAR_STATE = f_table1. YEAR_STATE
AND f_basi c_data. month1_code = f_table1. month1_code AND
f_basi c_data. gov_code = f_table1. gov_code AND
f_basi c_data. doc_ser_gov = f_table1. doc_ser_gov AND
f_basi c_data. secti on_code = f_table1. secti on_code AND
f_basi c_data. vall _code = f_table1. vall _code AND
f_basi c_data. doc_ser_vall = f_table1. doc_ser_vall AND
f_basi c_data. r_u_code = f_table1. r_u_code
where (f_basi c_data. ser_line = 99) AND (f_table1. q_club <>1)AND
(f_basi c_data. cost_club <>0)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
f_table1 ON f_basi c_data. YEAR_STATE = f_table1. YEAR_STATE
AND f_basi c_data. month1_code = f_table1. month1_code AND
f_basi c_data. gov_code = f_table1. gov_code AND
f_basi c_data. doc_ser_gov = f_table1. doc_ser_gov AND
f_basi c_data. secti on_code = f_table1. secti on_code AND
f_basi c_data. vall _code = f_table1. vall _code AND
f_basi c_data. doc_ser_vall = f_table1. doc_ser_vall AND
f_basi c_data. r_u_code = f_table1. r_u_code
where (f_basi c_data. ser_line = 99) AND (f_table1. q_club = 0) AND
(f_basi c_data. cost_club <> 0)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
f_table1 ON f_basi c_data. YEAR_STATE = f_table1. YEAR_STATE
AND f_basi c_data. month1_code = f_table1. month1_code AND
f_basi c_data. gov_code = f_table1. gov_code AND
f_basi c_data. doc_ser_gov = f_table1. doc_ser_gov AND
f_basi c_data. secti on_code = f_table1. secti on_code AND
f_basi c_data. vall _code = f_table1. vall _code AND
f_basi c_data. doc_ser_vall = f_table1. doc_ser_vall AND
f_basi c_data. r_u_code = f_table1. r_u_code
where (f_basi c_data. ser_line = 99) AND (f_table1. q_l library <>2) AND
(f_basi c_data. cost_l library = 0)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
f_table1 ON f_basi c_data. YEAR_STATE = f_table1. YEAR_STATE
AND f_basi c_data. month1_code = f_table1. month1_code AND
f_basi c_data. gov_code = f_table1. gov_code AND
f_basi c_data. doc_ser_gov = f_table1. doc_ser_gov AND
f_basi c_data. secti on_code = f_table1. secti on_code AND
f_basi c_data. vall _code = f_table1. vall _code AND
f_basi c_data. doc_ser_vall = f_table1. doc_ser_vall AND
f_basi c_data. r_u_code = f_table1. r_u_code
```

```
where (f_basi c_data.ser_line = 99) AND (f_table1.q_library <>1)AND
(f_basi c_data.cost_library <>0)
```

```
-----
SELECT      *
FROM        f_basi c_data INNER JOIN
            f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
            f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
            f_basi c_data.secti on_code = f_table1.secti on_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
            f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where      (f_basi c_data.ser_line = 99) AND (f_table1.q_library = 0) AND
(f_basi c_data.cost_library <> 0)
```

```
-----
SELECT      *
FROM        f_table1 INNER JOIN
            f_internet ON f_table1.YEAR_STATE = f_internet.YEAR_STATE
AND f_table1.month1_code = f_internet.month1_code AND
            f_table1.gov_code = f_internet.gov_code AND
f_table1.doc_ser_gov = f_internet.doc_ser_gov AND f_table1.secti on_code =
f_internet.secti on_code AND
            f_table1.val l_code = f_internet.val l_code AND
f_table1.doc_ser_val l = f_internet.doc_ser_val l AND f_table1.r_u_code =
f_internet.r_u_code
where      (f_table1.q_h_net = 1) AND (f_internet.q5_1 = 2)
```

```
-----
SELECT      *
FROM        f_table1 INNER JOIN
            f_internet ON f_table1.YEAR_STATE = f_internet.YEAR_STATE
AND f_table1.month1_code = f_internet.month1_code AND
            f_table1.gov_code = f_internet.gov_code AND
f_table1.doc_ser_gov = f_internet.doc_ser_gov AND f_table1.secti on_code =
f_internet.secti on_code AND
            f_table1.val l_code = f_internet.val l_code AND
f_table1.doc_ser_val l = f_internet.doc_ser_val l AND f_table1.r_u_code =
f_internet.r_u_code
where      (f_table1.q_h_net = 2) AND (f_internet.q5_1 = 1)
```

```
-----
SELECT      *
FROM        f_table1 INNER JOIN
            f_internet ON f_table1.YEAR_STATE = f_internet.YEAR_STATE
AND f_table1.month1_code = f_internet.month1_code AND
            f_table1.gov_code = f_internet.gov_code AND
f_table1.doc_ser_gov = f_internet.doc_ser_gov AND f_table1.secti on_code =
f_internet.secti on_code AND
            f_table1.val l_code = f_internet.val l_code AND
f_table1.doc_ser_val l = f_internet.doc_ser_val l AND f_table1.r_u_code =
f_internet.r_u_code
where      (f_table1.q_h_net = 1) AND (f_internet.q5_1 <> 1)
```

```
-----
SELECT      *
FROM        f_table1 INNER JOIN
            f_internet ON f_table1.YEAR_STATE = f_internet.YEAR_STATE
AND f_table1.month1_code = f_internet.month1_code AND
            f_table1.gov_code = f_internet.gov_code AND
f_table1.doc_ser_gov = f_internet.doc_ser_gov AND f_table1.secti on_code =
f_internet.secti on_code AND
            f_table1.val l_code = f_internet.val l_code AND
f_table1.doc_ser_val l = f_internet.doc_ser_val l AND f_table1.r_u_code =
f_internet.r_u_code
where      (f_table1.q_h_net = 1) AND (f_internet.q5_1=0 )
```

-----وبالمقارنة عن طريق الاكسل-----

```
-----
SELECT      COUNT(*) AS Expr1
```

```
FROM f_basi c_data INNER JOIN
      f_table1 ON f_basi c_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basi c_data.month1_code = f_table1.month1_code AND
      f_basi c_data.gov_code = f_table1.gov_code AND
f_basi c_data.doc_ser_gov = f_table1.doc_ser_gov AND
      f_basi c_data.section_code = f_table1.section_code AND
f_basi c_data.val l_code = f_table1.val l_code AND
      f_basi c_data.doc_ser_val l = f_table1.doc_ser_val l AND
f_basi c_data.r_u_code = f_table1.r_u_code
where (f_basi c_data.ind1 IS NULL) AND (f_basi c_data.ser_l ine = 99) AND
(f_table1.q_h_net = 1)
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_i nternet ON f_basi c_data.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data.month1_code = f_i nternet.month1_code AND
      f_basi c_data.gov_code = f_i nternet.gov_code AND
f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
      f_basi c_data.section_code = f_i nternet.section_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
      f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code
where (f_basi c_data.ind1 = 1) AND (f_basi c_data.ser_l ine = 99) AND
(f_i nternet.q5_1 = 2)and net_code=1
```

```
-----
SELECT *
FROM f_basi c_data INNER JOIN
      f_i nternet ON f_basi c_data.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data.month1_code = f_i nternet.month1_code AND
      f_basi c_data.gov_code = f_i nternet.gov_code AND
f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
      f_basi c_data.section_code = f_i nternet.section_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
      f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code
where (f_basi c_data.ser_l ine = 99) AND (f_basi c_data.net_ent = 1) AND
(f_i nternet.net_ent <> 1)
```

```
-'-----update-----
-----update-----
-----update-----
-----update-----
-----update-----
-----update-----
-----update-----
```

```
UPDATE f_i nternet
SET net_ENT = 1
FROM f_basi c_data, f_i nternet
WHERE f_basi c_data.YEAR_STATE = f_i nternet.YEAR_STATE AND
f_basi c_data.month1_code = f_i nternet.month1_code AND
      f_basi c_data.gov_code = f_i nternet.gov_code AND
f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
      f_basi c_data.section_code = f_i nternet.section_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
      f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code AND (f_basi c_data.ser_l ine = 99) AND
      (f_basi c_data.net_ent = 1) AND (f_i nternet.net_ent <> 1)
```

```
-----update-----
-----update-----
-----update-----
-----update-----
-'-----update-----
```

```
SELECT *
FROM f_basi c_data INNER JOIN
      f_i nternet ON f_basi c_data.YEAR_STATE =
f_i nternet.YEAR_STATE AND f_basi c_data.month1_code = f_i nternet.month1_code AND
      f_basi c_data.gov_code = f_i nternet.gov_code AND
```

```
f_basi c_data.doc_ser_gov = f_i nternet.doc_ser_gov AND
f_basi c_data.secti on_code = f_i nternet.secti on_code AND
f_basi c_data.val l_code = f_i nternet.val l_code AND
f_basi c_data.doc_ser_val l = f_i nternet.doc_ser_val l AND
f_basi c_data.r_u_code = f_i nternet.r_u_code
where (f_basi c_data.ser_l ine = 99) AND (f_basi c_data.net_ent <> 1) AND
(f_i nternet.net_ent = 1)
```

```
-----
SELECT *
FROM f_i nternet INNER JOIN
f_comm unacati on ON f_i nternet.YEAR_STATE =
f_comm unacati on.YEAR_STATE AND f_i nternet.month1_code =
f_comm unacati on.month1_code AND
f_i nternet.gov_code = f_comm unacati on.gov_code AND
f_i nternet.doc_ser_gov = f_comm unacati on.doc_ser_gov AND
f_i nternet.secti on_code = f_comm unacati on.secti on_code AND
f_i nternet.val l_code = f_comm unacati on.val l_code AND
f_i nternet.doc_ser_val l = f_comm unacati on.doc_ser_val l AND
f_i nternet.r_u_code = f_comm unacati on.r_u_code
where (f_comm unacati on.net_wi rel ess <> 0) AND (f_i nternet.codec4 <> 1)
```

```
-----
SELECT *
FROM f_i nternet INNER JOIN
f_comm unacati on ON f_i nternet.YEAR_STATE =
f_comm unacati on.YEAR_STATE AND f_i nternet.month1_code =
f_comm unacati on.month1_code AND
f_i nternet.gov_code = f_comm unacati on.gov_code AND
f_i nternet.doc_ser_gov = f_comm unacati on.doc_ser_gov AND
f_i nternet.secti on_code = f_comm unacati on.secti on_code AND
f_i nternet.val l_code = f_comm unacati on.val l_code AND
f_i nternet.doc_ser_val l = f_comm unacati on.doc_ser_val l AND
f_i nternet.r_u_code = f_comm unacati on.r_u_code
where (f_comm unacati on.net_wi rel ess = 0) AND (f_i nternet.codec4 = 1)
```

```
-----
SELECT *
FROM f_i nternet INNER JOIN
f_comm unacati on ON f_i nternet.YEAR_STATE =
f_comm unacati on.YEAR_STATE AND f_i nternet.month1_code =
f_comm unacati on.month1_code AND
f_i nternet.gov_code = f_comm unacati on.gov_code AND
f_i nternet.doc_ser_gov = f_comm unacati on.doc_ser_gov AND
f_i nternet.secti on_code = f_comm unacati on.secti on_code AND
f_i nternet.val l_code = f_comm unacati on.val l_code AND
f_i nternet.doc_ser_val l = f_comm unacati on.doc_ser_val l AND
f_i nternet.r_u_code = f_comm unacati on.r_u_code
where (f_comm unacati on.net_adsl <> 0) AND (f_i nternet.codec1 <> 1)
```

```
-----
SELECT *
FROM f_i nternet INNER JOIN
f_comm unacati on ON f_i nternet.YEAR_STATE =
f_comm unacati on.YEAR_STATE AND f_i nternet.month1_code =
f_comm unacati on.month1_code AND
f_i nternet.gov_code = f_comm unacati on.gov_code AND
f_i nternet.doc_ser_gov = f_comm unacati on.doc_ser_gov AND
f_i nternet.secti on_code = f_comm unacati on.secti on_code AND
f_i nternet.val l_code = f_comm unacati on.val l_code AND
f_i nternet.doc_ser_val l = f_comm unacati on.doc_ser_val l AND
f_i nternet.r_u_code = f_comm unacati on.r_u_code
where (f_comm unacati on.net_adsl = 0) AND (f_i nternet.codec1= 1)
```

```
-----
SELECT *
FROM f_i nternet INNER JOIN
f_comm unacati on ON f_i nternet.YEAR_STATE =
f_comm unacati on.YEAR_STATE AND f_i nternet.month1_code =
f_comm unacati on.month1_code AND
f_i nternet.gov_code = f_comm unacati on.gov_code AND
f_i nternet.doc_ser_gov = f_comm unacati on.doc_ser_gov AND
f_i nternet.secti on_code = f_comm unacati on.secti on_code AND
```



3 ولاء-السويس sql

```
f_internet.vall_code = f_communication.vall_code AND
f_internet.doc_ser_vall = f_communication.doc_ser_vall AND
f_internet.r_u_code = f_communication.r_u_code
WHERE (f_communication.net_adsl = 0) AND (f_internet.codec1 = 1)
```

```
-----
SELECT *
FROM f_internet INNER JOIN
      f_communication ON f_internet.YEAR_STATE =
f_communication.YEAR_STATE AND f_internet.month1_code =
f_communication.month1_code AND
      f_internet.gov_code = f_communication.gov_code AND
f_internet.doc_ser_gov = f_communication.doc_ser_gov AND
      f_internet.section_code = f_communication.section_code AND
f_internet.vall_code = f_communication.vall_code AND
      f_internet.doc_ser_vall = f_communication.doc_ser_vall AND
f_internet.r_u_code = f_communication.r_u_code
where (f_communication.net_isdn <> 0) AND (f_internet.codec2 <> 1)
```

```
-----
SELECT *
FROM f_internet INNER JOIN
      f_communication ON f_internet.YEAR_STATE =
f_communication.YEAR_STATE AND f_internet.month1_code =
f_communication.month1_code AND
      f_internet.gov_code = f_communication.gov_code AND
f_internet.doc_ser_gov = f_communication.doc_ser_gov AND
      f_internet.section_code = f_communication.section_code AND
f_internet.vall_code = f_communication.vall_code AND
      f_internet.doc_ser_vall = f_communication.doc_ser_vall AND
f_internet.r_u_code = f_communication.r_u_code
where (f_communication.net_isdn = 0) AND (f_internet.codec2 = 1)
```

```
-----
SELECT *
FROM f_basic_data
where (hanticafe = 2) AND (p1 = 1) OR
      (hanticafe = 2) AND (p2 = 1) OR
      (hanticafe = 2) AND (p3 = 1) OR
      (hanticafe = 2) AND (p4 = 1) OR
      (hanticafe = 2) AND (p5 = 1) OR
      (hanticafe = 2) AND (p6 = 1) OR
      (hanticafe = 2) AND (p7 = 1) OR
      (hanticafe = 2) AND (p8 = 1) OR
      (hanticafe = 2) AND (p9 = 1) OR
      (hanticafe = 2) AND (p10 = 1) OR
      (hanticafe = 2) AND (p99 = 1)
```

```
-----
=====البدايه=====
SELECT gov_code, doc_ser_gov, ser_line, net_moh_code, ind1
FROM f_basic_data
where (net_moh_code = 1) OR
      (ser_line = 99)
ORDER BY gov_code, doc_ser_gov, ser_line
-----هذا الامر خاص باعطاء ind1 = 1-----
```

```
-----
SELECT gov_code, doc_ser_gov, ser_line, mob_use5
FROM f_basic_data
where (mob_use5 = 1) OR
      (ser_line = 99)
ORDER BY gov_code, doc_ser_gov, ser_line
```

-----هذا الامر خاص باعطاء الاسر المستخدمة للمحمول للدخول على الانترنت-----

```
-----
SELECT *
FROM f_basic_data INNER JOIN
      f_table1 ON f_basic_data.YEAR_STATE = f_table1.YEAR_STATE
AND f_basic_data.month1_code = f_table1.month1_code AND
      f_basic_data.gov_code = f_table1.gov_code AND
f_basic_data.doc_ser_gov = f_table1.doc_ser_gov AND
      f_basic_data.section_code = f_table1.section_code AND
```

```
3 ولاء-السويس sql
f_basi c_data.val l_code = f_tabl e1.val l_code AND
f_basi c_data.doc_ser_val l = f_tabl e1.doc_ser_val l AND
f_basi c_data.r_u_code = f_tabl e1.r_u_code
where (f_basi c_data.mob_use5 = 1) AND (f_basi c_data.ser_l ine = 99) AND
(f_tabl e1.qmobi l e_net <> 1)AND MOBI LE=1
-----
SELECT      f_tabl e1.YEAR_STATE, f_tabl e1.month1_code, f_tabl e1.gov_code,
f_tabl e1.doc_ser_gov, f_tabl e1.val l_code, f_tabl e1.doc_ser_val l ,
f_tabl e1.r_u_code,
             f_tabl e1.qmobi l e_net
FROM        f_basi c_data INNER JOIN
             f_tabl e1 ON f_basi c_data.YEAR_STATE = f_tabl e1.YEAR_STATE
AND f_basi c_data.month1_code = f_tabl e1.month1_code AND
             f_basi c_data.gov_code = f_tabl e1.gov_code AND
f_basi c_data.doc_ser_gov = f_tabl e1.doc_ser_gov AND
             f_basi c_data.secti on_code = f_tabl e1.secti on_code AND
f_basi c_data.val l_code = f_tabl e1.val l_code AND
             f_basi c_data.doc_ser_val l = f_tabl e1.doc_ser_val l AND
f_basi c_data.r_u_code = f_tabl e1.r_u_code
where      (f_basi c_data.mob_use5 = 0) AND (f_basi c_data.ser_l ine = 99) AND
(f_tabl e1.qmobi l e_net = 1)
-----
```

```
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
```

```

=====
SELECT      *
FROM        f_basi c_data
where      (comp_ent=1) AND (ser_line = 99)and comp_use=1
-----
SELECT      *
FROM        f_basi c_data
where      (ser_line = 99)and comp_use=1
-----
SELECT      *
FROM        f_tabl e1
where      (q_comp = 1)
-----مشكلة-----
=====
SELECT      *
FROM        f_basi c_data
where      (mobile = 1) AND (ser_line = 99)
-----
SELECT      *
FROM        f_basi c_data
where      (mobile_ent = 1) AND (ser_line = 99)
-----
SELECT      *
FROM        f_tabl e1
where      (q_mobi le = 1)
-----
=====
SELECT      *
FROM        f_basi c_data
where      (mob_use5 = 1) AND (ser_line = 99)
-----
SELECT      *
FROM        f_basi c_data
where      (mob_net_ent = 1) AND (ser_line = 99)
-----
SELECT      *
FROM        f_i nternet
where      (mobile = 1)
-----
SELECT      *
FROM        f_tabl e1
where      (qmobi le_net = 1)
-----
=====
SELECT      *
FROM        f_basi c_data
where      (mobile_3 = 1) AND (ser_line = 99)
-----
SELECT      *
FROM        f_basi c_data
where      (mob_3_ent = 1) AND (ser_line = 99)
-----
SELECT      *
FROM        f_tabl e1
where      (q_mobi le3 = 1)
-----
=====
SELECT      *
FROM        f_basi c_data
where      (net_ent = 1) AND (ser_line = 99)
-----
SELECT      *
FROM        f_basi c_data
where      (net_code = 1) AND (ser_line = 99)
-----
SELECT      *

```

FROM f\_internet  
where (net\_ent= 1)

-----  
SELECT \*  
FROM f\_table1  
where (q\_net = 1)  
-----

=====

SELECT \*  
FROM f\_basi c\_data  
where (ind1 = 1) AND (ser\_line = 99)

-----  
SELECT \*  
FROM f\_basi c\_data  
where (net\_moh\_code = 1) AND (ser\_line = 99)  
-----

SELECT \*  
FROM f\_table1  
where (q\_h\_net = 1)  
-----

=====لها طريقتان=====مممكن=====

SELECT \*  
FROM f\_internet  
where (q5\_1 = 1)  
-----

SELECT \*  
FROM f\_basi c\_data  
where (net\_moh\_code= 1 and ser\_line=99)  
-----

SELECT \*  
FROM f\_table1  
where (q\_h\_net = 1)  
-----

=====

SELECT \*  
FROM f\_basi c\_data  
where (cost\_coffee <>0)AND (ser\_line = 99)  
-----

SELECT \*  
FROM f\_basi c\_data  
where (net1 = 1)AND (ser\_line = 99)  
-----

SELECT \*  
FROM f\_table1  
where (q\_coffee = 1)  
-----

=====

SELECT \*  
FROM f\_basi c\_data  
where (cost\_club <>0)AND (ser\_line = 99)  
-----

SELECT \*  
FROM f\_basi c\_data  
where (net2 = 1)AND (ser\_line = 99)  
-----

SELECT \*  
FROM f\_table1  
where (q\_club = 1)  
-----

=====

SELECT \*  
FROM f\_basi c\_data  
where (cost\_library <>0)AND (ser\_line = 99)  
-----

SELECT \*  
FROM f\_basi c\_data  
where (net6 = 1)AND (ser\_line = 99)  
-----

```

-----
SELECT      *
FROM        f_table1
where       (q_library = 1)
----- من هنا -----
=====
SELECT      *
FROM        f_basic_data
where       (comp_use = 1)and ser_line=99
-----
SELECT      *
FROM        f_basic_data
where       (comp_ent = 1)and ser_line=99
-----
SELECT      *
FROM        f_comp_net_security
-----
=====
SELECT      *
FROM        f_basic_data
where       (net_ent = 1) AND (ser_line = 99)
-----
SELECT      *
FROM        f_internet
where       (net_ent = 1)
-----
SELECT      *
FROM        f_basic_data
where       (net_code = 1) AND (ser_line = 99)
-----
=====
SELECT      *
FROM        f_basic_data
where       (comp_ent <> 1) AND net_ent=1 and (ser_line = 99)
-----
SELECT      *
FROM        f_basic_data
where       (comp_ent = 1) AND net_ent=0 and (ser_line = 99)
-----
SELECT      *
FROM        f_basic_data
where       (comp_ent = 1) AND net_ent is null and (ser_line = 99)
-----
SELECT      *
FROM        f_basic_data
where       (comp_ent <>1) AND net_ent<>0 and (ser_line = 99)
-----
SELECT      *
FROM        f_basic_data
where       (ser_line = 99) AND (comp_ent <> 1) AND (net_ent = 1)
-----
SELECT      *
FROM        f_basic_data
where       (comp_ent <> 1) AND net_code =1 and (ser_line = 99)
-----
SELECT      *
FROM        f_basic_data
where       (comp_ent = 1) AND comp_use <>1 and (ser_line = 99)
-----
SELECT      *
FROM        f_basic_data
where       (comp_ent <> 1) AND comp_use =1 and (ser_line = 99)
-----
SELECT      *
FROM        f_basic_data
where       (comp_ent = 2) AND(net_ent =1) AND (ser_line = 99)
-----
=====
=

```

3 ولاء-السوييس sql

```
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
-----uni fi ed_code-----
```

```
SELECT DISTINCT right_f, ser_batch, gov_code, doc_ser_gov
FROM f_frame
WHERE GOV_CODE=22 AND (right_f = 2)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT gov_code, ser_batch, COUNT(doc_ser_gov) AS Expr1
FROM f_frame
WHERE GOV_CODE=22 AND (right_f = 1)
GROUP BY gov_code, ser_batch
ORDER BY gov_code, ser_batch
```

```
-----
SELECT *
FROM house_hol ds
WHERE GOV_CODE<>0
-----
```

```
SELECT gov_code, doc_ser_gov
FROM f_commen_key
GROUP BY gov_code, doc_ser_gov
HAVI NG (COUNT(doc_ser_gov) > 1)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT gov_code, doc_ser_gov
FROM f_basi c_data1
GROUP BY gov_code, doc_ser_gov
HAVI NG (COUNT(doc_ser_gov) > 1)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT gov_code, doc_ser_gov
FROM f_tabl e1
GROUP BY gov_code, doc_ser_gov
HAVI NG (COUNT(doc_ser_gov) > 1)
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT gov_code, doc_ser_gov
```

```
FROM f_computer
GROUP BY gov_code, doc_ser_gov
HAVING (COUNT(doc_ser_gov) > 1)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT gov_code, doc_ser_gov
FROM f_communication
GROUP BY gov_code, doc_ser_gov
HAVING (COUNT(doc_ser_gov) > 1)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT gov_code, doc_ser_gov
FROM f_internet
GROUP BY gov_code, doc_ser_gov
HAVING (COUNT(doc_ser_gov) > 1)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT gov_code, doc_ser_gov
FROM f_info_technology
GROUP BY gov_code, doc_ser_gov
HAVING (COUNT(doc_ser_gov) > 1)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT gov_code, doc_ser_gov
FROM f_comp_net_security
GROUP BY gov_code, doc_ser_gov
HAVING (COUNT(doc_ser_gov) > 1)
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT gov_code, doc_ser_gov, ser_line
FROM f_basic_data
GROUP BY gov_code, doc_ser_gov, ser_line
HAVING (COUNT(ser_line) > 1)
ORDER BY gov_code, doc_ser_gov
```

```
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
```

```
SELECT YEAR_STATE, gov_code, doc_ser_gov, ser_line, comp_use, comp_ent
FROM f_basic_data
WHERE (gov_code > 30) AND (comp_use = 1) OR
(gov_code > 30) AND (ser_line = 99)
ORDER BY gov_code, doc_ser_gov, ser_line
```

```
-----
SELECT YEAR_STATE, gov_code, doc_ser_gov, ser_line, net_code, net_ent
```

```
FROM          f_basi c_data
WHERE         (gov_code > 30) AND (net_code = 1) OR
               (gov_code > 30) AND (ser_line = 99)
```

```
-----
-
ORDER BY gov_code, doc_ser_gov, ser_line
SELECT    YEAR_STATE, gov_code, doc_ser_gov, ser_line, mobile, mobile_ent
FROM      f_basi c_data
WHERE     (gov_code > 30) AND (mobile = 1) OR
           (gov_code > 30) AND (ser_line = 99)
```

```
-----
-
ORDER BY gov_code, doc_ser_gov, ser_line
SELECT    YEAR_STATE, gov_code, doc_ser_gov, ser_line, mob_use5, mob_net_ent
FROM      f_basi c_data
WHERE     (gov_code > 30) AND (mob_use5 = 1) OR
           (gov_code > 30) AND (ser_line = 99)
```

```
-----
-
SELECT    YEAR_STATE, gov_code, doc_ser_gov, ser_line, net_moh_code, ind1
FROM      f_basi c_data
WHERE     (gov_code > 30) AND (net_moh_code = 1) OR
           (gov_code > 30) AND (ser_line = 99)
ORDER BY gov_code, doc_ser_gov, ser_line
```

```
-----
-
ORDER BY gov_code, doc_ser_gov, ser_line
SELECT    YEAR_STATE, gov_code, doc_ser_gov, cost_library, cost_club,
cost_cofee, ser_line, ind2
FROM      f_basi c_data
WHERE     (gov_code > 30) AND (cost_library <> 0) OR
           (gov_code > 30) AND (cost_club <> 0) OR
           (gov_code > 30) AND (cost_cofee <> 0) OR
           (gov_code > 30) AND (ser_line = 99)
ORDER BY gov_code, doc_ser_gov, ser_line
```

```
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
=
=====
```

امر زائد=

```
=====
=
SELECT      COUNT(*) AS Expr1
FROM        f_basi c_data INNER JOIN
            f_computer ON f_basi c_data.YEAR_STATE =
f_computer.YEAR_STATE AND f_basi c_data.month1_code = f_computer.month1_code AND
            f_basi c_data.gov_code = f_computer.gov_code AND
f_basi c_data.doc_ser_gov = f_computer.doc_ser_gov AND
            f_basi c_data.section_code = f_computer.section_code AND
f_basi c_data.val I_code = f_computer.val I_code AND
```



```
f_basi c_data.doc_ser_val l = f_computer.doc_ser_val l AND
f_basi c_data.r_u_code = f_computer.r_u_code
WHERE (f_computer.comp_have = 1) AND (f_basi c_data.ser_line = 99) AND
(f_basi c_data.comp_use = 2
```

=====باقي غدا=====

```
SELECT COUNT(*) AS Expr1
FROM f_basi c_data INNER JOIN
f_computer ON f_basi c_data.YEAR_STATE =
f_computer.YEAR_STATE AND f_basi c_data.month1_code = f_computer.month1_code AND
f_basi c_data.gov_code = f_computer.gov_code AND
f_basi c_data.doc_ser_gov = f_computer.doc_ser_gov AND
f_basi c_data.section_code = f_computer.section_code AND
f_basi c_data.val l_code = f_computer.val l_code AND
f_basi c_data.doc_ser_val l = f_computer.doc_ser_val l AND
f_basi c_data.r_u_code = f_computer.r_u_code
WHERE (f_computer.comp_have = 1) AND (f_basi c_data.ser_line = 99) AND
(f_basi c_data.comp_use = 2)
```

=====زيادة=====

```
SELECT *
FROM f_basi c_data
WHERE (ser_line <> 99) AND (service_1 = 0) AND (service_2 = 0) AND (service_3
= 0)
AND (service_4 = 0) AND (service_5 = 0) AND (service_6 = 0) AND
(service_9 = 0) AND (mob_use5 = 1)
```

=====

```
SELECT *
FROM f_basi c_data
WHERE (ser_line <> 99) AND (service_1 <> 0) AND (mob_use5 <> 1) AND (mobile =
1) OR
OR (ser_line <> 99) AND (service_2 <> 0) AND (mob_use5 <> 1)
OR (ser_line <> 99) AND (service_3 <> 0) AND (mob_use5 <> 1)
OR (ser_line <> 99) AND (service_4 <> 0) AND (mob_use5 <> 1)
OR (ser_line <> 99) AND (service_5 <> 0) AND (mob_use5 <> 1)
OR (ser_line <> 99) AND (service_6 <> 0) AND (mob_use5 <> 1)
OR (ser_line <> 99) AND (service_9 <> 0) AND (mob_use5 <> 1)
```

=====

```
SELECT *
FROM f_basi c_data
WHERE (ser_line <> 99) AND (mob_use5 <> 1) AND (mob_model <> '')
```

=====

```
SELECT *
FROM f_basi c_data
WHERE (ser_line <> 99) AND (mob_use5 <> 1) AND (mob_type<> '')
```

=====

```
SELECT *
FROM f_basi c_data
WHERE (p1_12 = 0) AND (YEAR_STATE = 2010) AND (net_code = 1)
```

=====

```
SELECT *
FROM f_basi c_data
WHERE (ser_line <> 99) AND (YEAR_STATE = 2010) AND (mobile = 1) AND (no1 = 0)
AND (no2 = 0)
```

```
*****
*****
*****
*****
*****
```

```
-----comp_use-----
SELECT distinct gov_code, doc_ser_gov
FROM f_computer b1
WHERE (comp_use = 1) and year_state=2009
and EXISTS
(
SELECT 1
FROM f_comp_net_security b2
WHERE (q7_1<>0) and year_state=2009
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (comp_use <>1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (comp_use <>1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (comp_use =1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (comp_use =1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

```
-----mob_use5-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (mob_use5 = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT 1
FROM f_basic_data b2
WHERE (mob_use5 <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (mob_use5 <>1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (mob_use5 <>1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (mob_use5 =1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (mob_use5 =1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

```
-----
-----mobile-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (mobile = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT 1
FROM f_basic_data b2
WHERE (mobile <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov
-----
```

```
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (mobile <>1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (mobile <>1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (mobile =1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (mobile=1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
-----
-----
-----
```

```
-----net_code-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (net_code = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT 1
FROM f_basic_data b2
WHERE (net_code <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov
-----
```

```
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (net_code <>1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (net_code <>1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
-----
```

```
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (net_code =1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (net_code=1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
-----
```

```
-----net_moh_code-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (net_moh_code = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT 1
FROM f_basic_data b2
WHERE (net_moh_code <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (net_moh_code <>1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (net_moh_code <>1) AND (ser_line <> 99)
AND b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (net_moh_code =1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (net_moh_code=1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

```
-----mobile_3-----
SELECT gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (mobile_3 = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT 1
FROM f_basic_data b2
WHERE (mobile_3 <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (mobile_3 <>1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (mobile_3 <>1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basic_data b1
WHERE (mobile_3 =1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basic_data b2
WHERE (mobile_3=1) AND (ser_line <> 99) AND
```

```
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

```
-----mobile_wi_reless-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basi c_data b1
WHERE (mobile_wi_reless = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT 1
FROM f_basi c_data b2
WHERE (mobile_wi_reless <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basi c_data b1
WHERE (mobile_wi_reless <>1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basi c_data b2
WHERE (mobile_wi_reless <>1) AND (ser_line <> 99)
AND b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basi c_data b1
WHERE (mobile_wi_reless =1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basi c_data b2
WHERE (mobile_wi_reless=1) AND (ser_line <> 99)
AND b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

```
-----mobile_cam--
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basi c_data b1
WHERE (mobile_cam = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT 1
FROM f_basi c_data b2
WHERE (mobile_cam <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basi c_data b1
WHERE (mobile_cam<>1) AND (ser_line = 99) AND ( not EXISTS
(SELECT 1
FROM f_basi c_data b2
WHERE (mobile_cam <>1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

```
-----
SELECT distinct gov_code, doc_ser_gov
FROM f_basi c_data b1
WHERE (mobile_cam =1) AND (ser_line = 99) AND ( not EXISTS
```

```

3 ولاء-السويس sql
(SELECT
  1
  FROM      f_basi c_data b2
  WHERE     (mobile_cam=1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
-----
-----
-----
-----

```

```

-----net1-----
SELECT  distinct gov_code, doc_ser_gov
FROM    f_basi c_data b1
WHERE   (net1 = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT  1
FROM    f_basi c_data b2
WHERE   (net1 <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov
-----

```

```

SELECT  distinct gov_code, doc_ser_gov
FROM    f_basi c_data b1
WHERE   (net1<>1) AND (ser_line = 99) AND ( not EXISTS
(SELECT  1
  FROM      f_basi c_data b2
  WHERE     (net1 <>1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
-----

```

```

SELECT  distinct gov_code, doc_ser_gov
FROM    f_basi c_data b1
WHERE   (net1 =1) AND (ser_line = 99) AND ( not EXISTS
(SELECT  1
  FROM      f_basi c_data b2
  WHERE     (net1=1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
-----
-----
-----
-----

```

```

-----net2-----
SELECT  distinct gov_code, doc_ser_gov
FROM    f_basi c_data b1
WHERE   (net2 = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT  1
FROM    f_basi c_data b2
WHERE   (net2 <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov
-----

```

```

SELECT  distinct gov_code, doc_ser_gov
FROM    f_basi c_data b1
WHERE   (net2<>1) AND (ser_line = 99) AND ( not EXISTS
(SELECT  1
  FROM      f_basi c_data b2
  WHERE     (net2 <>1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
-----

```

```

SELECT  distinct gov_code, doc_ser_gov
Page 70

```

```

FROM      f_basi c_data b1
WHERE     (net2 =1) AND (ser_line = 99) AND ( not EXISTS
          (SELECT      1
            FROM        f_basi c_data b2
            WHERE       (net2=1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY  gov_code, doc_ser_gov

```

-----mobile\_3-----

```

SELECT    distinct gov_code, doc_ser_gov
FROM      f_basi c_data b1
WHERE     (net6 = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT    1
FROM      f_basi c_data b2
WHERE     (net6 <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov

```

```

SELECT    distinct gov_code, doc_ser_gov
FROM      f_basi c_data b1
WHERE     (net6<>1) AND (ser_line = 99) AND ( not EXISTS
          (SELECT      1
            FROM        f_basi c_data b2
            WHERE       (net6 <>1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY  gov_code, doc_ser_gov

```

```

SELECT    distinct gov_code, doc_ser_gov
FROM      f_basi c_data b1
WHERE     (net6 =1) AND (ser_line = 99) AND ( not EXISTS
          (SELECT      1
            FROM        f_basi c_data b2
            WHERE       (net6=1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY  gov_code, doc_ser_gov

```

-----card-----

```

SELECT    distinct gov_code, doc_ser_gov
FROM      f_basi c_data b1
WHERE     (card = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT    1
FROM      f_basi c_data b2
WHERE     (card <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov

```

```

SELECT    distinct gov_code, doc_ser_gov
FROM      f_basi c_data b1
WHERE     (card<>1) AND (ser_line = 99) AND ( not EXISTS
          (SELECT      1
            FROM        f_basi c_data b2
            WHERE       (card <>1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY  gov_code, doc_ser_gov

```

```

-----
SELECT distinct gov_code, doc_ser_gov
FROM      f_basi c_data b1
WHERE     (card =1) AND (ser_line = 99) AND ( not EXISTS
          (SELECT      1
            FROM        f_basi c_data b2
            WHERE       (card=1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
-----

```

-----mobile\_3-----

```

SELECT distinct gov_code, doc_ser_gov
FROM      f_basi c_data b1
WHERE     (card1 = 1) AND (ser_line <> 99)
and EXISTS
(
SELECT    1
FROM      f_basi c_data b2
WHERE     (card1 <>1) AND (ser_line = 99)
and b1.gov_code=b2.gov_code
and b1.doc_ser_gov=b2.doc_ser_gov
)
order by gov_code, doc_ser_gov
-----

```

```

SELECT distinct gov_code, doc_ser_gov
FROM      f_basi c_data b1
WHERE     (card1<>1) AND (ser_line = 99) AND ( not EXISTS
          (SELECT      1
            FROM        f_basi c_data b2
            WHERE       (card1 <>1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
-----

```

```

SELECT distinct gov_code, doc_ser_gov
FROM      f_basi c_data b1
WHERE     (card1 =1) AND (ser_line = 99) AND ( not EXISTS
          (SELECT      1
            FROM        f_basi c_data b2
            WHERE       (card1=1) AND (ser_line <> 99) AND
b1.gov_code = b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
-----

```

```

-----القيام بالتعديل field الربط بين السطر 99 وأى-----
SELECT      f_basi c_data_1.*
FROM        f_basi c_data INNER JOIN
          f_basi c_data f_basi c_data_1 ON f_basi c_data.YEAR_STATE =
f_basi c_data_1.YEAR_STATE AND
          f_basi c_data.month1_code = f_basi c_data_1.month1_code AND
f_basi c_data.gov_code = f_basi c_data_1.gov_code AND
          f_basi c_data.doc_ser_gov = f_basi c_data_1.doc_ser_gov AND
f_basi c_data.section_code = f_basi c_data_1.section_code AND
          f_basi c_data.vall_code = f_basi c_data_1.vall_code AND
f_basi c_data.doc_ser_vall = f_basi c_data_1.doc_ser_vall AND
          f_basi c_data.r_u_code = f_basi c_data_1.r_u_code
WHERE       (f_basi c_data.ser_line <> 99) AND (f_basi c_data.net_moh_code = 1) AND
(f_basi c_data_1.net_moh_code <> 1) AND (f_basi c_data_1.ser_line = 99)
ORDER BY f_basi c_data_1.gov_code, f_basi c_data_1.doc_ser_gov
=====

```

```

=====
-----f_ineternet وغير موجودة في basic_data معرفة الاستثمارات الموجودة في-----
SELECT      gov_code, doc_ser_gov
FROM        f_basi c_data a
where (net_code = 1) AND (ser_line = 99)
and not EXISTS
(SELECT      gov_code, doc_ser_gov

```



```
FROM          f_internet b
WHERE
                a.gov_code = b.gov_code AND a.doc_ser_gov = b.doc_ser_gov
AND a.r_u_code = b.r_u_code      AND a.year_state = b.year_state AND a.month1_code =
b.month1_code
AND a.section_code = b.section_code AND a.vall_code = b.vall_code AND
a.doc_ser_vall = b.doc_ser_vall)
```

```
ORDER BY gov_code, doc_ser_gov
```

=====

```
==
SELECT      *
FROM          f_comp_net_security
WHERE      (q7_1 <> 0) AND (NOT EXISTS
                (SELECT      *
                    FROM          f_basic_data a
                    WHERE      (comp_use = 1) AND (ser_line = 99) AND
a.gov_code = b.gov_code AND a.doc_ser_gov = b.doc_ser_gov AND
a.r_u_code = b.r_u_code AND
a.year_state = b.year_state AND a.month1_code = b.month1_code AND
a.section_code =
b.section_code AND a.vall_code = b.vall_code AND a.doc_ser_vall =
b.doc_ser_vall))
```

-----  
-----

-----income

```
select a.gov_code, a.doc_ser_gov
from (select gov_code, doc_ser_gov, incom
from f_basic_data
where ser_line=99)a, (select gov_code, doc_ser_gov, sum(isnull(incom,0))result
from f_basic_data
where ser_line<>99
group by gov_code, doc_ser_gov)b
where a.gov_code=b.gov_code
and a.doc_ser_gov=b.doc_ser_gov
and b.result<>a.incom
order by a.gov_code, a.doc_ser_gov
```

```
-----
select a.gov_code, a.doc_ser_gov, a.no_line, a.ser_line
from f_basic_data a, (SELECT gov_code, doc_ser_gov, COUNT(ser_line) as coco
FROM f_basic_data
group by gov_code, doc_ser_gov)b
where a.gov_code=b.gov_code
and a.doc_ser_gov=b.doc_ser_gov
and a.no_line<>b.coco
```

888

```
-----
SELECT      distinct gov_code, doc_ser_gov
FROM          f_basic_data b1
WHERE      net_ent<>1 and comp_ent=1 and (ser_line = 99) AND ( EXISTS
                (SELECT      1
                    FROM          f_basic_data b2
                    WHERE      net_code<>1 and comp_use=1 and
educational_status_code>6 and age <15 AND (ser_line <> 99) AND b1.gov_code =
b2.gov_code AND b1.doc_ser_gov = b2.doc_ser_gov))
```

```
ORDER BY gov_code, doc_ser_gov
```

---

```
SELECT distinct gov_code, doc_ser_gov
FROM f_basi c_data b1
WHERE comp_ent<>1 and (ser_line = 99) AND ( EXISTS
(SELECT 1
FROM f_basi c_data b2
WHERE educional_status_code>7 and age <20 AND
(ser_line <> 99) AND b1.gov_code = b2.gov_code AND b1.doc_ser_gov =
b2.doc_ser_gov))
ORDER BY gov_code, doc_ser_gov
```

---

```
SELECT gov_code, doc_ser_gov, ser_line, mob_use5
FROM f_basi c_data
WHERE (mob_use5 = 1)OR
(ser_line = 99)
ORDER BY gov_code, doc_ser_gov, ser_line
```

---