

```

select*
from club_cafee_public
where q1_12=0or q1_12<5000 and club_cafee_code=2
-----

select*
from club_cafee_public
where inv_type not in (1,2,3,9)and club_cafee_code=2
-----

select*
from club_cafee_public
where inv_type=9 and inv_text='' and club_cafee_code=2
-----

select*
from club_cafee_public
where inv_type=0 and inv_text<>' ' and club_cafee_code=2
-----

select*
from club_cafee_public
where q1_13<1990 or q1_13>2010 and club_cafee_code=2
-----

select*
from club_cafee_public
where support not in (1,2)and club_cafee_code=2
-----

select*
from club_cafee_public
where q1_1>3 and club_cafee_code=2
-----

select*
from club_cafee_public
where q1_2>24 and club_cafee_code=2
-----

select*
from club_cafee_public
where q1_9b<q1_9a and club_cafee_code=2
-----

select*
from club_cafee_public
where q1_9b=0 and club_cafee_code=2
-----

select*
from club_cafee_public
where time_d2<time_d1 and club_cafee_code=2
-----

select*
from club_cafee_public
where time_d1=0 and time_d2=0 and club_cafee_code=2
-----

select*
from club_cafee_public
where time_d1>24 or time_d2>24 and club_cafee_code=2
-----

select*
from club_cafee_public
where q1_15=0 or q1_15<150 and club_cafee_code=2
-----

select*
from club_cafee_public
where q1_4 not in (1,2,3,4)and club_cafee_code=2
-----

select*

```

```
from club_cafee_public
where q15_1 not in (0,1) and q15_2 not in (0,1) and q15_3 not in
(0,1)and q15_4 not in (0,1) and q15_12 not in (0,1) and q15_13 not in
(0,1) and q15_999 not in (0,1) and q15_5 not in (0,1) and q15_6 not
in (0,1) and q15_7 not in (0,1) and q15_8 not in (0,1) and q15_99 not
in (0,1)and club_cafee_code=2
```

```
-----
select*
from club_cafee_public
where q15_1=0 and q15_2=0 and q15_3=0 and q15_4=0 and q15_12=0 and
q15_13=0 and q15_999=0 and q15_5=0 and q15_6=0 and q15_7=0 and
q15_8=0 and q15_99=0 and club_cafee_code=2
```

```
-----
select*
from club_cafee_public
where q15_999=1 and text999='' and club_cafee_code=2
```

```
-----
select*
from club_cafee_public
where q15_999=0 and text999<>'' and club_cafee_code=2
```

```
-----
select*
from club_cafee_public
where q15_99=1 and text1='' and club_cafee_code=2
```

```
-----
select*
from club_cafee_public
where q15_99=0 and text1<>'' and club_cafee_code=2
```

```
-----
select*
from club_cafee_public
where q16_1 not in (1,2)and club_cafee_code=2
```

```
-----
select*
from club_cafee_public
where q1_net not in (1,2)and club_cafee_code=2
```

```
-----
select*
from club_cafee_public
where net1=0 and net2=0 and club_cafee_code=2
```

```
-----
-----iãá ÇÓÊËiÇà ÇÁÍÇÓÊÇÊ-----
```

```
-----club_cafee_computer-----
```

```
-----
select*
from club_cafee_computer
where q2_1=0 and lifetime<>0 and club_cafee_code=2
```

```
-----
select*
from club_cafee_computer
where q2_1<>0 and lifetime=0 and club_cafee_code=2
```

```
-----
select*
from club_cafee_computer
where q21_1=0 and q22_1<>0 and club_cafee_code=2
```

```
-----
select*
from club_cafee_computer
```

```

where q21_2=0 and q22_2<>0 and club_cafee_code=2
-----
select*
from club_cafee_computer
where q2_1>q2_1+q21_2 and club_cafee_code=2
-----
select*
from club_cafee_computer
where q2_1<q21_1+q21_2 and club_cafee_code=2
-----
select *
from club_cafee_computer
where q2_1<>q21_1+q21_2 and club_cafee_code=2
-----
select *
from club_cafee_computer
where lifetime not in (1,2,3,4) and club_cafee_code=2
-----
select *
from club_cafee_computer
where q34_1 not in (1,2) and q34_3 not in (1,2)and q34_33 not in
(1,2)and q34_2 not in (1,2)and q34_4 not in (1,2)and q34_66 not in
(1,2)and q34_77 not in (1,2)and q34_88 not in (1,2)and q34_pda not in
(1,2)and club_cafee_code=2
-----
select *
from club_cafee_computer
where q34_1 =0 and q34_3 =0 and q34_33 =0 and q34_2 =0 and q34_4=0
and q34_66 =0 and q34_77 =0 and q34_88 =0 and q34_pda =0 and
club_cafee_code=2
-----
select*
from club_cafee_computer
where q34_33=1 and q33_text='' and club_cafee_code=2
-----
select*
from club_cafee_computer
where q34_33=0 and q33_text<>' ' and club_cafee_code=2
-----
select*
from club_cafee_computer
where q34_66=1 and q66_text='' and club_cafee_code=2
-----
select*
from club_cafee_computer
where q34_66=0 and q66_text<>' ' and club_cafee_code=2
-----
select*
from club_cafee_computer
where q2_5_1=0 and q2_5_2=0 and q2_5_3=0 and q2_5_4=0 and
club_cafee_code=2
-----
select*
from club_cafee_computer
where q2_5_9=1 and q2_5_text='' and club_cafee_code=2
-----
select*
from club_cafee_computer
where q2_5_9=0 and q2_5_text<>' ' and club_cafee_code=2
-----
select*

```

```

from club_cafee_computer
where q2_6_1=0 and q2_6_2=0 and q2_6_3=0 and q2_6_9=0 and
club_cafee_code=2
-----
select*
from club_cafee_computer
where q2_6_1 not in (1,2,3,4)and q2_6_2 not in (1,2,3,4) and q2_6_3
not in (1,2,3,4) and q2_6_9 not in (1,2,3,4)and club_cafee_code=2
-----
select*
from club_cafee_computer
where q2_6_9=1 and q2_6_text='' and club_cafee_code=2
-----
select*
from club_cafee_computer
where q2_6_9=0 and q2_6_text<>' ' and club_cafee_code=2
-----
-----iïæá CÓÊËiÇä ÇáÈÑãïiÇÊ-----
-----club_cafee_programs-----
select *
from club_cafee_programs
where q3_1_1=0 and q3_1_2=0 and q3_1_3=0 and q3_1_9=0 and
club_cafee_code=2
-----
select *
from club_cafee_programs
where q3_1_1 not in (0,1) and q3_1_2 not in (0,1) and q3_1_3 not in
(0,1) and q3_1_9 not in (0,1) and club_cafee_code=2
-----
select*
from club_cafee_programs
where q3_1_9=1 and text1='' and club_cafee_code=2
-----
select*
from club_cafee_programs
where q3_1_9=0 and text1<>' ' and club_cafee_code=2
-----
select *
from club_cafee_programs
where q3_2_1=0 and q3_2_2=0 and q3_2_3=0 and q3_2_4=0 and q3_2_5=0
and q3_2_9=0 and club_cafee_code=2
-----
select *
from club_cafee_programs
where q3_2_1 not in (0,1) and q3_2_2 not in (0,1) and q3_2_3 not in
(0,1)and q3_2_4 not in (0,1) and q3_2_5 not in (0,1) and q3_2_9 not
in (0,1) and club_cafee_code=2
-----
select*
from club_cafee_programs
where q3_2_9=1 and text2='' and club_cafee_code=2
-----
select*

```

```

from club_cafee_programs
where q3_2_9=0 and text2<>' ' and club_cafee_code=2
-----
select*
from club_cafee_programs
where q3_3 not in (1,2)and club_cafee_code=2
-----
select*
from club_cafee_programs
where q3_4 not in (1,2)and club_cafee_code=2
-----
-----Îãá ÈíÇăÇÊ ÇáÊÑîÕ-----
-----
-----club_cafee_data_license-----
-----
select*
from club_cafee_data_license
where q4_1 not in (1,2)and club_cafee_code=2
-----
select*
from club_cafee_data_license
where q4_2=0 and club_cafee_code=2
-----
select*
from club_cafee_data_license
where q4_3=' ' and club_cafee_code=2
-----
select*
from club_cafee_data_license
where q4_4 not in (1,2)and club_cafee_code=2
-----
select*
from club_cafee_data_license
where q4_5 not in (1,2)and club_cafee_code=2
-----
select*
from club_cafee_data_license
where q4_6 not in (1,2)and club_cafee_code=2
-----
select*
from club_cafee_data_license
where q4_7=' ' and club_cafee_code=2
-----
select*
from club_cafee_data_license
where q4_8=' ' and club_cafee_code=2
-----
select*
from club_cafee_data_license
where q4_9 not in (1,2)and club_cafee_code=2
-----
select*
from club_cafee_data_license
where q4_10 not in (1,2,3,4)and club_cafee_code=2
-----
-----/-Îãá ÇÓÊÈíÇă ÇáÚÇăáíä-/-----
-----
-----/club_cafee_emp/-----
select*
from club_cafee_emp
where q41_3<>q41_1+q41_2 and club_cafee_code=2

```

```

-----
select*
from club_cafee_emp
where q42_3<>q42_1+q42_2 and club_cafee_code=2
-----
select*
from club_cafee_emp
where q49_3<>q49_1+q49_2 and club_cafee_code=2
-----
select*
from club_cafee_emp
where q49_1<>q41_1+q42_1 and club_cafee_code=2
-----
select*
from club_cafee_emp
where q49_2<>q41_2+q42_2 and club_cafee_code=2
-----
select*
from club_cafee_emp
where q49_3<>q41_3+q42_3 and club_cafee_code=2
-----
-----ÃÇ :ÈiÇãÇÊ ÚÇãÊ-----
--
-----user_table1-----
--
select*
from user_table1
where user_name='' and club_cafee_code=2
-----
select*
from user_table1
where user_no=0 and club_cafee_code=2
-----
select*
from user_table1
where sex_code not in (1,2) and club_cafee_code=2
-----
select*
from user_table1
where age not in (1,2,3,4,5) and club_cafee_code=2
-----
select*
from user_table1
where status not in (1,2,3)and club_cafee_code=2
-----
select*
from user_table1
where edu_level not in (1,2,3,4,5)and club_cafee_code=2
-----
select*
from user_table1
where comp not in (1,2)and club_cafee_code=2
-----
select*
from user_table1
where net not in (1,2)and club_cafee_code=2
-----
select*
from user_table1
where net_use_h not in (1,2)and club_cafee_code=2
-----

```

```

select*
from user_table1
where net_use_c not in (1,2)and club_cafee_code=2
-----

select*
from user_table1
where net_place not in (1,2,3)and club_cafee_code=2
-----

select*
from user_table1
where q1_10_1 not in (0,1) and q1_10_2 not in (0,1)and q1_10_3 not in
(0,1)and q1_10_4 not in (0,1)and q1_10_5 not in (0,1)and q1_10_9 not
in (0,1)and club_cafee_code=2
-----
-----

select*
from user_table1
where net_use_c=1 and q1_10_1 =0 and q1_10_2=0 and q1_10_3 =0 and
q1_10_4 =0 and q1_10_5 =0 and q1_10_9=0 and club_cafee_code=2
-----
-----

select*
from user_table1
where net_use_c=2 and (q1_10_1 =1 or q1_10_2=1 or q1_10_3 =1 or
q1_10_4 =1 or q1_10_5 =1 or q1_10_9=1)and club_cafee_code=2
-----

select*
from user_table1
where q1_10_9=1 and text2=''and club_cafee_code=2
-----

select*
from user_table1
where q1_10_9=0 and text2<>''and club_cafee_code=2
-----

select*
from user_table1
where age =1 AND edu_level <>1 and club_cafee_code=2
-----

select*
from user_table1
where comp =2 and net=1 and club_cafee_code=2
-----

select*
from user_table1
where comp =2 and net_use_h=1 and club_cafee_code=2
-----

select*
from user_table1
where net =1 and q1_10_4=1 and club_cafee_code=2
-----

select*
from user_table1
where status =3 and net_place=3 and club_cafee_code=2
-----
-----Êçãíç :çÓÊîîçãçÊ îîãçÊ çããçîî-----
-----
-----user_table2-----
--

```

```

select*
from user_table2
where q2_1 not in (1,2)and club_cafee_code=2
-----

select*
from user_table2
where q2_2 not in (1,2,3,4)and club_cafee_code=2
-----

select*
from user_table2
where q2_3 not in (1,2)and club_cafee_code=2
-----

select*
from user_table2
where q2_4_1 not in (1,2,3,4)and club_cafee_code=2
-----

select*
from user_table2
where q2_5_1 not in (0,1)and q2_5_2 not in (0,1)and q2_5_3 not in
(0,1)and q2_5_4 not in (0,1)and q2_5_5 not in (0,1)and q2_5_9 not in
(0,1)and club_cafee_code=2
-----
-----

select*
from user_table2
where q2_5_1 =0 and q2_5_2 =0 and q2_5_3 =0 and q2_5_4 =0 and q2_5_5
=0 and q2_5_9 =0 and club_cafee_code=2
-----
-----

select*
from user_table2
where q2_5_9 =1 and text1=''and club_cafee_code=2
-----
-----

select*
from user_table2
where q2_5_9 =0 and text1<>''and club_cafee_code=2
-----
-----

select*
from user_table2
where q2_6_1 not in (0,1)and q2_6_2 not in (0,1)and q2_6_3 not in
(0,1)and q2_6_4 not in (0,1)and q2_6_5 not in (0,1)and q2_6_6 not in
(0,1)and q2_6_7 not in (0,1)and q2_6_8 not in (0,1)and q2_6_9 not in
(0,1)and q2_6_10 not in (0,1)and q2_6_11 not in (0,1)and q2_6_12 not
in (0,1)and q2_6_99 not in (0,1)and club_cafee_code=2
-----
-----

select*
from user_table1 a,user_table2 b
where a.dept_code=b.dept_code and a.gov_code=b.gov_code and
a.doc_ser_gov=b.doc_ser_gov and a.user_no=b.user_no
and net_use_c=1 and q2_6_1 =0 and q2_6_2 =0 and q2_6_3 =0 and
q2_6_4 =0 and q2_6_5 =0 and q2_6_6 =0 and q2_6_7 =0 and q2_6_8 =0 and
q2_6_9 =0 and q2_6_10 =0 and q2_6_11 =0 and q2_6_12 =0 and q2_6_99=0
and a.club_cafee_code=2
-----
-----

```



```

select*
from user_table2
where q2_6_4 =1 and text4=' 'and club_cafee_code=2
-----

select*
from user_table2
where q2_6_4 =0 and text4<>' 'and club_cafee_code=2
-----

select*
from user_table2
where q2_6_99 =1 and text99=' 'and club_cafee_code=2
-----

select*
from user_table2
where q2_6_99 =0 and text99<>' 'and club_cafee_code=2
-----

select*
from user_table2
where net_speed not in (1,2,3,4)and club_cafee_code=2
-----

select*
from user_table1 a,user_table2 b
where a.dept_code=b.dept_code and a.gov_code=b.gov_code and
a.doc_ser_gov=b.doc_ser_gov and a.user_no=b.user_no
and net_use_c=1 and q2_7_1=0 and q2_7_2=0 and q2_7_3=0 and
q2_7_9=0
and a.club_cafee_code=2
-----

select*
from user_table2
where q2_5_1 =1 and q2_7_1 =0 and club_cafee_code=2
-----

select*
from user_table2
where q2_5_2 =1 and q2_7_2 =0 and club_cafee_code=2
-----

select*
from user_table2
where q2_5_3 =1 and q2_7_3 =0 and club_cafee_code=2
-----

select*
from user_table2
where q2_7_1 + q2_7_2 + q2_7_3 <> q2_7_9 and club_cafee_code=2
-----
-----CĂĂC:BYCĂĂ CĂĂĂĂĂ ĂĂĂĂĂ ĂĂĂĂĂ-----
-----
-----user_table3-----
-----

select*
from user_table3
where q3_1 not in (1,2,3)and club_cafee_code=2
-----

select*
from user_table3
where q3_1 in (1,2) and (q3_2_1=1 or q3_2_2=1 or q3_2_3=1 or q3_2_4=1
or q3_2_9=1)and club_cafee_code=2

```

```
-----  
-----  
select*  
from user_table3  
where q3_1=3 and q3_2_1=0 and q3_2_2=0 and q3_2_3=0 and q3_2_4=0 and  
q3_2_9=0 and club_cafee_code=2  
-----  
-----
```

```
select*  
from user_table3  
where q3_2_1 not in (0,1)and q3_2_2 not in (0,1)and q3_2_3 not in  
(0,1)and q3_2_4 not in (0,1)and q3_2_9 not in (0,1)and  
club_cafee_code=2  
-----  
-----
```

```
select*  
from user_table3  
where q3_2_9 =1 and text1=''and club_cafee_code=2  
-----  
-----
```

```
select*  
from user_table3  
where q3_2_9 =0 and text1<>''and club_cafee_code=2  
-----  
-----
```

```
select*  
from user_table3  
where q3_3_1 not in (1,2,3,4,5,6)and q3_3_2 not in (1,2,3,4,5,6)and  
q3_3_3 not in (1,2,3,4,5,6)and q3_3_4 not in (1,2,3,4,5,6)and q3_3_5  
not in (1,2,3,4,5,6)and q3_3_9 not in (1,2,3,4,5,6)and  
club_cafee_code=2  
-----  
-----  
-----  
-----
```

```
select*  
from user_table3  
where q3_4_1=3 and q3_4_2=0 and q3_4_3=0 and q3_4_4=0 and q3_4_5=0  
and q3_4_9=0 and club_cafee_code=2  
-----  
-----
```

```
select*  
from user_table3  
where q3_4_9 =1 and text3=''and club_cafee_code=2  
-----  
-----
```

```
select*  
from user_table3  
where q3_4_9 =0 and text3<>''and club_cafee_code=2  
-----  
-----
```

```
select*  
from user_table3  
where q3_5_1 not in (1,2)and club_cafee_code=2  
-----  
-----
```

```
select*  
from user_table3  
where q3_5_1=2 and (q3_6_1 =0 or q3_6_1 =0 or q3_6_1 =0)and  
club_cafee_code=2  
-----  
-----
```

```
select*  
from user_table3  
where q3_5_1=1 and (q3_6_1 <>0 or q3_6_1 <>0 or q3_6_1 <>0)and  
club_cafee_code=2  
-----  
-----
```

-----

-----